

JULY 2024

MONTHLY CONSTRUCTION WATER QUALITY MONITORING REPORT

July 2024

Project No: 3200-0645

Project: Transgrid Maragle 500/330 kV Substation

Private & Confidential





CONTENTS

| 1. | BACKGROUND | | 3 |
|----|---|----|----|
| 2. | INTRODUCTION | | g |
| 3. | | | |
| 4. | | | |
| | 4.1. Water Quality Objectives | 17 | |
| | 4.2. Site Specific Guideline Values | 17 | |
| 5. | | | 18 |
| | 5.1. Observations | 18 | |
| | 5.2. Results | 24 | |
| | 5.2.1. Key Physical and Chemical Parameters | 24 | |
| | 5.2.2. Dissolved Metals | 38 | |
| | 5.2.3. Total Metals | 39 | |
| | 5.3. Discussion | 39 | |
| 6. | CONCLUSION | | 41 |
| RF | FERENCES | | 42 |





TABLES

| TABLE 1 WATER QUALITY MONITORING LOCATIONS OUTLINED IN THE METHODOLOGY (NGH, 2022) | 11 |
|---|----|
| TABLE 2 SEASONAL SSGV (NGH, 2024) AND DGV (ANZG, 2018) FOR WATER QUALITY PARAMETERS | 14 |
| TABLE 3 FIELD OBSERVATIONS DURING SAMPLING | 18 |
| TABLE 4: RESULTS FOR DISSOLVED METALS | 38 |
| TABLE 5: RESULTS FOR TOTAL METALS | 39 |





FIGURES

| FIGURE 1 LOCALITY OF THE PROJECT AND SWQ MONITORING LOCATIONS | 10 |
|--|----|
| FIGURE 2 WATER QUALITY MONITORING LOCATIONS ASSOCIATED WITH REFERENCE SITE YR-RS AND TR-RS IN RELATION | ТО |
| THE PROJECT | 12 |
| FIGURE 3 WATER QUALITY MONITORING LOCATIONS ASSOCIATED WITH REFERENCE SITE WC-RS IN RELATION TO THE | |
| PROJECT | |
| FIGURE 4 : TEMPERATURE FOR YARRANGOBILLY CATCHMENT | |
| FIGURE 5: TEMPERATURE FOR TALBINGO RESERVOIR | |
| FIGURE 6: TEMPERATURE FOR YORKERS CREEK CATCHMENT | |
| FIGURE 7: PH FOR YARRANGOBILLY CATCHMENT | |
| FIGURE 8: PH FOR TALBINGO RESERVOIR | |
| FIGURE 9: PH FOR YORKERS CREEK CATCHMENT | |
| FIGURE 10: DO FOR YARRANGOBILLY CATCHMENT | |
| FIGURE 11: DO FOR TALBINGO RESERVOIR | |
| FIGURE 12: DO FOR YORKERS CREEK CATCHMENT | |
| FIGURE 13: SPC FOR YARRANGOBILLY CATCHMENT | 28 |
| FIGURE 14: SPC FOR TALBINGO RESERVOIR | |
| FIGURE 15: SPC FOR YORKERS CREEK CATCHMENT | 28 |
| FIGURE 16: TURBIDITY FOR YARRANGOBILLY CATCHMENT | |
| FIGURE 17: TURBIDITY FOR TALBINGO RESERVOIR | 29 |
| FIGURE 18: TURBIDITY FOR YORKERS CREEK CATCHMENT | 29 |
| FIGURE 19: TSS FOR YARRANGOBILLY CATCHMENT | |
| FIGURE 20: TSS FOR TALBINGO RESERVOIR | 30 |
| FIGURE 21: TSS FOR YORKERS CREEK CATCHMENT | 30 |
| FIGURE 22: AMMONIA FOR YARRANGOBILLY CATCHMENT | |
| FIGURE 23: AMMONIA FOR TALBINGO RESERVOIR | 31 |
| FIGURE 24: AMMONIA FOR YORKERS CREEK CATCHMENT | 31 |
| FIGURE 25: NITROGEN OXIDES FOR YARRANGOBILLY CATCHMENT | 32 |
| FIGURE 26: NITROGEN OXIDES FOR TALBINGO RESERVOIR | 32 |
| FIGURE 27: NITROGEN OXIDES FOR YORKERS CREEK CATCHMENT | 32 |
| FIGURE 28: TOTAL KJELDAHL NITROGEN FOR YARRANGOBILLY CATCHMENT | 33 |
| FIGURE 29: TOTAL KJEHAHL NITROGEN FOR TALBINGO RESERVOIR | 33 |
| FIGURE 30: TOTAL KJELDAHL NITROGEN FOR YORKERS CREEK CATCHMENT | 33 |
| FIGURE 31: REACTIVE PHOSPHOROUS FOR YARRANGOBILLY CATCHMENT | 34 |
| FIGURE 32: REACTIVE PHOSPHOROUS FOR TALBINGO RESERVOIR | 34 |
| FIGURE 33: REACTIVE PHOSPHOROUS FOR YORKERS CREEK CATCHMENT | 34 |
| FIGURE 34: TOTAL HARDNESS FOR YARRANGOBILLY CATCHMENT | 35 |
| FIGURE 35: TOTAL HARDNESS FOR TALBINGO RESERVOIR | 35 |
| FIGURE 36: TOTAL HARDNESS FOR YORKERS CREEK CATCHMENT | 35 |
| FIGURE 37: TOTAL NITROGEN FOR YARRANGOBILLY CATCHMENT | 36 |
| FIGURE 38: TOTAL NITROGEN FOR TALBINGO RESERVOIR | 36 |
| FIGURE 39: TOTAL NITROGEN FOR YORKERS CREEK CATCHMENT | 36 |
| FIGURE 40: TOTAL PHOSPHOROUS FOR YARRANGOBILLY CATCHMENT | 37 |
| FIGURE 41: TOTAL PHOSPHOROUS FOR TALBINGO RESERVOIR | 37 |
| FIGURE 42: TOTAL PHOSPHOROUS FOR YORKERS CREEK CATCHMENT | 37 |





APPENDICES

APPENDIX A: FIELD SHEET (UGL, 2024A)

APPENDIX B: COA (ALS, 2024A), QA/QC ASSESSMENT (ALS, 2024B) AND QCR (ALS, 2024C)

APPENDIX C: JULY 2024 SWQ MONITORING RESULTS

APPENDIX D: CALIBRATION CERTIFICATE





| Acronym | Full Form |
|-------------------|--|
| Acronym °C | |
| | degrees Celsius |
| μS/cm | micro Siemens per centimetre |
| % | percent |
| Ag | Silver |
| Al | Aluminium |
| ALS | ALS Limited |
| ANZECC | Australian and New Zealand Environment and Conservation Council |
| ANZG | Australian and New Zealand Guidelines |
| ARMCANZ | Agriculture and Resource Management Council of Australia and New Zealand |
| As | Arsenic |
| Baseline Report | 'Baseline Water Quality Report' (NGH, 2024) |
| CaCO ₃ | Total Hardness |
| Cd | Cadmium |
| COA | 'Certificate of Analysis' (ALS, 2024a) |
| Cr | Chromium |
| Cu | Copper |
| DGV | Default Guideline Values |
| DO | Dissolved Oxygen |
| EC | Electrical Conductivity |
| EIS | Environmental Impact Statement |
| EPL | Environmental Protection Licence |
| Fe | Iron |
| Field Sheet | 'Water Quality Monitoring Field Data Sheet' (UGL, 2024a) |
| Hg | Mercury |
| km | kilometres |
| KNP | Kosciuszko National Park |
| kV | kilovolt |
| mg/L | milligram per litre |
| Mn | Manganese |
| mV | millivolt |
| NATA | National Association of Testing Authorities, Australia |
| NEM | National Energy Market |
| NGH | NGH Pty Ltd |
| Ni | Nickel |
| NSW | New South Wales |





| A = 11 = 11 = 11 = 1 | Full Farms |
|----------------------|---|
| Acronym | Full Form |
| NTU | Nephelometric Turbidity Unit |
| Pb | Lead |
| ppm | parts per million |
| Pty Ltd | Proprietary Limited |
| QA/QC Assessment | 'QA/QC Compliance Assessment to assist with Quality Review' (ALS, 2024b) |
| QCR | 'Quality Control Report' (ALS, 2024c) |
| RS | Reference Site |
| Snowy 2.0 | Snowy Scheme expansion project (EPBC 2018/8322) |
| Snowy Hydro | Snowy Hydro Limited |
| Snowy Scheme | Snowy Mountains Hydro-electric Scheme |
| SPC | specific conductance |
| SSGV | Site Specific Guideline Values |
| SW | surface water |
| SWQ | surface water quality |
| TDS | Total Dissolved Solids |
| The Methodology | 'Pre-construction Water Quality Monitoring Program and Methodology' (NGH, 202 |
| The Project | Construction of a 330 kV substation and overhead transmission lines between Nurenmerenmong, NSW and Cabramurra, NSW |
| TKN | Total Kjeldahl Nitrogen |
| TN | Total Nitrogen |
| TP | Total Phosphorus |
| Transgrid | The Trustee for the NSW Electricity Operations Trust |
| TSS | Total Suspended Solids |
| UGL | UGL Limited |
| WQO | water quality objectives |
| Zn | Zinc |





1. BACKGROUND

In 2020 Snowy Hydro Limited (Snowy Hydro) obtained approval (EPBC 2018/8322) to expand the existing Snowy Mountains Hydro-electric Scheme (Snowy Scheme), by linking the existing Tantangara and Talbingo reservoirs through a series of underground tunnels and constructing a new underground hydro-electric power station (Snowy 2.0).

To connect Snowy 2.0 to the National Energy Market (NEM), a new transmission connection was required. The Trustee for the New South Wales (NSW) Electricity Operations Trust (TransGrid) is constructing a 330 kilovolt (kV) substation and overhead transmission lines (the Project) to facilitate the connection of Snowy 2.0 to the existing electrical transmission network. The Project is located within Kosciuszko National Park (KNP) between Nurenmerenmong and Cabramurra, NSW, approximately 27 kilometres (km) east of Tumbarumba, NSW (Figure 1). UGL Limited (UGL) has been engaged on behalf of Transgrid to undertake the Project.





2. INTRODUCTION


The Project is adjacent to, and forms part of, the Snowy 2.0 project area and is located within KNP, an area of high conservation value. A total of 22 mapped waterways, tributaries of Yarrangobilly River and Tumut River, transect the Project Boundary (Figure 1).

One of the conditions of approval to meet the requirements outlined in the 'Environmental Impact Statement' (EIS) (Jacobs, 2020) and the Project's Environmental Protection Licence (EPL 21753) is to undertake regular surface water quality (SWQ) monitoring to mitigate environmental impacts on SWQ.

Pre-construction SWQ monitoring was undertaken by NGH Pty Ltd (NGH) between March 2022 and February 2024 to determine site specific baseline values for SWQ parameters prior to Project construction works. The pre-construction SWQ monitoring was undertaken using the 'Pre-construction Water Quality Monitoring Program and Methodology' (the Methodology) developed by NGH in 2022 (refer Section 3). Two years of pre-construction SWQ monitoring was analysed and summarised in the 'Baseline Water Quality Report' (Baseline Report) (NGH, 2024). The results were used to determine seasonal Site Specific Guideline Values (SSGV) for ongoing SWQ monitoring during the construction phase.

Construction for the Project commenced in March 2024. Construction SWQ monitoring will be undertaken by UGL on a monthly basis as per the revised methodology outlined in Section 3 to identify potential changes to SWQ that may be associated with the Project. SW samples from the construction SWQ monitoring would be analysed and presented in monthly Construction Water Quality Monitoring Reports.







3. METHODOLOGY

The Methodology was prepared by NGH in 2022 to support the pre-construction SWQ monitoring for the Project. The Methodology detailed the water quality objectives (WQO) for the Project, identified the monitoring locations and outlined the methodology for surface water (SW) sampling during the pre-construction phase. The Methodology (NGH, 2022) took into account the Project location within an area of high conservation value where the WQO for physical and chemical stressors, as outlined in the 'Australian and New Zealand Guidelines for Fresh and Marine Water Quality' (ANZG) (ANZG, 2018), includes no change in biodiversity beyond natural variability and where possible, there should also be no change in water/sediment chemical and physical properties, including toxicants.


Monitoring locations are outlined in Table 1. Figure 2 and Figure 3 show the water quality monitoring locations in relation to the Project and Snowy 2.0.

The Methodology (NGH, 2022) has been revised for construction SWQ monitoring by taking into account the seasonal SSGV set out in the Baseline Report (NGH, 2024) (refer to Section 4.2).

Construction SWQ monitoring would be analysed against the seasonal SSGV where available and appropriate. The Default Guideline Values (DGV) for Upland Rivers (ANZG, 2018) would be applied to water quality parameters that were not assessed in the Baseline Report (NGH, 2024) or where a guideline range is more appropriate. Table 2 outlines the seasonal SSGV and DGV used to compare construction SWQ to pre-construction SWQ.

Table 1 Water quality monitoring locations outlined in the Methodology (NGH, 2022)

| | WATER QUALITY MONITORING LOCATIONS | | | | | | |
|-------------|------------------------------------|-----------|---------------------|------------|------------|--|--|
| ID | Waterway | Site Type | Catchment | Latitude | Longitude | | |
| WC-RS | Wallace Creek | Reference | | -35.794258 | 148.415253 | | |
| WC-IS | Wallace Creek | Impact | | -35.792982 | 148.413404 | | |
| CG-IS | Cave Gully | Impact | | -35.795495 | 148.406665 | | |
| YR1-IS | Yarrangobilly River | Impact | Yarrongabilly River | -35.793358 | 148.408277 | | |
| LHG-IS | Lick Hole Gully | Impact | | -35.792890 | 148.400445 | | |
| YR2-IS | Yarrangobilly River | Impact | | -35.784656 | 148.392921 | | |
| SSC-IS | Sheep Station Creek | Impact | | -35.793243 | 148.391046 | | |
| TR-RS | Talbingo Reservoir | Reference | Talbingo Reservoir | -35.822094 | 148.365690 | | |
| YK-RS | Yorkers Creek | Reference | | -35.801126 | 148.297979 | | |
| YK-IS (D/S) | Yorkers Creek | Impact | Yorkers Creek | -35.782684 | 148.320040 | | |
| NZG-IS | New Zealand Gully | Impact | | -35.801575 | 148.318051 | | |
| YK-IS | Yorkers Creek | Impact | | -35.792209 | 148.308878 | | |








Table 2 Seasonal SSGV (NGH, 2024) and DGV (ANZG, 2018) for water quality parameters

| Parameter | Unit | WC-RS | | TR-RS | | YK-RS | | DGV |
|---|---|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|---------|
| | | SSGV (Summer/Autumn) | SSGV (Winter/Spring) | SSGV (Summer/Autumn) | SSGV (Winter/Spring) | SSGV (Summer/Autumn) | SSGV (Winter/Spring) | 1 |
| Temperature | °C* | - | - | - | - | - | - | - |
| Dissolved Oxygen (DO) *** | %# | 96.2 | 89.7 | 91.3 | 95.5 | 89.6 | 88.7 | 90-110 |
| DO | ppm ⁺ | 9.08 | 10.28 | 8.79 | 11.53 | 8.35 | 10.2 | - |
| Specific Electrical Conductivity (EC)*** | SPC [^] μS/cm ^{^^} | 115 | 88 | 24 | 38.7 | 31 | 27.9 | 30-350 |
| EC*** | μS/cm | 93.2 | 60.85 | 20.3 | 26.2 | 24 | 20.5 | 30-350 |
| pH*** | - | 7.85 | 7.62 | 7.59 | 7.59 | 6.79 | 6.61 | 6.5-8 |
| Redox | mV## | 79.1 | 98.4 | 91.2 | 95.4 | 94.6 | 106.1 | - |
| Turbidity*** | NTU** | 0.37 | 5.12 | 0.09 | 1.56 | 9 | 7.87 | 2-25 |
| Dissolved Aluminium (Al) | mg/L ⁺⁺ | 0.03 | 0.04 | 0.03 | 0.015 | 0.36 | 0.32 | 0.027 |
| Dissolved Arsenic (As) | mg/L | 0.003 | 0.0003 | 0.003 | 0.0003 | 0.003 | 0.0003 | 0.0008 |
| Dissolved Cadmium (Cd) | mg/L | 0.00002 | 0.00002 | 0.00002 | 0.00002 | 0.00002 | 0.00002 | 0.0006 |
| Dissolved Chromium (Cr) | mg/L | 0.00001 | 0.00001 | 0.00001 | 0.00001 | 0.00001 | 0.00001 | 0.00001 |
| Dissolved Copper (Cu) | mg/L | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.001 |
| Cyanide | mg/L | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.004 |
| Dissolved Iron (Fe) | mg/L | 0.03 | 0.02 | 0.04 | 0.02 | 0.41 | 0.23 | 0.3 |
| Dissolved Lead (Pb) | mg/L | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| Dissolved Manganese (Mn) | mg/L | 0.002 | 0.002 | 0.003 | 0.002 | 0.005 | 0.003 | 1.2 |
| Dissolved Mercury (Hg) | mg/L | 0.00003 | 0.00003 | 0.00003 | 0.00003 | 0.00003 | 0.00003 | 0.00006 |





| Parameter | Unit | WC-RS | | TR-RS | | YK-RS | | DGV |
|----------------------------------|------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|---------|
| | | SSGV (Summer/Autumn) | SSGV (Winter/Spring) | SSGV (Summer/Autumn) | SSGV (Winter/Spring) | SSGV (Summer/Autumn) | SSGV (Winter/Spring) | |
| Dissolved Nickel (Ni) | mg/L | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.008 |
| Total Nitrogen (TN) | mg/L | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.25 |
| Total Phosphorus (TP) | mg/L | 0.02 | 0.02 | 0.02 | 0.02 | 0.02 | 0.02 | 0.02 |
| Dissolved Silver (Ag) | mg/L | 0.00002 | 0.00002 | 0.00002 | 0.00002 | 0.00002 | 0.00002 | 0.00002 |
| Dissolved Zinc (Zn) | mg/L | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.0024 |
| Ammonia | mg/L | 0.013 | 0.013 | 0.013 | 0.013 | 0.013 | 0.013 | 0.013 |
| Nitrogen Oxides | mg/L | 0.015 | 0.015 | 0.015 | 0.015 | 0.015 | 0.015 | 0.015 |
| Reactive Phosphorous | mg/L | 0.02 | 0.015 | 0.02 | 0.015 | 0.02 | 0.02 | 0.015 |
| Total Hardness (CaCO₃) | mg/L | 47 | 30 | 7.5 | 8 | 1 | 7 | - |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.2 | - |
| Total Dissolved Solids (TDS) | mg/L | 52 | 39 | 12.5 | 15 | 30 | 10 | - |
| Total Suspended Solids (TSS) | mg/L | 0.2 | 1 | 0.2 | 0.2 | 3 | 0.2 | 0.2 |
| Total Al [@] | mg/L | - | - | - | - | - | - | 0.027 |
| Total As [@] | mg/L | - | - | - | - | - | - | 0.0008 |
| Total Cd [@] | mg/L | - | - | - | - | - | - | 0.0006 |
| Total Cr [@] | mg/L | - | - | - | - | - | - | 0.0000 |
| Total Cu [@] | mg/L | - | - | - | - | - | - | 0.001 |
| Total Pb [@] | mg/L | - | - | - | - | - | - | 0.001 |
| Total Mn [@] | mg/L | - | - | - | - | - | - | 1.2 |
| Total Ni [@] | mg/L | - | - | - | - | - | - | 0.008 |





SURFACE WATER QUALITY GUIDELINE VALUES DGV Unit WC-RS TR-RS YK-RS **Parameter SSGV SSGV SSGV SSGV SSGV SSGV** (Summer/Autumn) (Winter/Spring) (Summer/Autumn) (Winter/Spring) (Winter/Spring) (Summer/Autumn) Total Ag@ 0.00002 mg/L Total Zn@ mg/L 0.0024 Total Fe@ mg/L 0.3 Total Hg@ 0.00006 mg/L

* °C = degrees Celsius

mV = millivolt

% = percent

* ppm = parts per million

** mg/L = milligram per litre

^ SPC = specific conductance



^{**} NTU = Nephelometric Turbidity Unit

^{^^} μS/cm = micro Siemens per centimetre

[@] parameter not analysed by NGH

^{***} assessed against DGV where guideline range is more appropriate for the parameter



4. BASELINE WATER QUALITY

4.1. Water Quality Objectives

Water quality objectives are outlined in Section 2.1 of the Baseline Report (NGH, 2024).

4.2. Site Specific Guideline Values

In accordance with the ANZG (ANZG, 2018), SSGV for the three Reference Sites (RS) (WC-RS, TR-RS and YK-RS) were derived from the results collected during the 24 month pre-construction SWQ monitoring period. The SSGV reflect the seasonality observed in the baseline data and are characterised by the drier months of Summer/Autumn (November to May) and wetter months of Winter/Spring (June to October) in accordance with the 'Australian and New Zealand Environment and Conservation Council (ANZECC) and Agriculture and Resource Management Council of Australia and New Zealand (ARMCANZ) (2000) methodology and derivatives developed to 2018 of the ANZG (ANZG, 2018).

Table 2 outlines the seasonal SSGV provided in the Baseline Report (NGH, 2024).





5. JULY 2024 MONITORING

SW sampling was undertaken at 12 monitoring locations on 27 and 28 July 2024. One monitoring location, CG-IS, was not sampled as the waterway was dry at the time.

In accordance with the methodology outlined in Section 3, SW samples were either measured in situ using a calibrated YSI ProDSS Sonde Multiparameter Digital Water Quality Meter (refer to Appendix D) or analysed by National Association of Testing Authorities, Australia (NATA) accredited ALS Limited (ALS) laboratory. However, the following parameters were not measured:

- DO (ppm)
- EC (μS/cm)
- Redox (mV)

The 'Water Quality Monitoring Field Data Sheet' (Field Sheet) (UGL, 2024a) is provided in Appendix A. The 'Certificate of Analysis' (COA) (ALS, 2024a), 'QA/QC Compliance Assessment to assist with Quality Review' (QA/QC Assessment) (ALS, 2024b) and 'Quality Control Report' (QCR) (ALS, 2024c) are attached in Appendix B.

5.1. Observations

Field observations during sampling are summarised in Table 3.

Table 3 Field observations during sampling

| FIELD OF | FIELD OBSERVATIONS | | | | | | |
|----------|--|-------|--|--|--|--|--|
| Date | 27.07.2024 and 28.07.2024 | | | | | | |
| Weather | Several high rainfall weather events were observed across the project during July. A total of 26.2 mm received between 9 and 11 July, with 17.4 mm of that falling on 10 July. Another 49.8 mm was received between 20 and 21 July, along with 23.4 mm on the 26 July, prior to sampling on 27 and 28 July. During sampling on 27 July, conditions were sunny with partial clouds. On 28 July, there was snowfall overnig with conditions overcast conditions during the day. There was also light rain towards the end of the sampling event. | | | | | | |
| ID | Observations | Photo | | | | | |
| WC-RS | High flow rate, greater volume than previous months, white caps over rocks Vegetation along banks Noticeable milky colouration to water | | | | | | |





| Date | 27.07.2024 and 28.07.2024 | | | | | |
|---------|---|-------|--|--|--|--|
| Weather | Several high rainfall weather events were observed across the project during July. A total of 26.2 mm received between 9 and 11 July, with 17.4 mm of that falling on 10 July. Another 49.8 mm was received between 20 and 21 July, along with 23.4 mm on the 26 July, prior to sampling on 27 and 28 July. Dur sampling on 27 July, conditions were sunny with partial clouds. On 28 July, there was snowfall overn with conditions overcast conditions during the day. There was also light rain towards the end of the sampling event. | | | | | |
| ID | Observations | Photo | | | | |
| WC-IS | High flow rate, greater volume than previous months Strong weed/vegetation growth on northern bank Milky colouration to water | | | | | |
| CG-IS | Creek completely dry, no water present | | | | | |





| | BSERVATIONS | | | | | |
|---------|--|-------|--|--|--|--|
| Date | 27.07.2024 and 28.07.2024 | | | | | |
| Weather | Several high rainfall weather events were observed across the project during July. A total or received between 9 and 11 July, with 17.4 mm of that falling on 10 July. Another 49.8 mm we between 20 and 21 July, along with 23.4 mm on the 26 July, prior to sampling on 27 and 28 sampling on 27 July, conditions were sunny with partial clouds. On 28 July, there was snow with conditions overcast conditions during the day. There was also light rain towards the ensampling event. | | | | | |
| ID | Observations | Photo | | | | |
| YR1-IS | High flow rate, milky colour to water Greater depth than usual | | | | | |
| LHG-IS | High silt deposition on bottom of the waterbody Relatively clear with sediment settled on the bottom Vegetation growing in and around gully. Low flow rate | | | | | |



| FIELD O | BSERVATIONS | | | | |
|---------|---|-------|--|--|--|
| Date | 27.07.2024 and 28.07.2024 | | | | |
| Weather | Several high rainfall weather events were observed across the project during July. A total of 26.2 mm was received between 9 and 11 July, with 17.4 mm of that falling on 10 July. Another 49.8 mm was received between 20 and 21 July, along with 23.4 mm on the 26 July, prior to sampling on 27 and 28 July. During sampling on 27 July, conditions were sunny with partial clouds. On 28 July, there was snowfall overnight, with conditions overcast conditions during the day. There was also light rain towards the end of the sampling event. | | | | |
| ID | Observations | Photo | | | |
| YR2-IS | Very high flow rate, high volume flow, notable surface current/disturbance Notable milky to light brown colouration to water | | | | |
| SSC-IS | Minimal depth, consistent moderate to slow flow rate Slight milky colouration to water Sticks and debris in the waterway Vegetation along both banks | | | | |



| FIELD OF | BSERVATIONS | | |
|-------------|---|-------|--|
| Date | 27.07.2024 and 28.07.2024 | | |
| Weather | Several high rainfall weather events were observed across the project during July. A total of 26.2 mm was received between 9 and 11 July, with 17.4 mm of that falling on 10 July. Another 49.8 mm was received between 20 and 21 July, along with 23.4 mm on the 26 July, prior to sampling on 27 and 28 July. During sampling on 27 July, conditions were sunny with partial clouds. On 28 July, there was snowfall overnight, with conditions overcast conditions during the day. There was also light rain towards the end of the sampling event. | | |
| ID | Observations | Photo | |
| TR-RS | High water level, relatively clear | | |
| YK-IS (D/S) | Slight milky colouration to water Greater depth than previously observed Light snowfall around the sampling site Thick vegetation cover on either bank | | |



| Date | 27.07.2024 and 28.07.2024 | | |
|---------|--|-------|--|
| Weather | Several high rainfall weather events were observed across the project during July. A total of 26.2 mm was received between 9 and 11 July, with 17.4 mm of that falling on 10 July. Another 49.8 mm was received between 20 and 21 July, along with 23.4 mm on the 26 July, prior to sampling on 27 and 28 July. During sampling on 27 July, conditions were sunny with partial clouds. On 28 July, there was snowfall overnight with conditions overcast conditions during the day. There was also light rain towards the end of the sampling event. | | |
| ID | Observations | Photo | |
| NZG-IS | Thick vegetation cover on either bank Bits of bank broken into the waterway Fine sediment visible on either bank and on the bottom of the gully Hoof marks on bank several meters up from the sampling point Snowfall around sampling site | | |
| YK-IS | Sticks/debris along Creek Greater volume than previous months Slight milky brown colouration to water Vegetation present along both banks Light snowfall around sampling area | | |





| Date | 27.07.2024 and 28.07.2024 | | |
|---------|---|-------|--|
| Weather | Several high rainfall weather events were observed across the project during July. A total of 26.2 mm was received between 9 and 11 July, with 17.4 mm of that falling on 10 July. Another 49.8 mm was received between 20 and 21 July, along with 23.4 mm on the 26 July, prior to sampling on 27 and 28 July. During sampling on 27 July, conditions were sunny with partial clouds. On 28 July, there was snowfall overnight, with conditions overcast conditions during the day. There was also light rain towards the end of the sampling event. | | |
| ID | Observations | Photo | |
| YK-RS | Relatively clear water, very slight brown colouration Greater volume than previous months, almost reaching top of the banks Grasses/vegetation on either bank Settled sediment at the bottom Snowfall in sampling area | | |

5.2. Results

The data obtained during the construction SWQ monitoring program have been divided into the Yarrongabilly River, Talbingo Reservoir and Yorkers Creek catchments.

Yarrangobilly River catchment SWQ monitoring includes the reference site at Wallace Creek and impact sites in Yarrangobilly River, Wallace Creek, Cave Gully, Lick Hole Gully and Sheep Station Creek. Yorkers Creek catchment SWQ monitoring includes the reference site in Yorkers Creek and impact sites in Yorkers Creek and New Zealand Gully. Talbingo Reservoir reference site is situated in Talbingo Reservoir, upstream of monitoring sites within the Yarrangobilly River and Yorkers Creek Catchments. This site acts as an overall reference for the SWQ monitoring program.

The SWQ monitoring results for key physical and chemical parameters, including the site-specific trigger values, are presented in Section 5.2.1 and results for dissolved and total metals, including site-specific trigger values, are presented in Sections 5.2.2 and 5.2.3. Upon review of the data, observations were noted between the reference and impact sites.

The complete table of results is attached in Appendix C.

5.2.1. Key Physical and Chemical Parameters

See below for results of key physical and chemical parameters.





Temperature

Temperatures in July 2024 within the Yarrangobilly catchment ranged from 5.9 degrees Celsius to 8.0 degrees Celsius, refer to Figure 4. In the Talbingo Reservoir, temperatures dropped from 8.7 $^{\circ}$ C in June to 6.0 $^{\circ}$ C in July, refer to Figure 5. Meanwhile, temperatures in the Yorkers Creek catchment were slightly lower than in June, ranging from 2.9 °C to 3.7 °C, refer to Figure 6.




FIGURE 4: TEMPERATURE FOR YARRANGOBILLY CATCHMENT




FIGURE 5: TEMPERATURE FOR TALBINGO RESERVOIR




FIGURE 6: TEMPERATURE FOR YORKERS CREEK CATCHMENT





рН

In July 2024, all sites recorded pH values within the SSGV range (6.5 to 8.0), except for SSC-IS, which was slightly below the SSGV lower threshold at 6.29, refer Figure 7 to Figure 9.




FIGURE 7: PH FOR YARRANGOBILLY CATCHMENT




FIGURE 8: PH FOR TALBINGO RESERVOIR




FIGURE 9: PH FOR YORKERS CREEK CATCHMENT





Dissolved Oxygen

DO (%) results for the Yarrangobilly catchment were within the SSGV range (90–110%) at all sites, except for LHG-IS, which has shown consistent increases over the past five months, rising from 59.2% in March 2024 to 87.5% in July 2024, refer Figure 10. In the Talbingo Reservoir, DO levels increased to 92.1% compared to the previous month, remaining within the SSGV, refer to Figure 11. In the Yorkers Creek catchment, all DO values remained below the SSGV, consistent with baseline monitoring for this period, refer Figure 12.




FIGURE 10: DO FOR YARRANGOBILLY CATCHMENT




FIGURE 11: DO FOR TALBINGO RESERVOIR




FIGURE 12: DO FOR YORKERS CREEK CATCHMENT





Specific Conductance

SPC (μS/cm) results for the Yarrangobilly catchment showed that all sites were within the June to November SSGV (88 μ S/cm), except for SSC-IS (152.6 μ S/cm), which was moderately higher, and LHG-IS (503 μ S/cm), which was significantly above the SSGV but aligned with baseline data, refer Figure 13. Talbingo Reservoir recorded 28.7 μS/cm, remaining within the June to November SSGV (38.7 µS/cm), refer Figure 14. In the Yorkers Creek catchment, specific conductance was consistently above the SSGV (27.9 µS/cm), except at the reference site (YK-RS), which was slightly below the threshold at 27.8 μ S/cm, refer to Figure 15.




FIGURE 13: SPC FOR YARRANGOBILLY CATCHMENT




FIGURE 14: SPC FOR TALBINGO RESERVOIR




FIGURE 15: SPC FOR YORKERS CREEK CATCHMENT





Turbidity

Turbidity (NTU) levels in the Yarrangobilly catchment exceeded the June to November SSGV (5.12 NTU) at all sites, including the reference site WC-RS, which recorded a moderately elevated value of 9.24 NTU, refer Figure 16. In contrast, Talbingo Reservoir remained below the June to November SSGV (1.56 NTU), with a recorded value of 1.35 NTU, refer Figure 17. In the Yorkers Creek catchment, all sites exceeded the June to November SSGV (7.87 NTU), including the reference site YK-RS, which slightly exceeded the SSGV at 7.97 NTU, refer Figure 18.




FIGURE 16: TURBIDITY FOR YARRANGOBILLY CATCHMENT



FIGURE 17: TURBIDITY FOR TALBINGO RESERVOIR




FIGURE 18: TURBIDITY FOR YORKERS CREEK CATCHMENT





Total Suspended Solids

TSS (mg/L) levels exceeded the June to November SSGV at all reference and impact sites, except for SSC-IS, which remained below the LOR, refer Figure 19 to Figure 21.




FIGURE 19: TSS FOR YARRANGOBILLY CATCHMENT




FIGURE 20: TSS FOR TALBINGO RESERVOIR




FIGURE 21: TSS FOR YORKERS CREEK CATCHMENT





Ammonia

Ammonia (mg/L) levels were below the LOR at all sites except for LHG-IS (0.02 mg/L), SSC-IS (0.03 mg/L), and TR-RS (0.03 mg/L), which exceeded the June to November SSGV (0.013 mg/L), refer Figure 22 to Figure 24.




FIGURE 22: AMMONIA FOR YARRANGOBILLY CATCHMENT




FIGURE 23: AMMONIA FOR TALBINGO RESERVOIR




FIGURE 24: AMMONIA FOR YORKERS CREEK CATCHMENT





Nitrogen Oxides

Nitrogen Oxides (mg/L) levels were below the LOR at all sites in the Yarrangobilly catchment, except for YR2-IS (0.24 mg/L) and SSC-IS (0.85 mg/L), which exceeded the June to November SSGV (0.015 mg/L), refer Figure 25. In the Yorkers Creek catchment and Talbingo Reservoir, all sites recorded values exceeding the June-November SSGV (0.015 mg/L), refer to Figure 26 and Figure 27.




FIGURE 25: NITROGEN OXIDES FOR YARRANGOBILLY CATCHMENT




FIGURE 26: NITROGEN OXIDES FOR TALBINGO RESERVOIR




FIGURE 27: NITROGEN OXIDES FOR YORKERS CREEK CATCHMENT





Total Kjeldahl Nitrogen

TKN (mg/L) levels in the Yarrangobilly catchment and Talbingo Reservoir were either below the LOR or below the SSGV (0.2 mg/L), except for SSC-IS, which recorded a significantly elevated value of 0.9 mg/L, refer Figure 28 and Figure 29. In the Yorkers Creek catchment, all sites exceeded the June to November SSGV (0.2 mg/L), except for NZG-IS, which was exactly at the SSGV threshold, refer to Figure 30.




FIGURE 28: TOTAL KJELDAHL NITROGEN FOR YARRANGOBILLY CATCHMENT




FIGURE 29: TOTAL KJEHAHL NITROGEN FOR TALBINGO RESERVOIR




FIGURE 30: TOTAL KJELDAHL NITROGEN FOR YORKERS CREEK CATCHMENT





Reactive Phosphorous

Reactive phosphorous (mg/L) levels were below the LOR at all sites, refer Figure 31 to Figure 33.




FIGURE 31: REACTIVE PHOSPHOROUS FOR YARRANGOBILLY CATCHMENT




FIGURE 32: REACTIVE PHOSPHOROUS FOR TALBINGO RESERVOIR




FIGURE 33: REACTIVE PHOSPHOROUS FOR YORKERS CREEK CATCHMENT





Total Hardness

CaCO₃ (mg/L) levels were below the June to November SSGV at all sites in the Yarrangobilly catchment (SSGV: 30 mg/L) and Talbingo Reservoir (SSGV: 8 mg/L), except for LHG-IS, which was significantly elevated at 250 mg/L, and SSC-IS, which recorded a moderately elevated value of 62 mg/L, refer Figure 34 and Figure 35. In the Yorkers Creek catchment, all sites recorded values exceeding the June to November SSGV (7 mg/L), refer Figure 36.




FIGURE 34: TOTAL HARDNESS FOR YARRANGOBILLY CATCHMENT




FIGURE 35: TOTAL HARDNESS FOR TALBINGO RESERVOIR




FIGURE 36: TOTAL HARDNESS FOR YORKERS CREEK CATCHMENT





Total Nitrogen

TN (mg/L) levels were below either the LOR or the June to November SSGV (0.2 mg/L) at all sites in the Yarrangobilly catchment and Talbingo Reservoir, except for YR2-IS (0.4 mg/L) and SSC-IS (1.8 mg/L), the latter significantly exceeding the SSGV, refer Figure 37 and Figure 38. In the Yorkers Creek catchment, all sites slightly exceeded the June to November SSGV (0.2 mg/L), except for NZG-IS, which matched the SSGV threshold, refer to Figure 39.




FIGURE 37: TOTAL NITROGEN FOR YARRANGOBILLY CATCHMENT




FIGURE 38: TOTAL NITROGEN FOR TALBINGO RESERVOIR




FIGURE 39: TOTAL NITROGEN FOR YORKERS CREEK CATCHMENT





Total Phosphorous

TP (mg/L) levels at the Yarrangobilly reference site (WC-RS) and two impact sites (YR2-IS and SSC-IS) exceeded the June to November SSGV (0.02 mg/L), with the reference site moderately above the threshold. All other sites in the Yarrangobilly catchment and Talbingo Reservoir were either below the LOR or the SSGV, refer Figure 40 and Figure 41. In the Yorkers Creek catchment, all sites exceeded the June to November SSGV, with YK-IS recording the highest value at 0.07 mg/L, refer to Figure 42.




FIGURE 40: TOTAL PHOSPHOROUS FOR YARRANGOBILLY CATCHMENT




FIGURE 41: TOTAL PHOSPHOROUS FOR TALBINGO RESERVOIR




FIGURE 42: TOTAL PHOSPHOROUS FOR YORKERS CREEK CATCHMENT





5.2.2. Dissolved Metals

Dissolved metals exceeding the SSGV are listed in Table 4.

Table 4: Results for Dissolved Metals

| DISSO | DLVED M | ETALS RES | ULTS | | | | | | |
|--------------|-------------|---------------|------------|---|--|--|--|--|--|
| Analyte | Site | Result (mg/L) | SGV (mg/L) | Comment | | | | | |
| | WC-RS | 0.07 | | | | | | | |
| | WC-IS | 0.07 | | Al (mg/L) levels exceeded the June to November SSGV at the | | | | | |
| A. I. | YR1-IS | 0.18 | 0.04 | Yarrangobilly reference site (WC-RS), Talbingo Reservoir (TR-RS), | | | | | |
| Al | YR2-IS | 0.17 | | and four impact sites (WC-IS, YR1-IS, YR2-IS, SSC-IS) in the Yarrangobilly catchment. All other sites recorded values either | | | | | |
| | SSC-IS | 0.10 | | below the LOR or the respective SSGV. | | | | | |
| | TR-RS | 0.020 | 0.015 | | | | | | |
| | YR1-IS | 0.11 | | | | | | | |
| | LHG-IS | 0.07 | 0.02 | Several impact sites in the Yarrangobilly and Yorkers Creek catchments exceeded the June to November SSGV for Fe (mg/L). All other sites recorded values either below the LOR or the respective SSGV. | | | | | |
| Fe | YR2-IS | 0.12 | 0.02 | | | | | | |
| | SSC-IS | 0.07 | | | | | | | |
| | YK-IS | 0.25 | 0.23 | | | | | | |
| | LHG-IS | 0.025 | 0.002 | | | | | | |
| | TR-RS | 0.003 | 0.002 | The June to November SSGV for Mn (mg/L) was slightly | | | | | |
| N.4 | YK-RS | 0.010 | | exceeded at Talbingo Reservoir (TR-RS) and the Yorkers Creek | | | | | |
| Mn | YK-IS (D/S) | 0.005 | 0.003 | reference site (YK-RS). Several impact sites also exceeded the SSGV. Notably, all sites with exceedances have shown a | | | | | |
| | NZG-IS | 0.004 | 0.003 | decreasing trend over the past three months, from May to July. | | | | | |
| | YK-IS | 0.008 | 1 | | | | | | |





5.2.3. Total Metals

Total metals exceeding the DGV are listed in Table 5.

Table 5: Results for Total Metals

| Analyte | Site | Result (mg/L) | SGV (mg/L) | Comment | | | | | |
|---------|------------------------|---------------|------------|--|--|--|--|--|--|
| | WC-RS | 0.09 | | | | | | | |
| | WC-IS | 0.11 | | | | | | | |
| | YR1-IS | 0.17 | | | | | | | |
| | LHG-IS | 0.53 | | | | | | | |
| | YR2-IS | 0.17 | | | | | | | |
| Al | SSC-IS 0.09 TR-RS 0.05 | 0.09 | 0.027 | Al (mg/L) exceeded the DGV at all reference sites and all impact sites. | | | | | |
| | | 0.05 | | | | | | | |
| | YK-RS | 0.59 | | | | | | | |
| | YK-IS (D/S) | 0.3 | | | | | | | |
| | NZG-IS | 0.22 | | | | | | | |
| | YC-IS | 0.8 | | | | | | | |
| Cu | LH-G | 0.002 | 0.001 | Copper (Cu) (mg/L) levels exceeded the DGV at LHG-IS, while all other sites recorded values below the LOR. | | | | | |
| 7 | YR2-IS | 0.007 | 0.0024 | Zinc (Zn) (mg/L) levels exceeded the DGV at YR2-IS and were | | | | | |
| Zn | SSC-IS | 0.025 | 0.0024 | significantly higher at SSC-IS. | | | | | |
| | SSC-IS | 0.4 | | | | | | | |
| F. | YK-RS | 0.53 | 0.3 | All sites recorded Fe (mg/L) levels below the DGV or LOR, excep for SSC-IS, YK-RS, YK-IS (D/S), and YK-IS, which were slightly | | | | | |
| Fe | YK-IS (D/S) | 0.32 | 0.3 | above the DGV. | | | | | |
| | YK-IS | 0.62 | | above the bov. | | | | | |

5.3. Discussion

Below is a summary of key observations and discussion points from the June monitoring results:

- Construction activities on the transmission line were paused in June and July due to the winter shutdown. Maintenance on erosion and sediment controls were undertaken on an as needed basis.
- Impact sites within the Yarrangobilly catchment are influenced by other activities associated with the Snowy 2.0 project.
- Cave Gully (CG-IS) impact site within the Yarrangobilly catchment was dry at the time of sampling.
- Sheep Station Creek (SSC-IS) in the Yarrangobilly catchment had water in it for the first time since January 2024.
- Fine sediment and/or milky discolouration to the water was observed at all sites within the Yorkers Creek catchment.





- Horse hoof marks were evident close to the bed and banks of the sampling site at New Zealand Gully (NZG-IS) within the Yorkers Creek Catchment.
- Lick Hole Gully (LHG-IS) within the Yarrangobilly catchment was observed as being shallow with high silt deposition and low flow at the time of sampling.
- Many of the results are recorded as below (<) the LOR.
- The SSGV/DGV for a number of parameters is below (<) than the LOR from the laboratory.
- June reflected a late-autumn to early-winter transition, with rising temperatures in Yarrangobilly and stable conditions
 in Yorkers Creek. In July, early-winter cooling was observed across all catchments, except for slight warming in
 Yarrangobilly.
- Talbingo Reservoir consistently cooled, with temperatures dropping from 8.7 °C in June to 6.0 °C in July.
- Gradual improvement for DO (%) was observed at LHG-IS in Yarrangobilly catchment, increasing from 70.4% in June to 87.5% in July, approaching the SSGV range. Yorkers Creek catchment remained consistently below thresholds during both months.
- High values for specific conductance persisted at LHG-IS, though they slightly decreased from 616 μS/cm in June to 503 μS/cm in July. SSC-IS also exceeded guidelines in July (152.6 μS/cm).
- Turbidity exceeded SSGVs in both months, but levels decreased in July at key sites like WC-RS and YK-RS. In contrast, TSS trends diverged, with SSC-IS below detection limits in July while exceedances continued at other sites.
- TN levels were significantly reduced in Talbingo Reservoir in June (0.1 mg/L). In July, SSC-IS emerged as a critical site with high TN (1.8 mg/L) and Total Kjeldahl Nitrogen (0.9 mg/L), possibly a result of having flow for the first time in six months.
- Ammonia exceeded SSGVs at additional sites in July, including SSC-IS and TR-RS, whereas exceedances in June were limited to LHG-IS and YK-RS.
- Exceedances persisted for Al, Fe, Mn, and Zn, with July showing notable values at SSC-IS and YK-RS. Mn levels, while
 exceeding SSGVs, displayed a gradual decline since May.
- Several exceedances were recorded at SSC-IS, possibly caused by having water flow for the first time in 6 months.





6. CONCLUSION

The results from the construction SWQ monitoring program were reported for three key catchments: Yarrangobilly River, Talbingo Reservoir, and Yorkers Creek. Each catchment had a reference site, with impact sites also monitored for comparison. Key parameters such as temperature, pH, DO, SPC, turbidity, TSS, ammonia, nitrogen oxides, TKN, CaCO₃, TN, TP and metals (both dissolved and total) were analysed.

In July 2024, temperatures across the catchments varied, with the Yarrangobilly catchment ranging from 5.9 °C to 8.0 °C, the Talbingo Reservoir dropping from 8.7 °C in June to 6.0 °C, and Yorkers Creek catchment slightly decreasing to 2.9 °C to 3.7 °C. pH levels were within the SSGV range (6.5 to 8.0) at most sites, except SSC-IS, which recorded 6.29. DO (%) levels generally aligned with SSGVs, except in the Yorkers Creek catchment, which remained below thresholds. Yarrangobilly's LHG-IS showed consistent improvements, reaching 87.5% in July.

SPC remained high at SSC-IS (152.6 μS/cm) and LHG-IS (503 μS/cm) in the Yarrangobilly catchment, while Talbingo Reservoir stayed within guidelines. Turbidity exceeded SSGVs in the Yarrangobilly and Yorkers Creek catchments, with moderately elevated values at WC-RS (9.24 NTU) and YK-RS (7.97 NTU). Talbingo Reservoir recorded lower turbidity levels of 1.35 NTU.

TSS exceeded SSGVs at most sites, with SSC-IS remaining below detection limits. Ammonia levels were below the LOR at most sites but exceeded SSGVs at LHG-IS, SSC-IS, and TR-RS. Nitrogen Oxides were high at YR2-IS and SSC-IS in Yarrangobilly and above SSGVs across Yorkers Creek and Talbingo Reservoir sites.

Nutrient exceedances were observed, including elevated TKN at SSC-IS (0.9 mg/L) and TN at YR2-IS (0.4 mg/L) and SSC-IS (1.8 mg/L). Reactive phosphorus remained below detection levels, but TP exceeded SSGVs at Yarrangobilly sites, with the highest level recorded at YK-IS (0.07 mg/L) in Yorkers Creek.

Dissolved metals showed exceedances for Al, Fe, and Mn at various sites. Al exceeded SSGVs at WC-RS, TR-RS, and four Yarrangobilly impact sites. Mn slightly exceeded SSGVs at TR-RS and YK-RS, with a declining trend observed since May. Total metals such as Al, Cu, Zn, and Fe frequently exceeded DGVs at specific sites, particularly at SSC-IS and YK-RS.





REFERENCES

ALS. (2024a). ES2424762. Certificate of Analysis. NSW, Australia: ALS Limited.

ALS. (2024b). ES2424762. QA/QC Compliance Assessment to assist with Quality Review. NSW, Australia: ALS Limited.

ALS. (2024c). ES2424762. Quality Control Report. NSW, Australia: ALS Limited.

ANZG. (2018). Australian and New Zealand Guidelines for Fresh and Marine Water Quality. ACT, Australia: Australian and New Zealand Governments and Australian state and territory governments.

Jacobs. (2020). Environmental Impact Statement. NSW: Transgrid.

NGH. (2022). Pre-construction Water Quality Monitoring Program and Methodology. NSW: NGH Pty Ltd.

NGH. (2024). Baseline Water Quality Report. NSW: NGH Pty Ltd.

UGL. (2024a). July 2024. Water Quality Monitoring Field Data Sheet. NSW, Australia: UGL Limited.





Appendix A: Field Sheet (UGL, 2024a)



Water Quality Monitoring Field Data Sheet



ate: 27th & 28th July

Sample Run: 50

Sampling Purpose: Monthly Water awality Monitoringamplers: Lachen Whiteford

| Sample ID | Sample Location | Time | Temp (°C) | Water Pressure (mmHg) | Dissolved Oxygen (%) | Conductivity (SPC-µS/cm) | pН | Turbidity FNU | TSS (mg/L) | Water level | Description |
|--------------|--------------------|-------|--------------|-----------------------------|----------------------------|-----------------------------|------|------------------|---------------|----------------|--|
| SSC-IS | East | 1100 | 8.0 | 111 | 90.1 | 152.6 | 6.29 | 17.88 | | | |
| YRZ-IS | East | 1145 | 5.9 | 1 | 93.5 | 58.4 | 6.78 | 2.87 | | | Very high level, the & flow rate, turbed, light boown |
| NC-125 | East | 12.50 | 6.4 | 1 | 91.9 | 46.6 | 6.96 | 9.29 | | | them Slightly cloudy, while caps one see richs |
| uc-Is | East | 12:40 | 6.6 | 1 | 91.2 | 46.6 | 6.96 | 7.65 | | | D. |
| YRI- IS | | 13:00 | 6.4 | 4 | 93.0 | 51.5 | 6.93 | 10.05 | | | Rushing, dicturbed surpce flow-rushing. Clouds |
| HG-12 | East | 13:30 | 8.0 | 4 | 27.5 | 503 | 7.30 | 5.14 | | | large amounts of silt settled on a bottom of waterhoody |
| CG-IS | East | | m | n | n | w | 2 | n | 2 | - | DRY |
| TR-RS | Reservan | 16:60 | 6.6 | 111 | 92.1 | 28.7 | 7.76 | 1.35 | | | n. com company of the |
| UZG-IS | West | 0730 | 3.7 | 4 | 83.9 | 34.8 | 7.44 | 13.66 | | | Bits of banks broken into waterway (saturated soil) (leage, Sm |
| YK-RS | West | 0800 | 2.9 | / | 23.1 | 27.8 | 7.40 | 7.97 | | | Snow on banks, cloudy water dark yellow Tings |
| YK-IS | West | 0230 | 3.2 | 9 | 82.8 | 32.5 | 7.00 | 11.90 | | | Noticobly cloudy, suspended water discovering |
| Mr - Islab | West | 0900 | 3.2 | 2 | 25.0 | 32.8 | 7.11 | 8.29 | | | Cloudy trige |
| | | | | | | | | | | | |
| | | | | | | | | | | | |





Appendix B: COA (ALS, 2024a), QA/QC Assessment (ALS, 2024b) and QCR (ALS, 2024c)





CERTIFICATE OF ANALYSIS

Telephone

: +61-2-8784 8555

10-Jul-2024 16:01

Accreditation No. 825

Accredited for compliance with ISO/IEC 17025 - Testing

Work Order : **ES2421627** Page : 1 of 11

Client : UGL LIMITED : Laboratory : Environmental Division Sydney

Contact : CAMILLE PALMER : Customer Services ES

Address : Cnr Hill Rd & Pondage Link Rd Address : 277-289 Woodpark Road Smithfield NSW Australia 2164

HOMEBUSH BAY 2127
Telephone :----

Project : 3200-0645 Date Samples Received : 02-Jul-2024 08:00

Order number : 02-Jul-2024

C-O-C number : 69296 Issue Date
Sampler : CAMILLE PALMER

Site : Snowy 2.0 Connection WQM June 2024

Quote number : ES24UGLLIM0001_V3

No. of samples received : 13 No. of samples analysed : 13

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

| Signatories | Position | Accreditation Category |
|---------------|-----------------------------|------------------------------------|
| Ankit Joshi | Senior Chemist - Inorganics | Sydney Inorganics, Smithfield, NSW |
| Wisam Marassa | Inorganics Coordinator | Sydney Inorganics, Smithfield, NSW |

 Page
 2 of 11

 Work Order
 ES2421627

 Client
 UGL LIMITED

 Project
 3200-0645



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- EG020: It is recognised that total concentration is less than dissolved for some metal analytes. However, the difference is within experimental variation of the methods.
- Sodium Adsorption Ratio (where reported): Where results for Na, Ca or Mg are <LOR, a concentration at half the reported LOR is incorporated into the SAR calculation. This represents a conservative approach for Na relative to the assumption that <LOR = zero concentration and a conservative approach for Ca & Mg relative to the assumption that <LOR is equivalent to the LOR concentration.

 Page
 : 3 of 11

 Work Order
 : ES2421627

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | NZG_IS | WC-RS | WC-IS | YR1-IS | LHG-IS |
|---|----------------|---------|----------------|-------------------|-------------------|----------------------|-------------------|---|
| | | Samplin | ng date / time | 25-Jun-2024 13:16 | 25-Jun-2024 13:56 | 25-Jun-2024 14:14 | 25-Jun-2024 15:11 | 25-Jun-2024 15:36 |
| Compound | CAS Number | LOR | Unit | ES2421627-001 | ES2421627-002 | ES2421627-003 | ES2421627-004 | ES2421627-005 |
| Style Burnish Commission | | | | Result | Result | Result | Result | Result |
| A005P: pH by PC Titrator | | | 20 | | 100 | | | |
| pH Value | e***** | 0.01 | pH Unit | 6.94 | 7.24 | 6.78 | 7.22 | 7.98 |
| A010P: Conductivity by PC Titrator | | | | | X.50 | 50 W | | |
| Electrical Conductivity @ 25°C | | 1 | μS/cm | 118 | 126 | 126 | 113 | 610 |
| A015: Total Dissolved Solids dried a | at 180 ± 5 °C | | | | | - 1 | | 186 186 |
| Total Dissolved Solids @180°C | | 10 | mg/L | 76 | 81 | 81 | 68 | 339 |
| A025: Total Suspended Solids dried | l at 104 ± 2°C | | 1/2 2/2 | 40 | | eggs over the second | | - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 |
| Suspended Solids (SS) | | 1 | mg/L | <1 | 2 | <1 | <1 | 17 |
| A045: Turbidity | | | | | | | | |
| Turbidity | - | 0.1 | NTU | 0.9 | 1.1 | 1.1 | 0.7 | 18.8 |
| D093F: SAR and Hardness Calculat | ions | | | | *** | | | |
| Total Hardness as CaCO3 | | 1 | mg/L | 51 | 53 | 53 | 51 | 313 |
| G020F: Dissolved Metals by ICP-MS | | | | | | | | |
| Aluminium | 7429-90-5 | 0.01 | mg/L | 0.02 | <0.01 | <0.01 | 0.02 | <0.01 |
| Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Manganese | 7439-96-5 | 0.001 | mg/L | 0.003 | 0.005 | 0.004 | 0.003 | 0.158 |
| Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Iron | 7439-89-6 | 0.05 | mg/L | <0.05 | <0.05 | <0.05 | 0.14 | 0.48 |
| G020T: Total Metals by ICP-MS | | | | | | | | |
| Aluminium | 7429-90-5 | 0.01 | mg/L | 0.03 | <0.01 | <0.01 | 0.03 | 0.38 |
| Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | 0.002 |
| Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |

 Page
 : 4 of 11

 Work Order
 : ES2421627

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | NZG_IS | WC-RS | wc-is | YR1-IS | LHG-IS |
|--|----------------------------|---------|----------------|-------------------|--|--|-------------------|-------------------|
| | | Samplii | ng date / time | 25-Jun-2024 13:16 | 25-Jun-2024 13:56 | 25-Jun-2024 14:14 | 25-Jun-2024 15:11 | 25-Jun-2024 15:36 |
| Compound | CAS Number | LOR | Unit | ES2421627-001 | ES2421627-002 | ES2421627-003 | ES2421627-004 | ES2421627-005 |
| No resident and the second and the s | Control of Section 1 | | | Result | Result | Result | Result | Result |
| EG020T: Total Metals by ICP | P-MS - Continued | | | | | | | |
| Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 |
| Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Manganese | 7439-96-5 | 0.001 | mg/L | 0.002 | 0.007 | 0.005 | <0.001 | 0.282 |
| Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Iron | 7439-89-6 | 0.05 | mg/L | <0.05 | <0.05 | <0.05 | <0.05 | 1.54 |
| EG035F: Dissolved Mercury | by FIMS | | | | | | | |
| Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| EG035T: Total Recoverable | Mercury by FIMS | 9/ | · | | ** | 0. | 30 | Val. |
| Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| EK026SF: Total CN by Segn | nented Flow Analyser | | | | | | | |
| Total Cyanide | 57-12-5 | 0.002 | mg/L | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 |
| EK055G: Ammonia as N by I | Discrete Analyser | | | | | | | |
| Ammonia as N | 7664-41-7 | 0.01 | mg/L | 0.01 | 0.01 | <0.01 | <0.01 | 0.02 |
| EK057G: Nitrite as N by Dis | crete Analyser | | | | | | | |
| Nitrite as N | 14797-65-0 | 0.01 | mg/L | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| EK058G: Nitrate as N by Dis | screte Analyser | | | | | | 50V | |
| Nitrate as N | 14797-55-8 | 0.01 | mg/L | <0.01 | 0.23 | 0.02 | <0.01 | 0.02 |
| EK059G: Nitrite plus Nitrate | as N (NOx) by Discrete Ana | lyser | | | | | | |
| Nitrite + Nitrate as N | | 0.01 | mg/L | <0.01 | 0.23 | 0.02 | <0.01 | 0.02 |
| EK061G: Total Kjeldahl Nitro | ogen By Discrete Analyser | | V- | and the second | - 10 march 1 | en e | | |
| Total Kjeldahl Nitrogen as N | | 0.1 | mg/L | <0.1 | <0.1 | 0.1 | 0.1 | 0.2 |
| | (TKN + NOx) by Discrete Ar | | | | | | | |
| Total Nitrogen as N | **** | 0.1 | mg/L | <0.1 | 0.2 | 0.1 | 0.1 | 0.2 |
| EK067G: Total Phosphorus | as P by Discrete Analyser | | | | | | | |
| Total Phosphorus as P | | 0.01 | mg/L | <0.01 | <0.01 | 0.01 | <0.01 | 0.04 |

 Page
 : 5 of 11

 Work Order
 : ES2421627

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | NZG_IS | WC-RS | WC-IS | YR1-IS | LHG-IS |
|--|----------------------|---------|----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 100011 | | Samplii | ng date / time | 25-Jun-2024 13:16 | 25-Jun-2024 13:56 | 25-Jun-2024 14:14 | 25-Jun-2024 15:11 | 25-Jun-2024 15:36 |
| Compound | CAS Number | LOR | Unit | ES2421627-001 | ES2421627-002 | ES2421627-003 | ES2421627-004 | ES2421627-005 |
| The state of the s | | | 1 | Result | Result | Result | Result | Result |
| EK071G: Reactive Phosphorus as F | by discrete analyser | | | | | | | |
| Reactive Phosphorus as P | 14265-44-2 | 0.01 | mg/L | <0.01 | <0.01 | 0.04 | 0.03 | <0.01 |
| EP025: Oxygen - Dissolved (DO) | | | | | 440 | | | |
| Dissolved Oxygen | | 0.1 | mg/L | 10.9 | 10.4 | 10.6 | 10.3 | 9.7 |

 Page
 : 6 of 11

 Work Order
 : ES2421627

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | Cascall | Sample ID | TR-RS Light rain during sampling 26-Jun-2024 09:04 | YK-RS_Replicate1 | YK-RS_Replicate 2 | YK-IS 26-Jun-2024 10:24 | YK-IS(d/s) 26-Jun-2024 10:49 |
|---|----------------|---------|-------------------------|--|-------------------------|-------------------------|----------------------------|---------------------------------|
| - | 01011 | LOR | ing date / time Unit | | | | | |
| Compound | CAS Number | LUR | Unit | ES2421627-006 Result | ES2421627-007 Result | ES2421627-008 Result | ES2421627-009 Result | ES2421627-010 Result |
| EA005P: pH by PC Titrator | | | | Result | Result | Result | Result | Result |
| pH Value | | 0.01 | pH Unit | 7.90 | 7.50 | 7.09 | 6.99 | 6.97 |
| EA010P: Conductivity by PC Titrator | | | | | | | | |
| Electrical Conductivity @ 25°C | | 1 | μS/cm | 27 | 34 | 33 | 35 | 39 |
| EA015: Total Dissolved Solids dried | at 180 ± 5 °C | | | | | | | |
| Total Dissolved Solids @180°C | (F | 10 | mg/L | 17 | 21 | 18 | 19 | 25 |
| EA025: Total Suspended Solids dried | 1 at 104 ± 2°C | | | | | | A | |
| Suspended Solids (SS) | | .1. | mg/L | 2 | 15 | 12 | 6 | 2 |
| EA045: Turbidity | | | · | | | | 2 | 92 |
| Turbidity | | 0.1 | NTU | 1.1 | 13.7 | 12.8 | 9.4 | 4.8 |
| ED093F: SAR and Hardness Calculat | ions | 2 6 | | | ¥ | \$0. V. | 8 | |
| Total Hardness as CaCO3 | | 1 | mg/L | 5 | 9 | 9 | 9 | 12 |
| EG020F: Dissolved Metals by ICP-MS | ; | | | | 211 | 50 | | 100 |
| Aluminium | 7429-90-5 | 0.01 | mg/L | <0.01 | 0.09 | 0.11 | 0.08 | 0.06 |
| Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Manganese | 7439-96-5 | 0.001 | mg/L | 0.010 | 0.021 | 0.021 | 0.010 | 0.009 |
| Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Iron | 7439-89-6 | 0.05 | mg/L | <0.05 | 0.18 | 0.19 | 0.15 | 0.10 |
| EG020T: Total Metals by ICP-MS | | | | | | | | 10 |
| Aluminium | 7429-90-5 | 0.01 | mg/L | 0.03 | 0.23 | 0.15 | 0.32 | 0.48 |
| Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |

 Page
 : 7 of 11

 Work Order
 : ES2421627

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | Same!! | Sample ID | TR-RS Light rain during sampling 26-Jun-2024 09:04 | YK-RS_Replicate1 | YK-RS_Replicate 2 | YK-IS 26-Jun-2024 10:24 | YK-IS(d/s) 26-Jun-2024 10:49 |
|--|--|---------------|-----------|--|-------------------------|-------------------------|----------------------------|---------------------------------|
| | 01011 | LOR | Unit | ES2421627-006 | | | | |
| Compound | CAS Number | LUR | Onit | Result | ES2421627-007 Result | ES2421627-008 Result | ES2421627-009 Result | ES2421627-010 Result |
| EG020T: Total Metals by ICP-MS - Co | entinued | | | Result | Result | Result | Result | Result |
| Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Manganese | 7439-96-5 | 0.001 | mg/L | 0.056 | 0.032 | 0.026 | 0.014 | 0.027 |
| Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Iron | 7439-89-6 | 0.05 | mg/L | 0.07 | 0.50 | 0.39 | 0.42 | 0.66 |
| EG035F: Dissolved Mercury by FIMS | | | | | | | | |
| Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| EG035T: Total Recoverable Mercury | by FIMS | - | | | | *** | | 100 |
| Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| EK026SF: Total CN by Segmented F | low Analyser | | | | | | | |
| Total Cyanide | 57-12-5 | 0.002 | mg/L | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 |
| EK055G: Ammonia as N by Discrete | Analyser | | | | SEC. 1.0 | | · | |
| Ammonia as N | 7664-41-7 | 0.01 | mg/L | 0.01 | 0.02 | 0.02 | 0.01 | <0.01 |
| EK057G: Nitrite as N by Discrete An | AND DESCRIPTION OF THE PARTY OF | | | | | | | |
| Nitrite as N | 14797-65-0 | 0.01 | mg/L | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| EK058G: Nitrate as N by Discrete A | CANADA CONTRACTOR CONT | | | | | | N | |
| Nitrate as N | 14797-55-8 | 0.01 | mg/L | 1.92 | 0.02 | 0.02 | 0.06 | <0.01 |
| EK059G: Nitrite plus Nitrate as N (N | Ox) by Discrete Ana | | | 4.00 | 0.00 | 0.00 | | 40.04 |
| Nitrite + Nitrate as N | | 0.01 | mg/L | 1.92 | 0.02 | 0.02 | 0.06 | <0.01 |
| EK061G: Total Kjeldahl Nitrogen By Total Kjeldahl Nitrogen as N | Discrete Analyser | 0.1 | mg/L | 0.4 | 0.4 | 0.3 | 0.2 | 0.2 |
| | | | mg/L | 0.4 | 0.4 | 0.3 | V.2 | 0.2 |
| EK062G: Total Nitrogen as N (TKN + Total Nitrogen as N | NOx) by Discrete An | alyser 0.1 | ma/l | 2.3 | 0.4 | 0.3 | 0.3 | 0.2 |
| rotal Nitrogen as N | | 0.1 | mg/L | 2.3 | 0.4 | 0.3 | 0.3 | 0.2 |

 Page
 : 8 of 11

 Work Order
 : ES2421627

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | TR-RS Light rain during sampling | YK-RS_Replicate1 | YK-RS_Replicate 2 | YK-IS | YK-IS(d/s) |
|---|------------------------|-------|-----------------|--|-------------------|-------------------|-------------------|-------------------|
| | | Sampl | ing date / time | 26-Jun-2024 09:04 | 26-Jun-2024 09:57 | 26-Jun-2024 10:05 | 26-Jun-2024 10:24 | 26-Jun-2024 10:49 |
| Compound | CAS Number | LOR | Unit | ES2421627-006 | ES2421627-007 | ES2421627-008 | ES2421627-009 | ES2421627-010 |
| | | | | Result | Result | Result | Result | Result |
| EK067G: Total Phosphorus as P b | y Discrete Analyser | | | | | | | |
| Total Phosphorus as P | | 0.01 | mg/L | <0.01 | 0.04 | 0.04 | 0.03 | 0.04 |
| EK071G: Reactive Phosphorus as | P by discrete analyser | 1 | | | | -0.00 -0.00 | | |
| Reactive Phosphorus as P | 14265-44-2 | 0.01 | mg/L | 0.01 | 0.03 | 0.02 | 0.01 | 0.01 |
| | | | | | | | | |
| EP025: Oxygen - Dissolved (DO) | | | | | | | | 444 |

 Page
 : 9 of 11

 Work Order
 : ES2421627

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | NZG-IS | Spring | Blank | | |
|---|-----------------|---------|-----------------|-------------------|-------------------|-------------------|---------------------------------------|-----------|
| | | Samplii | ng date / time | 26-Jun-2024 15:31 | 26-Jun-2024 15:52 | 27-Jun-2024 15:58 | 33.2 | |
| Compound | CAS Number | LOR | Unit | ES2421627-011 | ES2421627-012 | ES2421627-013 | | |
| Company Control Control | | | | Result | Result | Result | | |
| EA005P: pH by PC Titrator | · · | | | | pt | | | |
| pH Value | | 0.01 | pH Unit | 7.01 | 7.20 | 7.24 | | |
| EA010P: Conductivity by PC Titrator | | | | | | | | |
| Electrical Conductivity @ 25°C | | 1 | μS/cm | 64 | 84 | <1 | | |
| EA015: Total Dissolved Solids dried a | t 180 ± 5 °C | | | | | | | A10 |
| Total Dissolved Solids @180°C | | 10 | mg/L | 38 | 46 | <10 | | |
| EA025: Total Suspended Solids dried | at 104 ± 2°C | | | | | | | |
| Suspended Solids (SS) |) - | 1 | mg/L | 20 | <1 | <1 | | |
| EA045: Turbidity | | *** | | | 15 C | | · · · · · · · · · · · · · · · · · · · | |
| Turbidity | 1 | 0.1 | NTU | 8.3 | 1.9 | <0.1 | | J |
| ED093F: SAR and Hardness Calculati | ons | | \(\frac{1}{2}\) | | | St. | 7 | |
| Total Hardness as CaCO3 | | 1 | mg/L | 23 | 25 | <1 | | - |
| EG020F: Dissolved Metals by ICP-MS | | | | | | | | |
| Aluminium | 7429-90-5 | 0.01 | mg/L | 0.04 | <0.01 | <0.01 | | |
| Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | | |
| Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | | |
| Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | : | 1 - 1 - 1 |
| Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | | |
| Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | 0.002 | <0.001 | | |
| Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | | |
| Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | <0.005 | | |
| Manganese | 7439-96-5 | 0.001 | mg/L | 0.005 | 0.017 | <0.001 | 7 <u></u> | |
| Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | | |
| Iron | 7439-89-6 | 0.05 | mg/L | 0.07 | <0.05 | <0.05 | | |
| EG020T: Total Metals by ICP-MS | | | | | No. | | | |
| Aluminium | 7429-90-5 | 0.01 | mg/L | 0.12 | 0.02 | <0.01 | | |
| Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | 10 777 | |
| Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | | |

 Page
 : 10 of 11

 Work Order
 : ES2421627

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | NZG-IS | Spring | Blank | | |
|--|--------------------------|---------|----------------|-------------------|--|--|-------------------|----------------------|
| | | Samplii | ng date / time | 26-Jun-2024 15:31 | 26-Jun-2024 15:52 | 27-Jun-2024 15:58 | 252 | |
| Compound | CAS Number | LOR | Unit | ES2421627-011 | ES2421627-012 | ES2421627-013 | | |
| The state of the s | | | | Result | Result | Result | | |
| EG020T: Total Metals by ICP-MS | S - Continued | | | | 100 | | | |
| Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | | |
| Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | Vi nes | (|
| Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | 0.002 | <0.001 | 1.000 | 14 1111 . |
| Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | · | |
| Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | <0.005 | X | |
| Manganese | 7439-96-5 | 0.001 | mg/L | 0.037 | 0.018 | <0.001 | 1 | |
| Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | 3 | |
| Iron | 7439-89-6 | 0.05 | mg/L | 0.67 | <0.05 | <0.05 | | |
| EG035F: Dissolved Mercury by I | FIMS | - 0. | | | View Control of the C | the state of the s | | · a |
| Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | | |
| G035T: Total Recoverable Mer | rcury by FIMS | | | | 8-1 | | 9. | |
| Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | | |
| K026SF: Total CN by Segment | ted Flow Analyser | | | | | | | |
| Total Cyanide | 57-12-5 | 0.002 | mg/L | <0.002 | <0.002 | <0.002 | | |
| K055G: Ammonia as N by Disc | rete Analyser | | | | | | | |
| Ammonia as N | 7664-41-7 | 0.01 | mg/L | <0.01 | 0.02 | <0.01 | | 0.77 |
| K057G: Nitrite as N by Discret | e Analyser | | | | | | | |
| Nitrite as N | 14797-65-0 | 0.01 | mg/L | <0.01 | <0.01 | <0.01 | | |
| K058G: Nitrate as N by Discre | te Analyser | | | | | | | |
| Nitrate as N | 14797-55-8 | 0.01 | mg/L | <0.01 | 0.03 | <0.01 | | |
| K059G: Nitrite plus Nitrate as | N (NOx) by Discrete Ana | yser | | | | | | |
| Nitrite + Nitrate as N | | 0.01 | mg/L | <0.01 | 0.03 | <0.01 | · | |
| K061G: Total Kjeldahl Nitroger | n By Discrete Analyser | | | No. | | | 7 | W. |
| Total Kjeldahl Nitrogen as N | | 0.1 | mg/L | 0.2 | <0.1 | <0.1 | **** | |
| K062G: Total Nitrogen as N (Th | KN + NOx) by Discrete An | alyser | | | 22 Comments | \$2.00 (S) | | |
| Total Nitrogen as N | | 0.1 | mg/L | 0.2 | <0.1 | <0.1 | **** | |
| K067G: Total Phosphorus as P | by Discrete Analyser | | * | | | | | |
| Total Phosphorus as P | | 0.01 | mg/L | 0.07 | 0.03 | <0.01 | | [] ==== |

 Page
 : 11 of 11

 Work Order
 : ES2421627

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | NZG-IS | Spring | Blank | | |
|--|---|---------|----------------|-------------------|-------------------|-------------------|----------|--|
| | | Samplir | ng date / time | 26-Jun-2024 15:31 | 26-Jun-2024 15:52 | 27-Jun-2024 15:58 | <u> </u> | |
| Compound | CAS Number | LOR | Unit | ES2421627-011 | ES2421627-012 | ES2421627-013 | | |
| San Wall Control of Co | 000000000000000000000000000000000000000 | | | Result | Result | Result | | |
| EK071G: Reactive Phosphorus as I | by discrete analyser | | | | | | | |
| Reactive Phosphorus as P | 14265-44-2 | 0.01 | mg/L | <0.01 | 0.02 | <0.01 | - | - |
| EP025: Oxygen - Dissolved (DO) | | | | | | | | in the second se |
| Dissolved Oxygen | | 0.1 | mg/L | 10.3 | 10.7 | 10.3 | | |

 Page
 : 2 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ^ = This result is computed from individual analyte detections at or above the level of reporting
- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- EG020: It is recognised that total concentration is less than dissolved for some metal analytes. However, the difference is within experimental variation of the methods.
- EG020A-F: Positive results for sample ES2424762-007 have been confirmed by re-analysis.
- TDS by method EA-015 various samples may bias high due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.
- Unless otherwise stated, analytical work for this work order will be conducted at ALS Sydney, NATA accreditation no. 825, site no. 10911.
- Sodium Adsorption Ratio (where reported): Where results for Na, Ca or Mg are <LOR, a concentration at half the reported LOR is incorporated into the SAR calculation. This represents a conservative approach for Na relative to the assumption that <LOR = zero concentration and a conservative approach for Ca & Mg relative to the assumption that <LOR is equivalent to the LOR concentration.

 Page
 : 3 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| | | Sample ID | SSC-IS | YR2 -IS | WC-RS | WC-IS | YR2-IS |
|-------------------|---|---|--|---|--|--|---|
| | Sampling | date / time | 27-Jul-2024 12:10 | 27-Jul-2024 12:30 | 27-Jul-2024 12:59 | 27-Jul-2024 13:15 | 27-Jul-2024 13:36 |
| CAS Number | LOR | Unit | ES2424762-001 | ES2424762-002 | ES2424762-003 | ES2424762-004 | ES2424762-005 |
| | | | Result | Result | Result | Result | Result |
| , | | Ņ. | | pro- | | | |
| | 0.01 | pH Unit | 7.34 | 7.32 | 7.21 | 6.83 | 6.84 |
| | | | | | 200 B | | |
| | 1 | µS/cm | 160 | 59 | 47 | 47 | 54 |
| 180 ± 5 °C | | | | | | | |
| | 10 | mg/L | 110 | 46 | 38 | 42 | 48 |
| 104 ± 2°C | | | | | | | |
| 10-14- | 1 | mg/L | 1 | 10 | 8 | 5 | 7 |
| | | | | | | | |
| 1 | 0.1 | NTU | 17.6 | 10.6 | 4.3 | 5.0 | 7.2 |
| is | | | | | | | |
| | 1 | mg/L | 62 | 26 | 17 | 17 | 19 |
| | | | | | | | |
| 7429-90-5 | 0.01 | mg/L | 0.10 | 0.17 | 0.07 | 0.07 | 0.18 |
| 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 7440-50-8 | 0.001 | mg/L | 0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| 7440-66-6 | 0.005 | mg/L | 0.024 | <0.005 | <0.005 | <0.005 | <0.005 |
| 7439-96-5 | 0.001 | mg/L | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 |
| TAPONE DE MONTO | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| | 0.05 | mg/L | 0.07 | 0.12 | <0.05 | <0.05 | 0.11 |
| | | | 851 57V | | 1 | V 0.00.40.00 | 000000 |
| 7429-90-5 | 0.01 | mg/L | 0.53 | 0.17 | 0.09 | 0.11 | 0.17 |
| 19/10/10/10/10/10 | 2000 | | \$7.550 A | 1792/63 | 2000 | 250/11/15 | <0.001 |
| 700 KH (KK) TO | 2002001 | A. 1. 2. 1. 2. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. | 5-80-60-0 | | 800000000 | 5-007999 | <0.0001 |
| t | 7429-90-5 7440-38-2 7440-47-3 7440-50-8 7440-02-0 7439-92-1 | CAS Number LOR 0.01 1 180 ± 5 °C 10 t 104 ± 2°C 1 0.1 T429-90-5 0.01 7440-43-9 0.0001 7440-47-3 0.001 7440-50-8 0.001 7440-50-8 0.001 7440-6-6 0.005 7439-92-1 0.001 7440-6-6 0.005 7439-89-6 0.001 7440-22-4 0.001 7449-89-6 0.005 7429-90-5 0.001 7440-38-2 0.001 | Sampling date / time CAS Number LOR Unit 0.01 pH Unit 1 μS/cm 180 ± 5 °C 10 mg/L t 104 ± 2°C 1 mg/L 0.1 NTU ns 1 mg/L 7429-90-5 0.01 mg/L 7440-43-9 0.001 mg/L 7440-47-3 0.001 mg/L 7440-50-8 0.001 mg/L 7440-50-8 0.001 mg/L 7440-6-6 0.005 mg/L 7440-6-6 0.005 mg/L 7440-6-6 0.005 mg/L 7440-6-6 0.005 mg/L 7440-22-4 0.001 mg/L 7440-22-4 0.001 mg/L 7440-22-4 0.001 mg/L 7439-89-6 0.05 mg/L 7429-90-5 0.01 mg/L 7429-90-5 0.01 mg/L 7429-90-5 0.01 mg/L | Sampling date / time 27-Jul-2024 12:10 CAS Number LOR Unit ES2424762-001 Result | Sampling date / time 27-Jul-2024 12:10 27-Jul-2024 12:30 | Sampling date / time 27-Jul-2024 12:10 27-Jul-2024 12:30 27-Jul-2024 12:59 | Sampling date / lime 27-Jul-2024 12:10 27-Jul-2024 12:59 27-Jul-2024 13:15 CAS Number LOR |

 Page
 : 4 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | SSC-IS | YR2 -IS | WC-RS | wc-is | YR2-IS |
|--|----------------------------|---------|----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | Samplii | ng date / time | 27-Jul-2024 12:10 | 27-Jul-2024 12:30 | 27-Jul-2024 12:59 | 27-Jul-2024 13:15 | 27-Jul-2024 13:36 |
| Compound | CAS Number | LOR | Unit | ES2424762-001 | ES2424762-002 | ES2424762-003 | ES2424762-004 | ES2424762-005 |
| The second secon | | | 1 | Result | Result | Result | Result | Result |
| EG020T: Total Metals by ICP | -MS - Continued | | | | | | | |
| Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Copper | 7440-50-8 | 0.001 | mg/L | 0.002 | <0.001 | <0.001 | <0.001 | <0.001 |
| Nickel | 7440-02-0 | 0.001 | mg/L | 0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Zinc | 7440-66-6 | 0.005 | mg/L | 0.025 | 0.007 | <0.005 | <0.005 | <0.005 |
| Manganese | 7439-96-5 | 0.001 | mg/L | 0.006 | 0.012 | 0.010 | 0.011 | 0.009 |
| Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Iron | 7439-89-6 | 0.05 | mg/L | 0.40 | 0.16 | 0.09 | 0.10 | 0.15 |
| G035F: Dissolved Mercury | by FIMS | | | | | | | - |
| Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| G035T: Total Recoverable | Mercury by FIMS | 9) | | | | | | 02 |
| Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| K026SF: Total CN by Segm | nented Flow Analyser | | | | | | | |
| Total Cyanide | 57-12-5 | 0.002 | mg/L | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 |
| K055G: Ammonia as N by D | Discrete Analyser | | | | | | | |
| Ammonia as N | 7664-41-7 | 0.01 | mg/L | 0.03 | <0.01 | <0.01 | 0.01 | <0.01 |
| K057G: Nitrite as N by Disc | crete Analyser | | | | | | | |
| Nitrite as N | 14797-65-0 | 0.01 | mg/L | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| K058G: Nitrate as N by Dis | crete Analyser | | | | | | | |
| Nitrate as N | 14797-55-8 | 0.01 | mg/L | 0.85 | 0.24 | <0.01 | <0.01 | 0.01 |
| K059G: Nitrite plus Nitrate | as N (NOx) by Discrete Ana | lyser | | | | | | en. |
| Nitrite + Nitrate as N | | 0.01 | mg/L | 0.85 | 0.24 | <0.01 | <0.01 | 0.01 |
| K061G: Total Kjeldahl Nitro | gen By Discrete Analyser | | | equision. | | | | |
| Total Kjeldahl Nitrogen as N | | 0.1 | mg/L | 0.9 | 0.2 | 0.1 | 0.1 | 0.2 |
| | (TKN + NOx) by Discrete An | | | | | | | |
| Total Nitrogen as N | | 0.1 | mg/L | 1.8 | 0.4 | 0.1 | 0.1 | 0.2 |
| EK067G: Total Phosphorus a | as P by Discrete Analyser | | | | | | | |
| Total Phosphorus as P | | 0.01 | mg/L | 0.03 | 0.03 | 0.05 | 0.02 | 0.02 |

 Page
 : 5 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | SSC-IS | YR2 -IS | WC-RS | WC-IS | YR2-IS |
|---|---|---------|----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 100011 | | Samplir | ng date / time | 27-Jul-2024 12:10 | 27-Jul-2024 12:30 | 27-Jul-2024 12:59 | 27-Jul-2024 13:15 | 27-Jul-2024 13:36 |
| Compound | CAS Number | LOR | Unit | ES2424762-001 | ES2424762-002 | ES2424762-003 | ES2424762-004 | ES2424762-005 |
| Sample duri Decarrol I | 000000000000000000000000000000000000000 | | | Result | Result | Result | Result | Result |
| EK071G: Reactive Phosphorus as I | by discrete analyser | | | | | | | |
| Reactive Phosphorus as P | 14265-44-2 | 0.01 | mg/L | 0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| EP025: Oxygen - Dissolved (DO) | | | | | | 200 | | |
| Dissolved Oxygen | | 0.1 | mg/L | 10.5 | 11.0 | 11.3 | 11.4 | 11.4 |

 Page
 : 6 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| ub-Matrix: SURFACE WATER Matrix: WATER) | | | Sample ID | LHG-IS | BLANK | TR-RS | NZG-IS | YK-RS |
|---|------------------|------------|-------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | Sampling o | date / time | 27-Jul-2024 14:06 | 28-Jul-2024 12:46 | 27-Jul-2024 15:43 | 28-Jul-2024 09:51 | 28-Jul-2024 10:07 |
| Compound | CAS Number | LOR | Unit | ES2424762-006 | ES2424762-007 | ES2424762-008 | ES2424762-009 | ES2424762-010 |
| | | | | Result | Result | Result | Result | Result |
| A005P: pH by PC Titrator | | | | | | | | 70 |
| pH Value | (2 <u>1000</u>) | 0.01 | pH Unit | 8.19 | 7.41 | 7.14 | 7.16 | 6.97 |
| A010P: Conductivity by PC Titrator | | | y. | | 2.5.1 | | | 170 170 |
| Electrical Conductivity @ 25°C | | 1 | μS/cm | 504 | <1 | 25 | 42 | 27 |
| A015: Total Dissolved Solids dried a | t 180 ± 5 °C | | | | | | | |
| Total Dissolved Solids @180°C | | 10 | mg/L | 324 | <10 | 17 | 52 | 41 |
| A025: Total Suspended Solids dried | at 104 ± 2°C | | 100 | | | | <u> </u> | |
| Suspended Solids (SS) | | 1 | mg/L | 10 | <1 | 2 | 8 | 7 |
| A045: Turbidity | | 40 | #s | | 3 | 8 | | |
| Turbidity | - | 0.1 | NTU | 7.8 | <0.1 | 1.6 | 6.0 | 9.2 |
| D093F: SAR and Hardness Calculati | ons | - 1 | | | | | × | |
| Total Hardness as CaCO3 | | 1 | mg/L | 250 | <1 | 5 | 12 | 9 |
| G020F: Dissolved Metals by ICP-MS | | | | | | | | |
| Aluminium | 7429-90-5 | 0.01 | mg/L | 0.01 | <0.01 | 0.02 | 0.20 | 0.19 |
| Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | 0.006 | <0.005 | <0.005 | 0.007 |
| Manganese | 7439-96-5 | 0.001 | mg/L | 0.025 | <0.001 | 0.003 | 0.004 | 0.010 |
| Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Iron | 7439-89-6 | 0.05 | mg/L | 0.07 | <0.05 | <0.05 | 0.18 | 0.21 |
| G020T: Total Metals by ICP-MS | | | | | | | | |
| Aluminium | 7429-90-5 | 0.01 | mg/L | 0.09 | <0.01 | 0.05 | 0.22 | 0.59 |
| Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |

 Page
 : 7 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | LHG-IS | BLANK | TR-RS | NZG-IS | YK-RS |
|---|----------------------------|---------|----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | Samplii | ng date / time | 27-Jul-2024 14:06 | 28-Jul-2024 12:46 | 27-Jul-2024 15:43 | 28-Jul-2024 09:51 | 28-Jul-2024 10:07 |
| Compound | CAS Number | LOR | Unit | ES2424762-006 | ES2424762-007 | ES2424762-008 | ES2424762-009 | ES2424762-010 |
| Torque sur recenti | CO. 97-59-21,208-21 | | | Result | Result | Result | Result | Result |
| EG020T: Total Metals by ICP | -MS - Continued | | | | | | | |
| Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Manganese | 7439-96-5 | 0.001 | mg/L | 0.033 | <0.001 | 0.014 | 0.009 | 0.017 |
| Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Iron | 7439-89-6 | 0.05 | mg/L | 0.16 | <0.05 | 0.06 | 0.26 | 0.53 |
| G035F: Dissolved Mercury | by FIMS | | | | V- | 200 | 900 | · |
| Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| G035T: Total Recoverable | Mercury by FIMS | 9) | · | | | | 99 | |
| Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| K026SF: Total CN by Segm | nented Flow Analyser | | | | | | | |
| Total Cyanide | 57-12-5 | 0.002 | mg/L | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 |
| K055G: Ammonia as N by D | Discrete Analyser | | | | | | | |
| Ammonia as N | 7664-41-7 | 0.01 | mg/L | <0.01 | <0.01 | 0.03 | <0.01 | 0.01 |
| K057G: Nitrite as N by Disc | crete Analyser | | | | | | | |
| Nitrite as N | 14797-65-0 | 0.01 | mg/L | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| K058G: Nitrate as N by Dis | crete Analyser | | | | | | | |
| Nitrate as N | 14797-55-8 | 0.01 | mg/L | 0.01 | 0.05 | 0.04 | 0.04 | 0.05 |
| K059G: Nitrite plus Nitrate | as N (NOx) by Discrete Ana | lyser | | | | | | |
| Nitrite + Nitrate as N | | 0.01 | mg/L | 0.01 | 0.05 | 0.04 | 0.04 | 0.05 |
| K061G: Total Kjeldahl Nitro | gen By Discrete Analyser | | - No. | | and the second | 200 | | |
| Total Kjeldahl Nitrogen as N | | 0.1 | mg/L | 0.1 | <0.1 | 0.1 | 0.2 | 0.4 |
| | (TKN + NOx) by Discrete An | | | | | | | |
| Total Nitrogen as N | | 0.1 | mg/L | 0.1 | <0.1 | 0.1 | 0.2 | 0.4 |
| EK067G: Total Phosphorus a | as P by Discrete Analyser | 0.04 | | | | | | |
| Total Phosphorus as P | (execution) | 0.01 | mg/L | 0.01 | <0.01 | 0.02 | 0.04 | 0.04 |

 Page
 : 8 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | LHG-IS | BLANK | TR-RS | NZG-IS | YK-RS |
|---|---|---------|----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 100011 | | Samplir | ng date / time | 27-Jul-2024 14:06 | 28-Jul-2024 12:46 | 27-Jul-2024 15:43 | 28-Jul-2024 09:51 | 28-Jul-2024 10:07 |
| Compound | CAS Number | LOR | Unit | ES2424762-006 | ES2424762-007 | ES2424762-008 | ES2424762-009 | ES2424762-010 |
| Sample ductive company | CAR (\$10.0 | | | Result | Result | Result | Result | Result |
| EK071G: Reactive Phosphorus as F | by discrete analyser | | | | | | | |
| Reactive Phosphorus as P | 14265-44-2 | 0.01 | mg/L | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| EP025: Oxygen - Dissolved (DO) | | | | | | 200 | | |
| Dissolved Oxygen | | 0.1 | mg/L | 10.7 | 10.3 | 11.2 | 11.0 | 11.0 |

 Page
 : 9 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| | | Sample ID | YK-IS | YK-IS (d/s) | SP-IS | SP-IS DUPLICATE | |
|--|--|---|---|--|--|--|---|
| | Sampling | g date / time | 28-Jul-2024 10:24 | 28-Jul-2024 10:42 | 28-Jul-2024 11:03 | 28-Jul-2024 11:09 | \$2 <u>55</u> |
| CAS Number | LOR | Unit | ES2424762-011 | ES2424762-012 | ES2424762-013 | ES2424762-014 | |
| 0.0000000000000000000000000000000000000 | | • | Result | Result | Result | Result | 255 |
| | - | , , , , , , , , , , , , , , , , , , , | | and the second s | | | |
| | 0.01 | pH Unit | 6.90 | 6.93 | 7.19 | 7.27 | |
| | | | | | | 50 | |
| | 1 | μS/cm | 32 | 32 | 79 | 79 | |
| 180 ± 5 °C | | | | | | 500 | |
| California (California California | 10 | mg/L | 52 | 52 | 87 | 84 | (|
| t 104 ± 2°C | | | | | | | |
| 10-14- | 1 | mg/L | 7 | 5 | 3 | 3 | |
| | | | | | | | |
| - | 0.1 | NTU | 12.6 | 9.3 | 27.0 | 27.2 | |
| าร | | 7 | | W | | SM | |
| | 1 | mg/L | 9 | 9 | 21 | 18 | - |
| | | | | | | 20 | |
| 7429-90-5 | 0.01 | mg/L | 0.31 | 0.28 | 0.77 | 0.84 | 0.700 |
| 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | |
| 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | A rtet |
| 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | |
| 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | 0.002 | 0.002 | |
| 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | |
| 7440-66-6 | 0.005 | mg/L | 0.009 | 0.007 | 0.008 | <0.005 | |
| 7439-96-5 | 0.001 | mg/L | 0.008 | 0.005 | 0.021 | 0.020 | |
| 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | |
| 7439-89-6 | 0.05 | mg/L | 0.25 | 0.22 | 0.26 | 0.19 |) ACCOM |
| | | | | | N. Service Co. | A | |
| 7429-90-5 | 0.01 | mg/L | 0.80 | 0.30 | 1.56 | 1.86 | |
| 322000000000000000000000000000000000000 | 0.001 | | <0.001 | <0.001 | <0.001 | <0.001 | |
| 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| | 7429-90-5 7440-38-2 7440-2-0 7439-96-5 7440-22-4 7439-89-6 7429-90-5 7440-38-2 | CAS Number LOR 0.01 1 180 ± 5 °C 10 t 104 ± 2°C 1 0.1 18 1 7429-90-5 0.01 7440-43-9 0.0001 7440-47-3 0.001 7440-50-8 0.001 7440-50-8 0.001 7440-66-6 0.005 7439-92-1 0.001 7440-66-6 0.005 7439-96-5 0.001 7440-22-4 0.001 7440-22-4 0.001 7440-38-2 0.001 | Sampling date / time CAS Number LOR Unit 0.01 pH Unit 1 μS/cm 180 ± 5 °C 10 mg/L 1 mg/L 1 mg/L 0.1 NTU 18 1 mg/L 7429-90-5 0.01 mg/L 7440-43-9 0.001 mg/L 7440-47-3 0.001 mg/L 7440-50-8 0.001 mg/L 7440-50-8 0.001 mg/L 7440-6-6 0.005 mg/L 7440-6-6 0.005 mg/L 7440-6-6 0.005 mg/L 7440-6-6 0.001 mg/L 7440-6-6 0.001 mg/L 7440-6-6 0.001 mg/L 7440-6-6 0.005 mg/L 7440-22-4 0.001 mg/L 7439-96-5 0.001 mg/L 7440-22-4 0.001 mg/L 7439-89-6 0.05 mg/L 7429-90-5 0.01 mg/L 7429-90-5 0.01 mg/L | Sampling date / time 28-Jul-2024 10:24 CAS Number LOR Unit ES2424762-011 Result — 0.01 pH Unit 6.90 — 1 µS/cm 32 180 ± 5 °C — 10 mg/L 52 ± 104 ± 2°C — 1 mg/L 7 — 1 mg/L 7 — 1 mg/L 9 T429-90-5 0.01 mg/L 9 — 1 mg/L 0.001 — 1 mg/L <td< td=""><td> Sampling date / time 28-Jul-2024 10:24 28-Jul-2024 10:42 </td><td> Sampling date / time 28-Jul-2024 10:24 28-Jul-2024 10:42 28-Jul-2024 11:03 </td><td> Sampling date / lime 28-Jul-2024 10:24 28-Jul-2024 11:03 28-Jul-2024 11:09 CAS Number LOR</td></td<> | Sampling date / time 28-Jul-2024 10:24 28-Jul-2024 10:42 | Sampling date / time 28-Jul-2024 10:24 28-Jul-2024 10:42 28-Jul-2024 11:03 | Sampling date / lime 28-Jul-2024 10:24 28-Jul-2024 11:03 28-Jul-2024 11:09 CAS Number LOR |

 Page
 : 10 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | YK-IS | YK-IS (d/s) | SP-IS | SP-IS DUPLICATE | |
|--|----------------------------|---------|----------------|-------------------|--|-------------------|---------------------------------------|------------|
| | | Samplii | ng date / time | 28-Jul-2024 10:24 | 28-Jul-2024 10:42 | 28-Jul-2024 11:03 | 28-Jul-2024 11:09 | 8- <u></u> |
| Compound | CAS Number | LOR | Unit | ES2424762-011 | ES2424762-012 | ES2424762-013 | ES2424762-014 | |
| Resident State of the Control of the | Control 2-5-4-5-1-20-5-1-1 | | | Result | Result | Result | Result | |
| EG020T: Total Metals by ICP- | MS - Continued | | | | and the second s | | | |
| Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | 0.002 | <0.001 | |
| Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | (|
| Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | 0.003 | 0.002 | |
| Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | |
| Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | <0.005 | 0.007 | \ |
| Manganese | 7439-96-5 | 0.001 | mg/L | 0.015 | 0.011 | 0.031 | 0.026 | |
| Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | 3 |
| Iron | 7439-89-6 | 0.05 | mg/L | 0.62 | 0.32 | 1.11 | 1.31 | |
| EG035F: Dissolved Mercury b | by FIMS | | | | | 301 | · · · · · · · · · · · · · · · · · · · | |
| Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| EG035T: Total Recoverable M | Mercury by FIMS | | | | | 40 | | <u> </u> |
| Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| EK026SF: Total CN by Segm | ented Flow Analyser | | | | | | | |
| Total Cyanide | 57-12-5 | 0.002 | mg/L | <0.002 | <0.002 | <0.002 | <0.002 | |
| EK055G: Ammonia as N by D | iscrete Analyser | | | | | | | |
| Ammonia as N | 7664-41-7 | 0.01 | mg/L | <0.01 | <0.01 | 0.01 | 0.01 | |
| EK057G: Nitrite as N by Disc | rete Analyser | | | | | | | |
| Nitrite as N | 14797-65-0 | 0.01 | mg/L | <0.01 | <0.01 | <0.01 | <0.01 | |
| EK058G: Nitrate as N by Disc | crete Analyser | | | | | | | |
| Nitrate as N | 14797-55-8 | 0.01 | mg/L | <0.01 | 0.28 | 0.09 | 0.10 | |
| EK059G: Nitrite plus Nitrate | as N (NOx) by Discrete Ana | lyser | | | | | | |
| Nitrite + Nitrate as N | | 0.01 | mg/L | <0.01 | 0.28 | 0.09 | 0.10 | |
| EK061G: Total Kjeldahl Nitrog | gen By Discrete Analyser | | | | | | | |
| Total Kjeldahl Nitrogen as N | | 0.1 | mg/L | 0.3 | 0.3 | 0.1 | 0.2 | - |
| EK062G: Total Nitrogen as N | (TKN + NOx) by Discrete Ar | alyser | | | | | 410 | |
| Total Nitrogen as N | | 0.1 | mg/L | 0.3 | 0.6 | 0.2 | 0.3 | |
| EK067G: Total Phosphorus a | s P by Discrete Analyser | | | | | | | |
| Total Phosphorus as P | **** | 0.01 | mg/L | 0.07 | 0.04 | 0.04 | 0.04 | |

 Page
 : 11 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: SURFACE WATER (Matrix: WATER) | | | Sample ID | YK-IS | YK-IS (d/s) | SP-IS | SP-IS DUPLICATE | |
|--|---|---------|----------------|-------------------|-------------------|-------------------|--|--|
| 300 000 000 000 | | Samplir | ng date / time | 28-Jul-2024 10:24 | 28-Jul-2024 10:42 | 28-Jul-2024 11:03 | 28-Jul-2024 11:09 | |
| Compound | CAS Number | LOR | Unit | ES2424762-011 | ES2424762-012 | ES2424762-013 | ES2424762-014 | |
| Salar Sa | 000000000000000000000000000000000000000 | | | Result | Result | Result | Result | |
| EK071G: Reactive Phosphorus as I | by discrete analyser | | | | | | | |
| Reactive Phosphorus as P | 14265-44-2 | 0.01 | mg/L | <0.01 | <0.01 | <0.01 | <0.01 | |
| EP025: Oxygen - Dissolved (DO) | | | | | | | en e | |
| Dissolved Oxygen | | 0.1 | mg/L | 11.0 | 11.0 | 10.8 | 11.0 | |



CERTIFICATE OF ANALYSIS

Work Order : ES2424762 Page : 1 of 11

Client : UGL LIMITED

Contact : CAMILLE PALMER

Address : Level 4, 40 Miller Street

Telephone

Project : 3200-0645 Date Samples Received : 30-Jul-2024 11:50

Order number : 4501837828 Date Analysis Commenced : 30-Jul-2024 C-O-C number : 70571

Sampler : CAMILLE PALMER

North Sydney 2060

Site : Maragle

Quote number : ES24UGLLIM0001_V3

No. of samples received : 14 No. of samples analysed : 14

Laboratory : Environmental Division Sydney

Contact : Customer Services ES

Address : 277-289 Woodpark Road Smithfield NSW Australia 2164

Telephone : +61-2-8784 8555

Issue Date · 06-Aug-2024 11:13



ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

| Signatories | Position | Accreditation Category |
|-------------|-----------------------------|------------------------------------|
| Ankit Joshi | Senior Chemist - Inorganics | Sydney Inorganics, Smithfield, NSW |
| Dian Dao | Senior Chemist - Inorganics | Sydney Inorganics, Smithfield, NSW |
| Ivan Taylor | Analyst | Sydney Inorganics, Smithfield, NSW |



QA/QC Compliance Assessment to assist with Quality Review

Work Order : **ES2424762** Page : 1 of 14

Client : **UGL LIMITED** : Environmental Division Sydney

 Contact
 : CAMILLE PALMER
 Telephone
 : +61-2-8784 8555

 Project
 : 3200-0645
 Date Samples Received
 : 30-Jul-2024

 Site
 : Maragle
 Issue Date
 : 06-Aug-2024

Sampler : CAMILLE PALMER No. of samples received : 14
Order number : 4501837828 No. of samples analysed : 14

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

Summary of Outliers

Outliers: Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- NO Method Blank value outliers occur.
- NO Duplicate outliers occur.
- NO Laboratory Control outliers occur.
- Matrix Spike outliers exist please see following pages for full details.
- For all regular sample matrices, where applicable to the methodology, NO surrogate recovery outliers occur.

Outliers: Analysis Holding Time Compliance

• Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers: Frequency of Quality Control Samples

NO Quality Control Sample Frequency Outliers exist.

 Page
 : 2 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: WATER

| Compound Group Name | Laboratory Sample ID | Client Sample ID | Analyte | CAS Number | Data | Limits | Comment |
|---|----------------------|------------------|--------------|------------|------------|--------|----------------------------------|
| Matrix Spike (MS) Recoveries | | | | | | | |
| EK055G: Ammonia as N by Discrete Analyser | ES2424634001 | Anonymous | Ammonia as N | 7664-41-7 | Not | | MS recovery not determined, |
| | | | | | Determined | | background level greater than or |
| | | | | | | | equal to 4x spike level. |

Outliers : Analysis Holding Time Compliance

Matrix: WATER

| Method | | | Extraction / Preparation | | | Analysis | | |
|---|---------------|---|--------------------------|--------------------|-----------------|---------------|------------------|-----------------|
| Container / Client Sample ID(s) | | | Date extracted | Due for extraction | Days overdue | Date analysed | Due for analysis | Days overdue |
| EA005P: pH by PC Titrator | | | | | | | | |
| Clear Plastic Bottle - Natural | | | | | | | | |
| SSC-IS, | YR2 -IS, | | | | | 30-Jul-2024 | 27-Jul-2024 | 3 |
| WC-RS, | WC-IS, | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | |
| TR-RS | | | | | | | | |
| Clear Plastic Bottle - Natural | | | | | | | | |
| BLANK, | NZG-IS, | | | | | 30-Jul-2024 | 28-Jul-2024 | 2 |
| YK-RS, | YK-IS, | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | |
| EA045: Turbidity | | 1 | | | | | | |
| Clear Plastic Bottle - Natural | | | | | | | | |
| SSC-IS, | YR2 -IS, | | | | | 30-Jul-2024 | 29-Jul-2024 | 1 |
| WC-RS, | WC-IS, | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | |
| TR-RS | | | | | | | | |
| EK057G: Nitrite as N by Discrete Analyser | | | | | | | | |
| Clear Plastic Bottle - Natural | | | | | | | | |
| SSC-IS, | YR2 -IS, | | | | | 30-Jul-2024 | 29-Jul-2024 | 1 |
| WC-RS, | WC-IS, | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | |
| TR-RS | | | | | | | | |
| EK071G: Reactive Phosphorus as P by disc | rete analyser | | | | | | | |
| Clear Plastic Bottle - Natural | | | | | | | | |
| SSC-IS, | YR2 -IS, | | | | | 30-Jul-2024 | 29-Jul-2024 | 1 |
| WC-RS, | WC-IS, | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | |
| TR-RS | | | | | | | | |
| EP025: Oxygen - Dissolved (DO) | | | | | | | | |
| | | | | | | | | |

 Page
 : 3 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



Matrix: WATER

| Method | | | Extraction / Preparation | | | Analysis | | |
|------------------------------------|---------------------------------|---------------|--------------------------|---------|---------------|------------------|---------|--|
| Container / Client Sample ID(s) | | Date extracte | Due for extraction | Days | Date analysed | Due for analysis | Days | |
| | | | | overdue | | | overdue | |
| EP025: Oxygen - Dissolved (DO) - A | nalysis Holding Time Compliance | | | | | | | |
| Clear Plastic Bottle - Natural | | | | | | | | |
| SSC-IS, | YR2 -IS, | | | | 30-Jul-2024 | 27-Jul-2024 | 3 | |
| WC-RS, | WC-IS, | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | |
| TR-RS | | | | | | | | |
| Clear Plastic Bottle - Natural | | | | | | | | |
| BLANK, | NZG-IS, | | | | 30-Jul-2024 | 28-Jul-2024 | 2 | |
| YK-RS, | YK-IS, | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | |

Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for <u>VOC in soils</u> vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive <u>or</u> Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: WATER

Evaluation: **×** = Holding time breach : ✓ = Within holding time.

| | | | | | | o.ag ao | | g a |
|--|----------|-------------|--------------------------|--------------------|------------|---------------|------------------|------------|
| Method | | Sample Date | Extraction / Preparation | | | Analysis | | |
| Container / Client Sample ID(s) | | | Date extracted | Due for extraction | Evaluation | Date analysed | Due for analysis | Evaluation |
| EA005P: pH by PC Titrator | | | | | | | | |
| Clear Plastic Bottle - Natural (EA005-P) | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | | | | 30-Jul-2024 | 27-Jul-2024 | * |
| WC-RS, | WC-IS, | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | |
| TR-RS | | | | | | | | |
| Clear Plastic Bottle - Natural (EA005-P) | | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | | | | 30-Jul-2024 | 28-Jul-2024 | × |
| YK-RS, | YK-IS, | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | |

 Page
 : 4 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



Matrix: WATER Evaluation: ▼ = Holding time breach; ✓ = Within holding time.

| Method | | Sample Date | Extraction / Preparation | | | Analysis | | | |
|---|----------|-------------|--------------------------|----------------|--------------------|------------|---------------|------------------|------------|
| Container / Client Sample ID(s) | | | | Date extracted | Due for extraction | Evaluation | Date analysed | Due for analysis | Evaluation |
| EA010P: Conductivity by PC Titrator | | 1 1 | | | | | | | |
| Clear Plastic Bottle - Natural (EA010-P) | | | | | | | | | |
| SSC-IS, | YR2 -IS, | | 27-Jul-2024 | | | | 30-Jul-2024 | 24-Aug-2024 | ✓ |
| WC-RS, | WC-IS, | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | |
| TR-RS | | | | | | | | | |
| Clear Plastic Bottle - Natural (EA010-P) | | | | | | | | | |
| BLANK, | NZG-IS, | | 28-Jul-2024 | | | | 30-Jul-2024 | 25-Aug-2024 | ✓ |
| YK-RS, | YK-IS, | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | |
| EA015: Total Dissolved Solids dried at 180 ± 5 °C | | | | | | | | | |
| Clear Plastic Bottle - Natural (EA015H) | | | | | | | | | |
| SSC-IS, | YR2 -IS, | | 27-Jul-2024 | | | | 31-Jul-2024 | 03-Aug-2024 | ✓ |
| WC-RS, | WC-IS, | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | |
| TR-RS | | | | | | | | | |
| Clear Plastic Bottle - Natural (EA015H) | | | | | | | | | |
| BLANK, | NZG-IS, | | 28-Jul-2024 | | | | 31-Jul-2024 | 04-Aug-2024 | ✓ |
| YK-RS, | YK-IS, | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | |
| EA025: Total Suspended Solids dried at 104 ± 2° | °C | | | | | | | | |
| Clear Plastic Bottle - Natural (EA025) | | | | | | | | | |
| SSC-IS, | YR2 -IS, | | 27-Jul-2024 | | | | 31-Jul-2024 | 03-Aug-2024 | ✓ |
| WC-RS, | WC-IS, | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | |
| TR-RS | | | | | | | | | |
| Clear Plastic Bottle - Natural (EA025) | | | | | | | | | |
| BLANK, | NZG-IS, | | 28-Jul-2024 | | | | 31-Jul-2024 | 04-Aug-2024 | ✓ |
| YK-RS, | YK-IS, | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | |
| SP-IS DUPLICATE | • | | | | | | | | |
| 1 1 1 | | | | | | | | | |

 Page
 : 5 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



Matrix: WATER Evaluation: ▼ = Holding time breach; ✓ = Within holding time.

| Method Container / Client Sample ID(s) | | Sample Date | Extraction / Preparation | | | Analysis | | | |
|---|--------------|-------------|--------------------------|--------------------|------------|---------------|------------------|------------|--|
| | | | Date extracted | Due for extraction | Evaluation | Date analysed | Due for analysis | Evaluation | |
| EA045: Turbidity | | | | | | | | | |
| Clear Plastic Bottle - Natural (EA045) | | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | | | | 30-Jul-2024 | 29-Jul-2024 | x | |
| WC-RS, | WC-IS, | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | |
| TR-RS | | | | | | | | | |
| Clear Plastic Bottle - Natural (EA045) | | | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | | | | 30-Jul-2024 | 30-Jul-2024 | 1 | |
| YK-RS, | YK-IS, | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | |
| ED093F: SAR and Hardness Calculations | | | | | | | | | |
| Clear Plastic Bottle - Nitric Acid; Filtered (ED093 | 3F) | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | | | | 31-Jul-2024 | 24-Aug-2024 | ✓ | |
| WC-RS, | WC-IS, | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | |
| TR-RS | | | | | | | | | |
| Clear Plastic Bottle - Nitric Acid; Filtered (ED093 | 3F) | | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | | | | 31-Jul-2024 | 25-Aug-2024 | ✓ | |
| YK-RS, | YK-IS, | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | |
| EG020F: Dissolved Metals by ICP-MS | 1 11 1 1 1 1 | | | | | | | | |
| Clear Plastic Bottle - Nitric Acid; Filtered (EG020 | 0B-F) | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | | | | 31-Jul-2024 | 23-Jan-2025 | ✓ | |
| WC-RS, | WC-IS, | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | |
| TR-RS | | | | | | | | | |
| Clear Plastic Bottle - Nitric Acid; Filtered (EG020 | 0B-F) | | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | | | | 31-Jul-2024 | 24-Jan-2025 | ✓ | |
| YK-RS, | YK-IS, | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | |

 Page
 : 6 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Method | | Sample Date | Ex | traction / Preparation | | | Analysis | |
|---|--------------|-------------|----------------|------------------------|------------|---------------|------------------|------------|
| Container / Client Sample ID(s) | | | Date extracted | Due for extraction | Evaluation | Date analysed | Due for analysis | Evaluation |
| EG020T: Total Metals by ICP-MS | | | | | | | | |
| Clear Plastic Bottle - Nitric Acid; Unfiltere | d (EG020B-T) | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | 31-Jul-2024 | 23-Jan-2025 | ✓ | 01-Aug-2024 | 23-Jan-2025 | ✓ |
| WC-RS, | WC-IS, | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | |
| TR-RS | | | | | | | | |
| Clear Plastic Bottle - Nitric Acid; Unfiltere | d (EG020B-T) | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | 31-Jul-2024 | 24-Jan-2025 | ✓ | 01-Aug-2024 | 24-Jan-2025 | ✓ |
| YK-RS, | YK-IS, | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | |
| EG035F: Dissolved Mercury by FIMS | 11 11 11 11 | | | | | | | |
| Clear Plastic Bottle - Nitric Acid; Filtered | (EG035F) | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | | | | 02-Aug-2024 | 24-Aug-2024 | ✓ |
| WC-RS, | WC-IS, | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | |
| TR-RS | | | | | | | | |
| Clear Plastic Bottle - Nitric Acid; Filtered | (EG035F) | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | | | | 02-Aug-2024 | 25-Aug-2024 | ✓ |
| YK-RS, | YK-IS, | | | | | | | · · |
| YK-IS (d/s), | SP-IS, | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | |
| EG035T: Total Recoverable Mercury by F | FIMS | | | | | | · | |
| Clear Plastic Bottle - Nitric Acid; Unfiltere | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | | | | 02-Aug-2024 | 24-Aug-2024 | √ |
| WC-RS, | WC-IS, | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | |
| TR-RS | | | | | | | | |
| Clear Plastic Bottle - Nitric Acid; Unfiltere | ed (EG035T) | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | | | | 02-Aug-2024 | 25-Aug-2024 | ✓ |
| YK-RS, | YK-IS, | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | |
| SP-IS DUPLICATE | , | | | | | | | |

 Page
 : 7 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Method | | Sample Date | E | xtraction / Preparation | | Analysis | | | |
|---|---------------|-------------|----------------|-------------------------|------------|---------------|------------------|------------|--|
| Container / Client Sample ID(s) | | | Date extracted | Due for extraction | Evaluation | Date analysed | Due for analysis | Evaluation | |
| EK026SF: Total CN by Segmented Flow Analys | ser | | | | | | | | |
| Black Opaque Plastic Bottle - NaOH (EK026SF) | | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | | | | 01-Aug-2024 | 10-Aug-2024 | ✓ | |
| WC-RS, | WC-IS, | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | |
| TR-RS | | | | | | | | | |
| Black Opaque Plastic Bottle - NaOH (EK026SF) | | | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | | | | 01-Aug-2024 | 11-Aug-2024 | ✓ | |
| YK-RS, | YK-IS, | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | |
| EK055G: Ammonia as N by Discrete Analyser | 1 11 11 11 11 | | | | | | | | |
| Clear Plastic Bottle - Sulfuric Acid (EK055G) | | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | | | | 31-Jul-2024 | 24-Aug-2024 | ✓ | |
| WC-RS, | WC-IS, | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | |
| TR-RS | | | | | | | | | |
| Clear Plastic Bottle - Sulfuric Acid (EK055G) | | | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | | | | 31-Jul-2024 | 25-Aug-2024 | ✓ | |
| YK-RS, | YK-IS, | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | |
| EK057G: Nitrite as N by Discrete Analyser | 1 11 11 11 11 | | | | | | | · | |
| Clear Plastic Bottle - Natural (EK057G) | | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | | | | 30-Jul-2024 | 29-Jul-2024 | 3c | |
| WC-RS, | WC-IS, | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | |
| TR-RS | | | | | | | | | |
| Clear Plastic Bottle - Natural (EK057G) | | | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | | | | 30-Jul-2024 | 30-Jul-2024 | ✓ | |
| YK-RS, | YK-IS, | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | |

 Page
 : 8 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Method | | Sample Date | Ex | traction / Preparation | Evaluation | Analysis | | | |
|---|-------------|-------------|----------------|------------------------|------------|---------------|------------------|------------|--|
| Container / Client Sample ID(s) | | | Date extracted | Due for extraction | Evaluation | Date analysed | Due for analysis | Evaluation | |
| EK059G: Nitrite plus Nitrate as N (NOx) by Discre | te Analyser | | | | | | | | |
| Clear Plastic Bottle - Sulfuric Acid (EK059G) | | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | | | | 31-Jul-2024 | 24-Aug-2024 | ✓ | |
| WC-RS, | WC-IS, | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | |
| TR-RS | | | | | | | | | |
| Clear Plastic Bottle - Sulfuric Acid (EK059G) | | | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | | | | 31-Jul-2024 | 25-Aug-2024 | ✓ | |
| YK-RS, | YK-IS, | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | |
| EK061G: Total Kjeldahl Nitrogen By Discrete Analy | /ser | | | | | | | | |
| Clear Plastic Bottle - Sulfuric Acid (EK061G) | | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | 31-Jul-2024 | 24-Aug-2024 | ✓ | 31-Jul-2024 | 24-Aug-2024 | ✓ | |
| WC-RS, | WC-IS, | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | |
| TR-RS | | | | | | | | | |
| Clear Plastic Bottle - Sulfuric Acid (EK061G) | | | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | 31-Jul-2024 | 25-Aug-2024 | ✓ | 31-Jul-2024 | 25-Aug-2024 | ✓ | |
| YK-RS, | YK-IS, | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | |
| EK067G: Total Phosphorus as P by Discrete Analy | ser | | | | | | | | |
| Clear Plastic Bottle - Sulfuric Acid (EK067G) | | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | 31-Jul-2024 | 24-Aug-2024 | ✓ | 31-Jul-2024 | 24-Aug-2024 | ✓ | |
| WC-RS, | WC-IS, | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | |
| TR-RS | | | | | | | | | |
| Clear Plastic Bottle - Sulfuric Acid (EK067G) | | | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | 31-Jul-2024 | 25-Aug-2024 | ✓ | 31-Jul-2024 | 25-Aug-2024 | ✓ | |
| YK-RS, | YK-IS, | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | |

 Page
 : 9 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| WATER | | | Evaluation: A - Floring time breach, V - Within the | | | | | | | |
|--|------------|-------------|---|------------------------|------------|---------------|------------------|------------|--|--|
| Method | | Sample Date | Ex | traction / Preparation | | | Analysis | | | |
| Container / Client Sample ID(s) | | | Date extracted | Due for extraction | Evaluation | Date analysed | Due for analysis | Evaluation | | |
| EK071G: Reactive Phosphorus as P by discrete | e analyser | | | | | | | | | |
| Clear Plastic Bottle - Natural (EK071G) | | | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | | | | 30-Jul-2024 | 29-Jul-2024 | æ | | |
| WC-RS, | WC-IS, | | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | | |
| TR-RS | | | | | | | | | | |
| Clear Plastic Bottle - Natural (EK071G) | | | | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | | | | 30-Jul-2024 | 30-Jul-2024 | ✓ | | |
| YK-RS, | YK-IS, | | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | | |
| EP025: Oxygen - Dissolved (DO) | | | | | | | | | | |
| Clear Plastic Bottle - Natural (EP025) | | | | | | | | | | |
| SSC-IS, | YR2 -IS, | 27-Jul-2024 | | | | 30-Jul-2024 | 27-Jul-2024 | 3 ¢ | | |
| WC-RS, | WC-IS, | | | | | | | | | |
| YR2-IS, | LHG-IS, | | | | | | | | | |
| TR-RS | | | | | | | | | | |
| Clear Plastic Bottle - Natural (EP025) | | | | | | | | | | |
| BLANK, | NZG-IS, | 28-Jul-2024 | | | | 30-Jul-2024 | 28-Jul-2024 | Jc | | |
| YK-RS, | YK-IS, | | | | | | | | | |
| YK-IS (d/s), | SP-IS, | | | | | | | | | |
| SP-IS DUPLICATE | | | | | | | | | | |

 Page
 : 10 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: WATER

| Country Coun | Matrix: WATER | | | | Evaluatio | n: × = Quality Co | not within specification; ✓ = Quality Control frequency within specification | |
|---|---|----------|----|---------|-----------|-------------------|--|--------------------------------|
| Exchange September Exchange Exchange | Quality Control Sample Type | | | ount | | Rate (%) | | Quality Control Specification |
| Ammonia en N by Discrete analyser | Analytical Methods | Method | QC | Reaular | Actual | Expected | Evaluation | |
| Conductivity by Autor Titrator | Laboratory Duplicates (DUP) | | | | | | | |
| Dissolved Merius by FIMS | Ammonia as N by Discrete analyser | EK055G | 4 | 31 | 12.90 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Dissolved Metalis by ICP-MS - Suite A | Conductivity by Auto Titrator | EA010-P | 4 | 32 | 12.50 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Dissolved Metalis by ICP-MS - Suite B | , , | EG035F | 4 | 31 | 12.90 | 10.00 | ✓ | |
| Nitrie and Nitrate as N (NOv) by Discrete Analyser | | EG020A-F | 4 | 32 | 12.50 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Netrice as N by Discrete Analyser | Dissolved Metals by ICP-MS - Suite B | EG020B-F | 2 | 17 | 11.76 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| EAQUIST TUTATION EAQUIST EAQ | Nitrite and Nitrate as N (NOx) by Discrete Analyser | EK059G | 4 | 40 | 10.00 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Reactive Phosphorus as P-By Discrete Analyser | Nitrite as N by Discrete Analyser | EK057G | 4 | 38 | 10.53 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Suspended Solids | pH by Auto Titrator | EA005-P | 4 | 32 | 12.50 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Total Cyanide by Segmented Flow Analyser | Reactive Phosphorus as P-By Discrete Analyser | EK071G | 2 | 20 | 10.00 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Total Dissolved Solids (High Level) | Suspended Solids | EA025 | 2 | 18 | 11.11 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Total Kjeldahl Nitrogen as N By Discrete Analyser | Total Cyanide by Segmented Flow Analyser | EK026SF | 4 | 36 | 11.11 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Total Mercury by FiMS | Total Dissolved Solids (High Level) | EA015H | 2 | 18 | 11.11 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite A | Total Kjeldahl Nitrogen as N By Discrete Analyser | EK061G | 4 | 40 | 10.00 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite B EG020B-T 2 14 14.29 10.00 √ NEPM 2013 B3 & ALS QC Standard | Total Mercury by FIMS | EG035T | 2 | 19 | 10.53 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Total Phosphorus as P By Discrete Analyser EK067G 4 40 10.00 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Turbidity EA045 4 40 10.00 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Laboratory Control Samples (LCS) Ammonia as N by Discrete analyser EK055G 2 31 6.45 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Conductivity by Auto Titrator EA010-P 3 32 9.38 8.33 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Mercury by FIMS EG035F 2 31 6.45 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite A EG020A-F 2 32 6.25 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite B EG020B-F 1 17 5.88 5.00 ✓ NEPM 2013 B3 & ALS QC Standard District and Nitrate as N (NOx) by Discrete Analyser EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Nitrite as N by Discrete Analyser EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Reactive Phosphorus as P-By Discrete Analyser EK057G 1 20 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Reactive Phosphorus as P-By Discrete Analyser EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Reactive Phosphorus as P-By Discrete Analyser EK071G 1 20 5.00 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Reactive Phosphorus as P-By Discrete Analyser EK071G 1 20 5.00 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Cyanide by Segmented Flow Analyser EK026SF 4 36 11.11 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Cyanide by Segmented Flow Analyser EK026SF 4 36 11.11 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Cyanide by Segmented Flow Analyser EK026SF 4 36 11.11 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Kjeldahl Nitrogen as N By Discrete Analyser EK026SF 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Mercury by FIMS EC020A-T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite A EC020B-T 1 14 7.14 5.00 ✓ NEPM 2013 B3 & ALS QC Standard | Total Metals by ICP-MS - Suite A | EG020A-T | 2 | 19 | 10.53 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Turbidity EA045 4 40 10.00 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Laboratory Control Samples (LCS) Ammonia as N by Discrete analyser EK055G 2 31 6.45 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Conductivity by Auto Titrator EA010-P 3 32 9.38 8.33 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Mercury by FIMS EG035F 2 31 6.45 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite A EG020A-F 2 32 6.25 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite B EG020B-F 1 17 5.88 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite B EG020B-F 1 17 5.88 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Nitrite an Nitrate as N (NOx) by Discrete Analyser EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Nitrite as N by Discrete Analyser EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard PH by Auto Titrator EA005-P 4 32 12.50 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Reactive Phosphorus as P-By Discrete Analyser EK071G 1 20 5.00 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Organice by Segmented Flow Analyser EK026SF 4 36 11.11 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Dissolved Solids (High Level) EA015H 3 18 16.67 12.50 ✓ NEPM 2013 B3 & ALS QC Standard Total Dissolved Solids (High Level) EA015H 3 18 16.67 12.50 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite B EG020A-T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite B EG020B-T 1 14 7.14 5.00 ✓ NEPM 2013 B3 & ALS QC Standard | Total Metals by ICP-MS - Suite B | EG020B-T | 2 | 14 | 14.29 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Laboratory Control Samples (LCS) Ammonia as N by Discrete analyser EK055G 2 31 6.45 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Conductivity by Autor Titrator EA010-P 3 32 9.38 8.33 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Mercury by FIMS EG035F 2 31 6.45 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite A EG020A-F 2 32 6.25 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite B EG020B-F 1 17 5.88 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Nitrite and Nitrate as N (INOx) by Discrete Analyser EK059G 2 40 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Nitrite and Nitrate as N (INOx) by Discrete Analyser EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard PH by Auto Titrator EA005-P 4 32 12.50 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Reactive Phosphorus as P-By Discrete Analyser EK071G 1 20 5.00 5.0 | Total Phosphorus as P By Discrete Analyser | EK067G | 4 | 40 | 10.00 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Ammonia as N by Discrete analyser EK055G 2 31 6.45 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Conductivity by Auto Titrator EA010-P 3 32 9.38 8.33 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite A EG020A-F 2 32 6.25 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite B EG020A-F 1 17 5.88 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Nitrite and Nitrate as N (NOx) by Discrete Analyser EK059G 2 40 5.00 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Nitrite as N by Discrete Analyser EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard PH by Auto Titrator EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard PH by Auto Titrator EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard PH by Auto Titrator EK057G 2 38 5.26 5.00 NEPM 2013 B3 & ALS QC Standard <t< td=""><td>Turbidity</td><td>EA045</td><td>4</td><td>40</td><td>10.00</td><td>10.00</td><td>✓</td><td>NEPM 2013 B3 & ALS QC Standard</td></t<> | Turbidity | EA045 | 4 | 40 | 10.00 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Ammonia as N by Discrete analyser EK055G 2 31 6.45 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Conductivity by Auto Titrator EA010-P 3 32 9.38 8.33 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite A EG020A-F 2 32 6.25 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite B EG020A-F 1 17 5.88 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Nitrite and Nitrate as N (NOx) by Discrete Analyser EK059G 2 40 5.00 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Nitrite as N by Discrete Analyser EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard PH by Auto Titrator EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard PH by Auto Titrator EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard PH by Auto Titrator EK057G 2 38 5.26 5.00 NEPM 2013 B3 & ALS QC Standard <t< td=""><td>Laboratory Control Samples (LCS)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<> | Laboratory Control Samples (LCS) | | | | | | | |
| Dissolved Mercury by FIMS EG035F 2 31 6.45 5.00 | | EK055G | 2 | 31 | 6.45 | 5.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Dissolved Metals by ICP-MS - Suite A EG020A-F 2 32 6.25 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite B EG020B-F 1 17 5.88 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Nitrite and Nitrate as N (NOx) by Discrete Analyser EK059G 2 40 5.00 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Nitrite as N by Discrete Analyser EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard PH by Auto Titrator EA005-P 4 32 12.50 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Reactive Phosphorus as P-By Discrete Analyser EK071G 1 20 5.00 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Suspended Solids EA025 3 18 16.67 15.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Cyanide by Segmented Flow Analyser EK026SF 4 36 11.11 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Kjeldahl Nitrogen as N By Discrete Analys | Conductivity by Auto Titrator | EA010-P | 3 | 32 | 9.38 | 8.33 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Dissolved Metals by ICP-MS - Suite B | Dissolved Mercury by FIMS | EG035F | 2 | 31 | 6.45 | 5.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Nitrite and Nitrate as N (NOx) by Discrete Analyser EK059G EK059G EK059G EK059G EK059G EK057G EK059G EK057G EK059G EK057G EK057G EK057G EK057G EK057G EK057G EK057G EK057G EK0057G EK00057G EK0057G E | Dissolved Metals by ICP-MS - Suite A | EG020A-F | 2 | 32 | 6.25 | 5.00 | √ | NEPM 2013 B3 & ALS QC Standard |
| Nitrite as N by Discrete Analyser EK057G EK057G 2 38 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard PH by Auto Titrator EA005-P EK057G EA005-P EK071G I 20 5.00 FReactive Phosphorus as P-By Discrete Analyser EK071G Suspended Solids EA025 I I I I I I I I I I I I I | Dissolved Metals by ICP-MS - Suite B | EG020B-F | 1 | 17 | 5.88 | 5.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| pH by Auto Titrator EA005-P 4 32 12.50 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Reactive Phosphorus as P-By Discrete Analyser EK071G 1 20 5.00 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Suspended Solids EA025 3 18 16.67 15.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Cyanide by Segmented Flow Analyser EK026SF 4 36 11.11 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Dissolved Solids (High Level) EA015H 3 18 16.67 12.50 ✓ NEPM 2013 B3 & ALS QC Standard Total Kjeldahl Nitrogen as N By Discrete Analyser EK061G 6 40 15.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Mercury by FIMS EG035T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite A EG020A-T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite B EG020B-T 1 | Nitrite and Nitrate as N (NOx) by Discrete Analyser | EK059G | 2 | 40 | 5.00 | 5.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Reactive Phosphorus as P-By Discrete Analyser EK071G 1 20 5.00 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Suspended Solids EA025 3 18 16.67 15.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Cyanide by Segmented Flow Analyser EK026SF 4 36 11.11 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Dissolved Solids (High Level) EA015H 3 18 16.67 12.50 ✓ NEPM 2013 B3 & ALS QC Standard Total Kjeldahl Nitrogen as N By Discrete Analyser EK061G 6 40 15.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Mercury by FIMS EG035T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite A EG020A-T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite B EG020B-T 1 14 7.14 5.00 ✓ NEPM 2013 B3 & ALS QC Standard | Nitrite as N by Discrete Analyser | EK057G | 2 | 38 | 5.26 | 5.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Suspended Solids EA025 3 18 16.67 15.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Cyanide by Segmented Flow Analyser EK026SF 4 36 11.11 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Dissolved Solids (High Level) EA015H 3 18 16.67 12.50 ✓ NEPM 2013 B3 & ALS QC Standard Total Kjeldahl Nitrogen as N By Discrete Analyser EK061G 6 40 15.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Mercury by FIMS EG035T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite A EG020A-T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite B EG020B-T 1 14 7.14 5.00 ✓ NEPM 2013 B3 & ALS QC Standard | pH by Auto Titrator | EA005-P | 4 | 32 | 12.50 | 10.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Total Cyanide by Segmented Flow Analyser EK026SF 4 36 11.11 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Dissolved Solids (High Level) EA015H 3 18 16.67 12.50 ✓ NEPM 2013 B3 & ALS QC Standard Total Kjeldahl Nitrogen as N By Discrete Analyser EK061G 6 40 15.00 √ NEPM 2013 B3 & ALS QC Standard Total Mercury by FIMS EG035T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite A EG020A-T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite B EG020B-T 1 14 7.14 5.00 ✓ NEPM 2013 B3 & ALS QC Standard | Reactive Phosphorus as P-By Discrete Analyser | EK071G | 1 | 20 | 5.00 | 5.00 | √ | NEPM 2013 B3 & ALS QC Standard |
| Total Cyanide by Segmented Flow Analyser EK026SF 4 36 11.11 10.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Dissolved Solids (High Level) EA015H 3 18 16.67 12.50 ✓ NEPM 2013 B3 & ALS QC Standard Total Kjeldahl Nitrogen as N By Discrete Analyser EK061G 6 40 15.00 15.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Mercury by FIMS EG035T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite A EG020A-T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite B EG020B-T 1 14 7.14 5.00 ✓ NEPM 2013 B3 & ALS QC Standard | Suspended Solids | EA025 | 3 | 18 | 16.67 | 15.00 | √ | NEPM 2013 B3 & ALS QC Standard |
| Total Dissolved Solids (High Level) EA015H 3 18 16.67 12.50 ✓ NEPM 2013 B3 & ALS QC Standard Total Kjeldahl Nitrogen as N By Discrete Analyser EK061G 6 40 15.00 15.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Mercury by FIMS EG035T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite A EG020A-T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite B EG020B-T 1 14 7.14 5.00 ✓ NEPM 2013 B3 & ALS QC Standard | Total Cyanide by Segmented Flow Analyser | | 4 | 36 | 11.11 | 10.00 | | NEPM 2013 B3 & ALS QC Standard |
| Total Kjeldahl Nitrogen as N By Discrete Analyser EK061G 6 40 15.00 15.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Mercury by FIMS EG035T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite A EG020A-T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite B EG020B-T 1 14 7.14 5.00 ✓ NEPM 2013 B3 & ALS QC Standard | Total Dissolved Solids (High Level) | EA015H | 3 | 18 | 16.67 | 12.50 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite A EG020A-T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite B EG020B-T 1 14 7.14 5.00 ✓ NEPM 2013 B3 & ALS QC Standard | Total Kjeldahl Nitrogen as N By Discrete Analyser | | 6 | 40 | 15.00 | 15.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite A EG020A-T 1 19 5.26 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite B EG020B-T 1 14 7.14 5.00 ✓ NEPM 2013 B3 & ALS QC Standard | Total Mercury by FIMS | EG035T | 1 | 19 | 5.26 | 5.00 | <u> </u> | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite B EG020B-T 1 14 7.14 5.00 ✓ NEPM 2013 B3 & ALS QC Standard | Total Metals by ICP-MS - Suite A | EG020A-T | 1 | 19 | 5.26 | 5.00 | ✓ | NEPM 2013 B3 & ALS QC Standard |
| Total Phosphorus as P By Discrete Analyser EK067G 6 40 15.00 ✓ NEPM 2013 B3 & ALS QC Standard | | | 1 | 14 | 7.14 | 5.00 | | NEPM 2013 B3 & ALS QC Standard |
| | Total Phosphorus as P By Discrete Analyser | | 6 | 40 | 15.00 | 15.00 | | |

 Page
 : 11 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645

Total Phosphorus as P By Discrete Analyser



NEPM 2013 B3 & ALS QC Standard

Matrix: WATER Evaluation: × = Quality Control frequency not within specification; ✓ = Quality Control frequency within specification. Quality Control Sample Type Count Rate (%) Quality Control Specification Method Evaluation Analytical Methods QC Regular Actual Expected _aboratory Control Samples (LCS) - Continued 2 40 NEPM 2013 B3 & ALS QC Standard Turbidity EA045 5.00 5.00 Method Blanks (MB) Ammonia as N by Discrete analyser 2 31 6.45 5.00 NEPM 2013 B3 & ALS QC Standard EK055G Conductivity by Auto Titrator EA010-P 2 32 6.25 5.00 1 NEPM 2013 B3 & ALS QC Standard 2 Dissolved Mercury by FIMS EG035F 31 6.45 5.00 ✓ NEPM 2013 B3 & ALS QC Standard Dissolved Metals by ICP-MS - Suite A 2 32 NEPM 2013 B3 & ALS QC Standard EG020A-F 6.25 5.00 1 Dissolved Metals by ICP-MS - Suite B 1 17 5.88 5.00 NEPM 2013 B3 & ALS QC Standard EG020B-F 1 Nitrite and Nitrate as N (NOx) by Discrete Analyser 2 40 NEPM 2013 B3 & ALS QC Standard EK059G 5.00 5.00 1 2 38 Nitrite as N by Discrete Analyser 5.26 5.00 NEPM 2013 B3 & ALS QC Standard EK057G 1 Reactive Phosphorus as P-By Discrete Analyser 1 20 5.00 5.00 NEPM 2013 B3 & ALS QC Standard EK071G 1 Suspended Solids 1 18 5.56 5.00 NEPM 2013 B3 & ALS QC Standard EA025 1 Total Cyanide by Segmented Flow Analyser 2 36 NEPM 2013 B3 & ALS QC Standard 5.56 5.00 EK026SF 1 Total Dissolved Solids (High Level) 1 18 5.56 5.00 NEPM 2013 B3 & ALS QC Standard EA015H 1 Total Kjeldahl Nitrogen as N By Discrete Analyser 2 40 NEPM 2013 B3 & ALS QC Standard FK061G 5.00 5.00 Total Mercury by FIMS EG035T 1 19 5.26 5.00 1 NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite A 1 19 EG020A-T 5.26 5.00 1 NEPM 2013 B3 & ALS QC Standard Total Metals by ICP-MS - Suite B 1 14 7.14 5.00 NEPM 2013 B3 & ALS QC Standard EG020B-T Total Phosphorus as P By Discrete Analyser 2 40 NEPM 2013 B3 & ALS QC Standard EK067G 5.00 5.00 ✓ Turbidity 2 40 5.00 5.00 1 NEPM 2013 B3 & ALS QC Standard EA045 Matrix Spikes (MS) 1 Ammonia as N by Discrete analyser EK055G 2 31 6.45 5.00 NEPM 2013 B3 & ALS QC Standard Dissolved Mercury by FIMS 2 31 6.45 NEPM 2013 B3 & ALS QC Standard EG035F 5.00 1 Dissolved Metals by ICP-MS - Suite A 2 32 6.25 5.00 NEPM 2013 B3 & ALS QC Standard EG020A-F 1 Nitrite and Nitrate as N (NOx) by Discrete Analyser 2 40 5.00 5.00 NEPM 2013 B3 & ALS QC Standard EK059G ✓ Nitrite as N by Discrete Analyser EK057G 2 38 5.26 5.00 1 NEPM 2013 B3 & ALS QC Standard Reactive Phosphorus as P-By Discrete Analyser 1 20 EK071G 5.00 5.00 1 NEPM 2013 B3 & ALS QC Standard Total Cyanide by Segmented Flow Analyser 2 EK026SF 36 5.56 5.00 1 NEPM 2013 B3 & ALS QC Standard 2 Total Kjeldahl Nitrogen as N By Discrete Analyser 40 EK061G 5.00 5.00 ✓ NEPM 2013 B3 & ALS QC Standard 19 Total Mercury by FIMS 1 5.26 5.00 1 NEPM 2013 B3 & ALS QC Standard EG035T Total Metals by ICP-MS - Suite A 19 5.26 NEPM 2013 B3 & ALS QC Standard 1 5.00 EG020A-T ✓

2

EK067G

40

5.00

5.00

 Page
 : 12 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

| Analytical Methods | Method | Matrix | Method Descriptions |
|--------------------------------------|----------|--------|--|
| pH by Auto Titrator | EA005-P | WATER | In house: Referenced to APHA 4500 H+ B. This procedure determines pH of water samples by automated ISE. This method is compliant with NEPM Schedule B(3) |
| Conductivity by Auto Titrator | EA010-P | WATER | In house: Referenced to APHA 2510 B. This procedure determines conductivity by automated ISE. This method is compliant with NEPM Schedule B(3) |
| Total Dissolved Solids (High Level) | EA015H | WATER | In house: Referenced to APHA 2540C. A gravimetric procedure that determines the amount of `filterable` residue in an aqueous sample. A well-mixed sample is filtered through a glass fibre filter (1.2um). The filtrate is evaporated to dryness and dried to constant weight at 180+/-5C. This method is compliant with NEPM Schedule B(3) |
| Suspended Solids | EA025 | WATER | In house: Referenced to APHA 2540D. A gravimetric procedure employed to determine the amount of `non-filterable` residue in a aqueous sample. The prescribed GFC (1.2um) filter is rinsed with deionised water, oven dried and weighed prior to analysis. A well-mixed sample is filtered through a glass fibre filter (1.2um). The residue on the filter paper is dried at 104+/-2C. This method is compliant with NEPM Schedule B(3) |
| Turbidity | EA045 | WATER | In house: Referenced to APHA 2130 B. This method is compliant with NEPM Schedule B(3) |
| Major Cations - Dissolved | ED093F | WATER | In house: Referenced to APHA 3120 and 3125; USEPA SW 846 - 6010 and 6020; Cations are determined by either ICP-AES or ICP-MS techniques. This method is compliant with NEPM Schedule B(3) Sodium Adsorption Ratio is calculated from Ca, Mg and Na which determined by ALS in house method QWI-EN/ED093F. This method is compliant with NEPM Schedule B(3) Hardness parameters are calculated based on APHA 2340 B. This method is compliant with NEPM Schedule B(3) |
| Dissolved Metals by ICP-MS - Suite A | EG020A-F | WATER | In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. Samples are 0.45µm filtered prior to analysis. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector. |
| Total Metals by ICP-MS - Suite A | EG020A-T | WATER | In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector. |
| Dissolved Metals by ICP-MS - Suite B | EG020B-F | WATER | In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. Samples are 0.45µm filtered prior to analysis. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector. |
| Total Metals by ICP-MS - Suite B | EG020B-T | WATER | In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector. |

 Page
 : 13 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Analytical Methods | Method | Matrix | Method Descriptions |
|--|---------|--------|---|
| Dissolved Mercury by FIMS | EG035F | WATER | In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl2)(Cold Vapour generation) AAS) Samples are 0.45µm filtered prior to analysis. FIM-AAS is an automated flameless atomic absorption technique. A bromate/bromide reagent is used to oxidise any organic mercury compounds in the filtered sample. The ionic mercury is reduced online to atomic mercury vapour by SnCl2 which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3). |
| Total Mercury by FIMS | EG035T | WATER | In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl2)(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. A bromate/bromide reagent is used to oxidise any organic mercury compounds in the unfiltered sample. The ionic mercury is reduced online to atomic mercury vapour by SnCl2 which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3). |
| Total Cyanide by Segmented Flow Analyser | EK026SF | WATER | In house: Referenced to APHA 4500-CN C&O / ASTM D7511 / ISO 14403. Sodium hydroxide preserved samples are introduced into an automated segmented flow analyser. Complex bound cyanide is decomposed in a continuously flowing stream, at a pH of 3.8, by the effect of UV light. A UV-B lamp (312 nm) and a decomposition spiral of borosilicate glass are used to filter out UV light with a wavelength of less than 290 nm thus preventing the conversion of thiocyanate into cyanide. The hydrogen cyanide present at a pH of 3.8 is separated by gas dialysis. The hydrogen cyanide is then determined photometrically, based on the reaction of cyanide with chloramine-T to form cyanogen chloride. This then reacts with 4-pyridine carboxylic acid and 1,3-dimethylbarbituric acid to give a red colour which is measured at 600 nm. This method is compliant with NEPM Schedule B(3) |
| Ammonia as N by Discrete analyser | EK055G | WATER | In house: Referenced to APHA 4500-NH3 G Ammonia is determined by direct colorimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3) |
| Nitrite as N by Discrete Analyser | EK057G | WATER | In house: Referenced to APHA 4500-NO2- B. Nitrite is determined by direct colourimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3) |
| Nitrate as N by Discrete Analyser | EK058G | WATER | In house: Referenced to APHA 4500-NO3- F. Nitrate is reduced to nitrite by way of a chemical reduction followed by quantification by Discrete Analyser. Nitrite is determined seperately by direct colourimetry and result for Nitrate calculated as the difference between the two results. This method is compliant with NEPM Schedule B(3) |
| Nitrite and Nitrate as N (NOx) by Discrete Analyser | EK059G | WATER | In house: Referenced to APHA 4500-NO3- F. Combined oxidised Nitrogen (NO2+NO3) is determined by Chemical Reduction and direct colourimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3) |
| Total Kjeldahl Nitrogen as N By Discrete Analyser | EK061G | WATER | In house: Referenced to APHA 4500-Norg D (In house). An aliquot of sample is digested using a high temperature Kjeldahl digestion to convert nitrogenous compounds to ammonia. Ammonia is determined colorimetrically by discrete analyser. This method is compliant with NEPM Schedule B(3) |
| Total Nitrogen as N (TKN + Nox) By Discrete Analyser | EK062G | WATER | In house: Referenced to APHA 4500-Norg / 4500-NO3 This method is compliant with NEPM Schedule B(3) |
| Total Phosphorus as P By Discrete Analyser | EK067G | WATER | In house: Referenced to APHA 4500-P H, Jirka et al, Zhang et al. This procedure involves sulphuric acid digestion of a sample aliquot to break phosphorus down to orthophosphate. The orthophosphate reacts with ammonium molybdate and antimony potassium tartrate to form a complex which is then reduced and its concentration measured at 880nm using discrete analyser. This method is compliant with NEPM Schedule B(3) |

 Page
 : 14 of 14

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Analytical Methods | Method | Matrix | Method Descriptions |
|--|-------------|--------|--|
| Reactive Phosphorus as P-By Discrete Analyser | EK071G | WATER | In house: Referenced to APHA 4500-P F Ammonium molybdate and potassium antimonyl tartrate reacts in acid medium with othophosphate to form a heteropoly acid -phosphomolybdic acid - which is reduced to intensely coloured molybdenum blue by ascorbic acid. Quantification is by Discrete Analyser. This method is compliant with NEPM Schedule B(3) |
| Oxygen - Dissolved | EP025 | WATER | In house: Referenced to APHA 4500-O G. Dissolved Oxygen Probe. This method is compliant with NEPM Schedule B(3) |
| Preparation Methods | Method | Matrix | Method Descriptions |
| TKN/TP Digestion | EK061/EK067 | WATER | In house: Referenced to APHA 4500 Norg - D; APHA 4500 P - H. This method is compliant with NEPM Schedule B(3) |
| Digestion for Total Recoverable Metals | EN25 | WATER | In house: Referenced to USEPA SW846-3005. Method 3005 is a Nitric/Hydrochloric acid digestion procedure used to prepare surface and ground water samples for analysis by ICPAES or ICPMS. This method is compliant with NEPM Schedule B(3) |



QUALITY CONTROL REPORT

: ES2424762 Work Order Page

Client : UGL LIMITED

: CAMILLE PALMER Contact Address

: Level 4, 40 Miller Street North Sydney 2060

Telephone : ----

Project : 3200-0645 Order number : 4501837828

C-O-C number : 70571

Sampler : CAMILLE PALMER

Site : Maragle

Quote number : ES24UGLLIM0001_V3

No. of samples received : 14 No. of samples analysed : 14 : 1 of 11

Laboratory : Environmental Division Sydney

: Customer Services ES Contact

Address : 277-289 Woodpark Road Smithfield NSW Australia 2164

Telephone : +61-2-8784 8555

Date Samples Received : 30-Jul-2024 Date Analysis Commenced : 30-Jul-2024

Issue Date : 06-Aug-2024



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

| Signatories | Position | Accreditation Category |
|-------------|-----------------------------|------------------------------------|
| Ankit Joshi | Senior Chemist - Inorganics | Sydney Inorganics, Smithfield, NSW |
| Dian Dao | Senior Chemist - Inorganics | Sydney Inorganics, Smithfield, NSW |
| Ivan Taylor | Analyst | Sydney Inorganics, Smithfield, NSW |

 Page
 : 2 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key: Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot

CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

RPD = Relative Percentage Difference

= Indicates failed QC

* = The final LOR has been raised due to dilution or other sample specific cause; adjusted LOR is shown in brackets. The duplicate ranges for Acceptable RPD% are applied to the final LOR where applicable.

Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit: Result between 10 and 20 times LOR: 0% - 50%: Result > 20 times LOR: 0% - 20%.

| Sub-Matrix: WATER | | Laboratory Duplicate (DUP) Report | | | | | | | |
|----------------------|--------------------------------|---|------------|------|---------|-----------------|------------------|---------|--------------------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) | Acceptable RPD (%) |
| EA005P: pH by PC T | itrator (QC Lot: 5957234) | | | | | | | | |
| EN2407844-001 | Anonymous | EA005-P: pH Value | | 0.01 | pH Unit | 7.30 | 7.37 | 1.0 | 0% - 20% |
| ES2424755-004 | Anonymous | EA005-P: pH Value | | 0.01 | pH Unit | 6.11 | 6.08 | 0.5 | 0% - 20% |
| EA005P: pH by PC T | itrator (QC Lot: 5957235) | | | | | | | | |
| ES2424762-014 | SP-IS DUPLICATE | EA005-P: pH Value | | 0.01 | pH Unit | 7.27 | 7.33 | 0.8 | 0% - 20% |
| ES2424762-005 | YR2-IS | EA005-P: pH Value | | 0.01 | pH Unit | 6.84 | 7.03 | 2.7 | 0% - 20% |
| EA010P: Conductivi | ty by PC Titrator (QC Lot: 59 | 957233) | | | | | | | |
| EN2407844-001 | Anonymous | EA010-P: Electrical Conductivity @ 25°C | | 1 | μS/cm | 355 | 354 | 0.4 | 0% - 20% |
| ES2424755-004 | Anonymous | EA010-P: Electrical Conductivity @ 25°C | | 1 | μS/cm | 10300 | 10300 | 0.1 | 0% - 20% |
| ES2424762-014 | SP-IS DUPLICATE | EA010-P: Electrical Conductivity @ 25°C | | 1 | μS/cm | 79 | 79 | 0.0 | 0% - 20% |
| ES2424762-005 | YR2-IS | EA010-P: Electrical Conductivity @ 25°C | | 1 | μS/cm | 54 | 55 | 0.0 | 0% - 20% |
| EA015: Total Dissol | ved Solids dried at 180 ± 5 °C | C (QC Lot: 5960698) | | | | | | | |
| ES2424762-007 | BLANK | EA015H: Total Dissolved Solids @180°C | | 10 | mg/L | <10 | <10 | 0.0 | No Limit |
| ES2424320-001 | Anonymous | EA015H: Total Dissolved Solids @180°C | | 10 | mg/L | 666 | 661 | 0.8 | 0% - 20% |
| EA025: Total Suspe | nded Solids dried at 104 ± 2° | C (QC Lot: 5960699) | | | | | | | |
| ES2424762-006 | LHG-IS | EA025: Suspended Solids (SS) | | 1 | mg/L | 10 | 9 | 0.0 | No Limit |
| ES2424320-001 | Anonymous | EA025: Suspended Solids (SS) | | 1 | mg/L | 43 | 44 | 3.7 | 0% - 20% |
| EA045: Turbidity (Q | C Lot: 5957650) | | | | | | | | |
| EN2407812-001 | Anonymous | EA045: Turbidity | | 0.1 | NTU | 3.4 | 3.4 | 0.0 | 0% - 20% |
| ES2424743-001 | Anonymous | EA045: Turbidity | | 0.1 | NTU | 15.3 | 15.0 | 2.0 | 0% - 20% |
| EA045: Turbidity (Q | C Lot: 5957651) | | | | | | | | |

 Page
 : 3 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | | | | |
|----------------------|----------------------|---------------------|------------|-----------------------------------|------|-----------------|------------------|---------|--------------------|--|--|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) | Acceptable RPD (%) | | |
| EA045: Turbidity (C | QC Lot: 5957651) - c | ontinued | | | | | | | | | |
| ES2424762-008 | TR-RS | EA045: Turbidity | | 0.1 | NTU | 1.6 | 1.5 | 0.0 | 0% - 50% | | |
| ES2424790-003 | Anonymous | EA045: Turbidity | | 0.1 | NTU | <0.1 | <0.1 | 0.0 | No Limit | | |
| EG020F: Dissolved | Metals by ICP-MS (0 | QC Lot: 5960332) | | | | | | | | | |
| ES2424669-001 | Anonymous | EG020A-F: Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | 0.0 | No Limit | | |
| | | EG020A-F: Arsenic | 7440-38-2 | 0.001 | mg/L | 0.004 | 0.004 | 0.0 | No Limit | | |
| | | EG020A-F: Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Manganese | 7439-96-5 | 0.001 | mg/L | 0.108 | 0.106 | 1.3 | 0% - 20% | | |
| | | EG020A-F: Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | 0.0 | No Limit | | |
| | | EG020A-F: Aluminium | 7429-90-5 | 0.01 | mg/L | <0.01 | <0.01 | 0.0 | No Limit | | |
| | | EG020A-F: Iron | 7439-89-6 | 0.05 | mg/L | 0.25 | 0.25 | 0.0 | No Limit | | |
| ES2424762-008 | TR-RS | EG020A-F: Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | 0.0 | No Limit | | |
| | | EG020A-F: Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Manganese | 7439-96-5 | 0.001 | mg/L | 0.003 | 0.003 | 0.0 | No Limit | | |
| | | EG020A-F: Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | 0.0 | No Limit | | |
| | | EG020A-F: Aluminium | 7429-90-5 | 0.01 | mg/L | 0.02 | 0.02 | 0.0 | No Limit | | |
| | | EG020A-F: Iron | 7439-89-6 | 0.05 | mg/L | <0.05 | <0.05 | 0.0 | No Limit | | |
| EG020F: Dissolved | Metals by ICP-MS (0 | QC Lot: 5960333) | | | | | | | | | |
| ES2424669-001 | Anonymous | EG020B-F: Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| ES2424762-008 | TR-RS | EG020B-F: Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| EG020F: Dissolved | Metals by ICP-MS (0 | QC Lot: 5960334) | | | | | | | | | |
| ES2424762-009 | NZG-IS | EG020A-F: Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | 0.0 | No Limit | | |
| | | EG020A-F: Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Manganese | 7439-96-5 | 0.001 | mg/L | 0.004 | 0.004 | 0.0 | No Limit | | |
| | | EG020A-F: Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | | |
| | | EG020A-F: Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | 0.0 | No Limit | | |
| | | EG020A-F: Aluminium | 7429-90-5 | 0.01 | mg/L | 0.20 | 0.20 | 0.0 | 0% - 20% | | |
| | | EG020A-F: Iron | 7439-89-6 | 0.05 | mg/L | 0.18 | 0.18 | 0.0 | No Limit | | |

 Page
 : 4 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: WATER | | | | Laboratory Duplicate (DUP) Report | | | | | | |
|----------------------|------------------------|---------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|--------------------|--|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) | Acceptable RPD (%) | |
| EG020F: Dissolved I | Metals by ICP-MS (QC I | Lot: 5960334) - continued | | | | | | | | |
| ME2401205-004 | Anonymous | EG020A-F: Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | 0.0 | No Limit | |
| | | EG020A-F: Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-F: Chromium | 7440-47-3 | 0.001 | mg/L | 0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-F: Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-F: Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-F: Manganese | 7439-96-5 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-F: Nickel | 7440-02-0 | 0.001 | mg/L | 0.002 | 0.002 | 0.0 | No Limit | |
| | | EG020A-F: Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | 0.0 | No Limit | |
| | | EG020A-F: Aluminium | 7429-90-5 | 0.01 | mg/L | <0.01 | <0.01 | 0.0 | No Limit | |
| | | EG020A-F: Iron | 7439-89-6 | 0.05 | mg/L | <0.05 | <0.05 | 0.0 | No Limit | |
| EG020T: Total Metal | s by ICP-MS (QC Lot: 5 | 5960792) | | | | | | | | |
| ES2424762-002 | YR2 -IS | EG020A-T: Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | 0.0 | No Limit | |
| | | EG020A-T: Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-T: Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-T: Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-T: Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-T: Manganese | 7439-96-5 | 0.001 | mg/L | 0.012 | 0.011 | 0.0 | 0% - 50% | |
| | | EG020A-T: Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-T: Zinc | 7440-66-6 | 0.005 | mg/L | 0.007 | <0.005 | 30.6 | No Limit | |
| | | EG020A-T: Aluminium | 7429-90-5 | 0.01 | mg/L | 0.17 | 0.16 | 0.0 | 0% - 50% | |
| | | EG020A-T: Iron | 7439-89-6 | 0.05 | mg/L | 0.16 | 0.16 | 0.0 | No Limit | |
| ES2424762-011 | YK-IS | EG020A-T: Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | <0.0001 | 0.0 | No Limit | |
| | | EG020A-T: Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-T: Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-T: Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-T: Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-T: Manganese | 7439-96-5 | 0.001 | mg/L | 0.015 | 0.015 | 0.0 | 0% - 50% | |
| | | EG020A-T: Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| | | EG020A-T: Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | <0.005 | 0.0 | No Limit | |
| | | EG020A-T: Aluminium | 7429-90-5 | 0.01 | mg/L | 0.80 | 0.79 | 0.0 | 0% - 20% | |
| | | EG020A-T: Iron | 7439-89-6 | 0.05 | mg/L | 0.62 | 0.63 | 2.2 | 0% - 50% | |
| EG020T: Total Metal | s by ICP-MS (QC Lot: 5 | 5960793) | | | | | | | | |
| ES2424762-002 | YR2 -IS | EG020B-T: Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| ES2424762-011 | YK-IS | EG020B-T: Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | <0.001 | 0.0 | No Limit | |
| EG035F: Dissolved I | Mercury by FIMS (QC L | ot: 5960331) | | | | | | | | |
| EN2407886-004 | Anonymous | EG035F: Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | 0.0 | No Limit | |
| ES2424698-001 | Anonymous | EG035F: Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | 0.0 | No Limit | |

 Page
 : 5 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: WATER | | | | | | Laboratory L | Ouplicate (DUP) Report | | |
|----------------------|------------------------------|--------------------------------------|------------|---------------|------|-----------------|------------------------|---------|--------------------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) | Acceptable RPD (%) |
| EG035F: Dissolved | Mercury by FIMS (QC Lot: 5 | | | | | | | | |
| ES2424762-011 | YK-IS | EG035F: Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | 0.0 | No Limit |
| ME2401205-005 | Anonymous | EG035F: Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | 0.0 | No Limit |
| EG035T: Total Reco | overable Mercury by FIMS (| QC Lot: 5960794) | | | | | | | |
| ES2424762-001 | SSC-IS | EG035T: Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | 0.0 | No Limit |
| ES2424762-010 | YK-RS | EG035T: Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | <0.0001 | 0.0 | No Limit |
| EK026SF: Total CN | by Segmented Flow Analys | er (QC Lot: 5961522) | | | | | | | |
| EB2425456-001 | Anonymous | EK026SF: Total Cyanide | 57-12-5 | 0.004 | mg/L | <0.004 | <0.004 | 0.0 | No Limit |
| EP2410602-007 | Anonymous | EK026SF: Total Cyanide | 57-12-5 | 0.004 (1.00)* | mg/L | 480 | 477 | 0.7 | 0% - 20% |
| EK026SF: Total CN | by Segmented Flow Analys | er (QC Lot: 5961523) | | | | | | | |
| ES2424762-009 | NZG-IS | EK026SF: Total Cyanide | 57-12-5 | 0.004 (0.002) | mg/L | <0.002 | <0.002 | 0.0 | No Limit |
| ES2424939-001 | Anonymous | EK026SF: Total Cyanide | 57-12-5 | 0.004 | mg/L | <0.004 | <0.004 | 0.0 | No Limit |
| EK055G: Ammonia | as N by Discrete Analyser (| QC Lot: 5960678) | | | | | | | |
| ES2424634-001 | Anonymous | EK055G: Ammonia as N | 7664-41-7 | 0.01 | mg/L | 39400 ug/L | 39.6 | 0.5 | 0% - 20% |
| ES2424762-002 | YR2 -IS | EK055G: Ammonia as N | 7664-41-7 | 0.01 | mg/L | <0.01 | <0.01 | 0.0 | No Limit |
| EK055G: Ammonia | as N by Discrete Analyser (| QC Lot: 5960681) | | | | | | | |
| ES2424762-013 | SP-IS | EK055G: Ammonia as N | 7664-41-7 | 0.01 | mg/L | 0.01 | 0.01 | 0.0 | No Limit |
| EW2403497-002 | Anonymous | EK055G: Ammonia as N | 7664-41-7 | 0.01 | mg/L | 0.02 | 0.01 | 0.0 | No Limit |
| EK057G: Nitrite as | N by Discrete Analyser (QC | Lot: 5957730) | | | | | | | |
| ES2424675-001 | Anonymous | EK057G: Nitrite as N | 14797-65-0 | 0.01 | mg/L | <0.01 | <0.01 | 0.0 | No Limit |
| ES2424762-001 | SSC-IS | EK057G: Nitrite as N | 14797-65-0 | 0.01 | mg/L | <0.01 | <0.01 | 0.0 | No Limit |
| EK057G: Nitrite as | N by Discrete Analyser (QC | Lot: 5957733) | | | | | | | |
| EW2403508-001 | Anonymous | EK057G: Nitrite as N | 14797-65-0 | 0.01 | mg/L | <0.01 | <0.01 | 0.0 | No Limit |
| EW2403508-007 | Anonymous | EK057G: Nitrite as N | 14797-65-0 | 0.01 | mg/L | <0.01 | <0.01 | 0.0 | No Limit |
| EK059G: Nitrite plu | s Nitrate as N (NOx) by Disc | rete Analyser (QC Lot: 5960679) | | | | | | | |
| ES2424634-001 | Anonymous | EK059G: Nitrite + Nitrate as N | | 0.01 | mg/L | 860 ug/L | 0.86 | 0.0 | 0% - 20% |
| ES2424762-002 | YR2 -IS | EK059G: Nitrite + Nitrate as N | | 0.01 | mg/L | 0.24 | 0.24 | 0.0 | 0% - 20% |
| EK059G: Nitrite plu | s Nitrate as N (NOx) by Disc | rete Analyser (QC Lot: 5960680) | | | | | | | |
| ES2424762-013 | SP-IS | EK059G: Nitrite + Nitrate as N | | 0.01 | mg/L | 0.09 | 0.03 | 89.5 | No Limit |
| EW2403497-002 | Anonymous | EK059G: Nitrite + Nitrate as N | | 0.01 | mg/L | 0.31 | 0.32 | 0.0 | 0% - 20% |
| EK061G: Total Kjeld | ahl Nitrogen By Discrete An | alyser (QC Lot: 5960683) | | | | | | | |
| ES2424634-001 | Anonymous | EK061G: Total Kjeldahl Nitrogen as N | | 0.1 (1.0)* | mg/L | 48900 ug/L | 49.1 | 0.4 | 0% - 20% |
| ES2424762-002 | YR2 -IS | EK061G: Total Kjeldahl Nitrogen as N | | 0.1 | mg/L | 0.2 | 0.3 | 0.0 | No Limit |
| EK061G: Total Kjeld | ahl Nitrogen By Discrete An | alyser (QC Lot: 5960685) | | | | | | | |
| ES2424762-012 | YK-IS (d/s) | EK061G: Total Kjeldahl Nitrogen as N | | 0.1 | mg/L | 0.3 | 0.3 | 0.0 | No Limit |
| EW2403497-002 | Anonymous | EK061G: Total Kjeldahl Nitrogen as N | | 0.1 | mg/L | 1.6 | 1.7 | 7.0 | 0% - 50% |

 Page
 : 6 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: WATER | | | | | | Laboratory E | Ouplicate (DUP) Report | t | |
|----------------------|-----------------------------|----------------------------------|------------|------|------|-----------------|------------------------|---------|--------------------|
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | LOR | Unit | Original Result | Duplicate Result | RPD (%) | Acceptable RPD (%) |
| EK067G: Total Phosp | phorus as P by Discrete Ana | lyser (QC Lot: 5960682) | | | | | | | |
| ES2424634-001 | Anonymous | EK067G: Total Phosphorus as P | | 0.01 | mg/L | 5770 ug/L | 5.93 | 2.7 | 0% - 20% |
| ES2424762-002 | YR2 -IS | EK067G: Total Phosphorus as P | | 0.01 | mg/L | 0.03 | 0.04 | 0.0 | No Limit |
| EK067G: Total Phosp | phorus as P by Discrete Ana | lyser (QC Lot: 5960684) | | | | | | | |
| ES2424762-012 | YK-IS (d/s) | EK067G: Total Phosphorus as P | | 0.01 | mg/L | 0.04 | 0.03 | 0.0 | No Limit |
| EW2403497-002 | Anonymous | EK067G: Total Phosphorus as P | | 0.01 | mg/L | 0.29 | 0.29 | 0.0 | 0% - 20% |
| EK071G: Reactive Ph | osphorus as P by discrete a | analyser (QC Lot: 5957732) | | | | | | | |
| ES2424762-001 | SSC-IS | EK071G: Reactive Phosphorus as P | 14265-44-2 | 0.01 | mg/L | 0.01 | 0.01 | 0.0 | No Limit |
| EW2403508-001 | Anonymous | EK071G: Reactive Phosphorus as P | 14265-44-2 | 0.01 | mg/L | <0.01 | <0.01 | 0.0 | No Limit |

 Page
 : 7 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

| Sub-Matrix: WATER | | | | Method Blank (MB) | | Laboratory Control Spike (LC | S) Report | |
|---|------------|--------|---------|-------------------|---------------|------------------------------|------------|------------|
| | | | | Report | Spike | Spike Recovery (%) | Acceptable | Limits (%) |
| Method: Compound | CAS Number | LOR | Unit | Result | Concentration | LCS | Low | High |
| EA005P: pH by PC Titrator (QCLot: 5957234) | | | | | | | | |
| EA005-P: pH Value | | | pH Unit | | 4 pH Unit | 99.5 | 98.8 | 101 |
| | | | | | 7 pH Unit | 100 | 99.2 | 101 |
| EA005P: pH by PC Titrator (QCLot: 5957235) | | | | | | | | |
| EA005-P: pH Value | | | pH Unit | | 4 pH Unit | 99.8 | 98.8 | 101 |
| | | | | | 7 pH Unit | 100 | 99.2 | 101 |
| EA010P: Conductivity by PC Titrator (QCLot: 5957233) | | | | | | | | |
| EA010-P: Electrical Conductivity @ 25°C | | 1 | μS/cm | <1 | 220 μS/cm | 110 | 89.9 | 110 |
| | | | | <1 | 2100 μS/cm | 108 | 90.2 | 111 |
| EA015: Total Dissolved Solids dried at 180 ± 5 °C (QCLot: 596 | 0698) | | | | | | | |
| EA015H: Total Dissolved Solids @180°C | | 10 | mg/L | <10 | 2000 mg/L | 99.8 | 87.0 | 109 |
| | | | | <10 | 293 mg/L | 110 | 75.2 | 126 |
| | | | | <10 | 2410 mg/L | 102 | 83.0 | 124 |
| EA025: Total Suspended Solids dried at 104 ± 2°C (QCLot: 59 | 60699) | | | | | | | |
| EA025: Suspended Solids (SS) | | 1 | mg/L | <1 | 150 mg/L | 96.0 | 83.0 | 129 |
| | | | | <1 | 1000 mg/L | 99.2 | 81.0 | 111 |
| | | | | <1 | 928 mg/L | 89.5 | 83.0 | 118 |
| EA045: Turbidity (QCLot: 5957650) | | | | | | | | |
| EA045: Turbidity | | 0.1 | NTU | <0.1 | 40 NTU | 98.0 | 91.0 | 105 |
| EA045: Turbidity (QCLot: 5957651) | | | | | | | | |
| EA045: Turbidity | | 0.1 | NTU | <0.1 | 40 NTU | 96.2 | 91.0 | 105 |
| EG020F: Dissolved Metals by ICP-MS (QCLot: 5960332) | | | | | | | | |
| EG020A-F: Aluminium | 7429-90-5 | 0.01 | mg/L | <0.01 | 0.5 mg/L | 104 | 80.0 | 116 |
| EG020A-F: Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 105 | 85.0 | 114 |
| EG020A-F: Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | 0.1 mg/L | 95.7 | 84.0 | 110 |
| EG020A-F: Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 101 | 85.0 | 111 |
| EG020A-F: Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 103 | 81.0 | 111 |
| EG020A-F: Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 99.3 | 83.0 | 111 |
| EG020A-F: Manganese | 7439-96-5 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 100 | 82.0 | 110 |
| EG020A-F: Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 100 | 82.0 | 112 |
| EG020A-F: Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | 0.1 mg/L | 103 | 81.0 | 117 |
| EG020A-F: Iron | 7439-89-6 | 0.05 | mg/L | <0.05 | 0.5 mg/L | 103 | 82.0 | 112 |

 Page
 : 8 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: WATER | | | | Method Blank (MB) | | Laboratory Control Spike (LC | S) Report | |
|---|---------------|--------|------|-------------------|---------------|------------------------------|------------|------------|
| | | | | Report | Spike | Spike Recovery (%) | Acceptable | Limits (%) |
| Method: Compound | CAS Number | LOR | Unit | Result | Concentration | LCS | Low | High |
| EG020F: Dissolved Metals by ICP-MS (QCLot: 5960333) | | | | | | | | |
| EG020B-F: Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | 0.02 mg/L | 84.4 | 70.0 | 130 |
| EG020F: Dissolved Metals by ICP-MS (QCLot: 5960334) | | | | | | | | |
| EG020A-F: Aluminium | 7429-90-5 | 0.01 | mg/L | <0.01 | 0.5 mg/L | 102 | 80.0 | 116 |
| EG020A-F: Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 105 | 85.0 | 114 |
| EG020A-F: Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | 0.1 mg/L | 96.5 | 84.0 | 110 |
| EG020A-F: Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 99.9 | 85.0 | 111 |
| EG020A-F: Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 98.7 | 81.0 | 111 |
| EG020A-F: Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 101 | 83.0 | 111 |
| EG020A-F: Manganese | 7439-96-5 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 101 | 82.0 | 110 |
| EG020A-F: Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 99.1 | 82.0 | 112 |
| EG020A-F: Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | 0.1 mg/L | 101 | 81.0 | 117 |
| EG020A-F: Iron | 7439-89-6 | 0.05 | mg/L | <0.05 | 0.5 mg/L | 101 | 82.0 | 112 |
| EG020T: Total Metals by ICP-MS (QCLot: 5960792) | | | | | | | | |
| EG020A-T: Aluminium | 7429-90-5 | 0.01 | mg/L | <0.01 | 0.5 mg/L | 106 | 82.0 | 120 |
| EG020A-T: Arsenic | 7440-38-2 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 106 | 82.0 | 114 |
| EG020A-T: Cadmium | 7440-43-9 | 0.0001 | mg/L | <0.0001 | 0.1 mg/L | 103 | 84.0 | 112 |
| EG020A-T: Chromium | 7440-47-3 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 105 | 86.0 | 116 |
| EG020A-T: Copper | 7440-50-8 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 105 | 83.0 | 118 |
| EG020A-T: Lead | 7439-92-1 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 104 | 85.0 | 115 |
| EG020A-T: Manganese | 7439-96-5 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 105 | 85.0 | 113 |
| EG020A-T: Nickel | 7440-02-0 | 0.001 | mg/L | <0.001 | 0.1 mg/L | 104 | 84.0 | 116 |
| EG020A-T: Zinc | 7440-66-6 | 0.005 | mg/L | <0.005 | 0.1 mg/L | 103 | 79.0 | 117 |
| EG020A-T: Iron | 7439-89-6 | 0.05 | mg/L | <0.05 | 0.5 mg/L | 105 | 85.0 | 117 |
| EG020T: Total Metals by ICP-MS (QCLot: 5960793) | | | | | | | | |
| EG020B-T: Silver | 7440-22-4 | 0.001 | mg/L | <0.001 | 0.02 mg/L | 91.4 | 70.0 | 130 |
| EG035F: Dissolved Mercury by FIMS (QCLot: 5960331) | | | | | | | | |
| EG035F: Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | 0.01 mg/L | 91.4 | 83.0 | 105 |
| EG035F: Dissolved Mercury by FIMS (QCLot: 5960335) | | | | | | | | |
| EG035F: Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | 0.01 mg/L | 97.8 | 83.0 | 105 |
| EG035T: Total Recoverable Mercury by FIMS (QCLot: 5 | 960794) | | | | | | | |
| EG035T: Mercury | 7439-97-6 | 0.0001 | mg/L | <0.0001 | 0.01 mg/L | 96.4 | 77.0 | 111 |
| EK026SF: Total CN by Segmented Flow Analyser (QCL | ot: 5961522) | | | | | | | |
| EK026SF: Total Cyanide | 57-12-5 | 0.004 | mg/L | <0.004 | 0.2 mg/L | 98.5 | 73.0 | 133 |
| EK026SF: Total CN by Segmented Flow Analyser (QCL | ot: 5961523) | | | | | | | |
| EROZOGI. Fotal Civ by Segmented Flow Allalysel (QCL | 01. 000 1020) | | | | | | | |

 Page
 : 9 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: WATER | | | Method Blank (MB) | | Laboratory Control Spike (LC | S) Report | |
|--|----------|------|-------------------|---------------|------------------------------|------------|------------|
| | | | Report | Spike | Spike Recovery (%) | Acceptable | Limits (%) |
| Method: Compound CAS Number | LOR | Unit | Result | Concentration | LCS | Low | High |
| EK026SF: Total CN by Segmented Flow Analyser (QCLot: 5961523) - co | ontinued | | | | | | |
| EK026SF: Total Cyanide 57-12-5 | 0.004 | mg/L | <0.004 | 0.2 mg/L | 102 | 73.0 | 133 |
| EK055G: Ammonia as N by Discrete Analyser (QCLot: 5960678) | | | | | | | |
| EK055G: Ammonia as N 7664-41-7 | 0.01 | mg/L | <0.01 | 1 mg/L | 100 | 90.0 | 114 |
| EK055G: Ammonia as N by Discrete Analyser (QCLot: 5960681) | | | | | | | |
| EK055G: Ammonia as N 7664-41-7 | 0.01 | mg/L | <0.01 | 1 mg/L | 101 | 90.0 | 114 |
| EK057G: Nitrite as N by Discrete Analyser (QCLot: 5957730) | | | | | | | |
| EK057G: Nitrite as N 14797-65-0 | 0.01 | mg/L | <0.01 | 0.5 mg/L | 97.6 | 82.0 | 114 |
| EK057G: Nitrite as N by Discrete Analyser (QCLot: 5957733) | | | | | | | |
| EK057G: Nitrite as N 14797-65-0 | 0.01 | mg/L | <0.01 | 0.5 mg/L | 97.7 | 82.0 | 114 |
| EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser (QCLot: 5 | 960679) | | | | | | |
| EK059G: Nitrite + Nitrate as N | 0.01 | mg/L | <0.01 | 0.5 mg/L | 102 | 91.0 | 113 |
| EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser (QCLot: 5 | 960680) | | | | | | |
| EK059G: Nitrite + Nitrate as N | 0.01 | mg/L | <0.01 | 0.5 mg/L | 99.2 | 91.0 | 113 |
| EK061G: Total Kjeldahl Nitrogen By Discrete Analyser (QCLot: 5960683) | | | | | | | |
| EK061G: Total Kjeldahl Nitrogen as N | 0.1 | mg/L | <0.1 | 10 mg/L | 76.5 | 69.0 | 123 |
| | | | <0.1 | 1 mg/L | 76.7 | 70.0 | 123 |
| | | | <0.1 | 5 mg/L | 90.2 | 70.0 | 123 |
| EK061G: Total Kjeldahl Nitrogen By Discrete Analyser (QCLot: 5960685) | | | | | | | |
| EK061G: Total Kjeldahl Nitrogen as N | 0.1 | mg/L | <0.1 | 10 mg/L | 75.5 | 69.0 | 123 |
| | | | <0.1 | 1 mg/L | 85.1 | 70.0 | 123 |
| | | | <0.1 | 5 mg/L | 92.8 | 70.0 | 123 |
| EK067G: Total Phosphorus as P by Discrete Analyser (QCLot: 5960682) | | | | | | | |
| EK067G: Total Phosphorus as P | 0.01 | mg/L | <0.01 | 4.42 mg/L | 88.6 | 71.3 | 126 |
| | | | <0.01 | 0.442 mg/L | 97.4 | 71.3 | 126 |
| | | | <0.01 | 1 mg/L | 100.0 | 70.0 | 130 |
| EK067G: Total Phosphorus as P by Discrete Analyser (QCLot: 5960684) | | | | | | | |
| EK067G: Total Phosphorus as P | 0.01 | mg/L | <0.01 | 4.42 mg/L | 88.2 | 71.3 | 126 |
| | | | <0.01 | 0.442 mg/L | 95.0 | 71.3 | 126 |
| | | | <0.01 | 1 mg/L | 105 | 70.0 | 130 |
| EK071G: Reactive Phosphorus as P by discrete analyser (QCLot: 595773 | | | | | | | |
| EK071G: Reactive Phosphorus as P 14265-44-2 | 0.01 | mg/L | <0.01 | 0.5 mg/L | 98.4 | 85.0 | 117 |

 Page
 : 10 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

| Sub-Matrix: WATER | | | | Ma | atrix Spike (MS) Repor | t | |
|---------------------|---|------------------------|------------|---------------|------------------------|--------------|-----------|
| | | | | Spike | SpikeRecovery(%) | Acceptable i | imits (%) |
| aboratory sample ID | Sample ID | Method: Compound | CAS Number | Concentration | MS | Low | High |
| G020F: Dissolved | Metals by ICP-MS (QCLot: 5960332) | | | | | | |
| EN2407844-002 | Anonymous | EG020A-F: Arsenic | 7440-38-2 | 1 mg/L | 96.7 | 70.0 | 130 |
| | | EG020A-F: Cadmium | 7440-43-9 | 0.25 mg/L | 91.4 | 70.0 | 130 |
| | | EG020A-F: Chromium | 7440-47-3 | 1 mg/L | 95.3 | 70.0 | 130 |
| | | EG020A-F: Copper | 7440-50-8 | 1 mg/L | 95.4 | 70.0 | 130 |
| | | EG020A-F: Lead | 7439-92-1 | 1 mg/L | 100 | 70.0 | 130 |
| | | EG020A-F: Manganese | 7439-96-5 | 1 mg/L | 94.9 | 70.0 | 130 |
| | | EG020A-F: Nickel | 7440-02-0 | 1 mg/L | 94.2 | 70.0 | 130 |
| | | EG020A-F: Zinc | 7440-66-6 | 1 mg/L | 98.1 | 70.0 | 130 |
| EG020F: Dissolved | I Metals by ICP-MS (QCLot: 5960334) | | | | | | |
| ES2424762-010 | YK-RS | EG020A-F: Arsenic | 7440-38-2 | 1 mg/L | 96.4 | 70.0 | 130 |
| | | EG020A-F: Cadmium | 7440-43-9 | 0.25 mg/L | 91.4 | 70.0 | 130 |
| | | EG020A-F: Chromium | 7440-47-3 | 1 mg/L | 98.0 | 70.0 | 130 |
| | | EG020A-F: Copper | 7440-50-8 | 1 mg/L | 96.0 | 70.0 | 130 |
| | | EG020A-F: Lead | 7439-92-1 | 1 mg/L | 98.3 | 70.0 | 130 |
| | | EG020A-F: Manganese | 7439-96-5 | 1 mg/L | 96.3 | 70.0 | 130 |
| | | EG020A-F: Nickel | 7440-02-0 | 1 mg/L | 95.4 | 70.0 | 130 |
| | | EG020A-F: Zinc | 7440-66-6 | 1 mg/L | 98.1 | 70.0 | 130 |
| EG020T: Total Meta | als by ICP-MS (QCLot: 5960792) | | | | | | |
| ES2424762-001 | SSC-IS | EG020A-T: Arsenic | 7440-38-2 | 1 mg/L | 101 | 70.0 | 130 |
| | | EG020A-T: Cadmium | 7440-43-9 | 0.25 mg/L | 97.7 | 70.0 | 130 |
| | | EG020A-T: Chromium | 7440-47-3 | 1 mg/L | 108 | 70.0 | 130 |
| | | EG020A-T: Copper | 7440-50-8 | 1 mg/L | 106 | 70.0 | 130 |
| | | EG020A-T: Lead | 7439-92-1 | 1 mg/L | 106 | 70.0 | 130 |
| | | EG020A-T: Manganese | 7439-96-5 | 1 mg/L | 102 | 70.0 | 130 |
| | | EG020A-T: Nickel | 7440-02-0 | 1 mg/L | 99.0 | 70.0 | 130 |
| | | EG020A-T: Zinc | 7440-66-6 | 1 mg/L | 101 | 70.0 | 130 |
| EG035F: Dissolved | Mercury by FIMS (QCLot: 5960331) | | | | | | |
| EN2407844-001 | Anonymous | EG035F: Mercury | 7439-97-6 | 0.01 mg/L | 81.5 | 70.0 | 130 |
| | Mercury by FIMS (QCLot: 5960335) | 2000i - Moroury | | | 2.10 | | 7.00 |
| | | 500055 M | 7420.07.0 | 0.01" | 94.0 | 70.0 | 400 |
| | YK-IS (d/s) | EG035F: Mercury | 7439-97-6 | 0.01 mg/L | 84.0 | 70.0 | 130 |
| EG035T: Total Rec | coverable Mercury by FIMS (QCLot: 5960794) | | | | | | |
| ES2424736-012 | Anonymous | EG035T: Mercury | 7439-97-6 | 0.01 mg/L | 72.0 | 70.0 | 130 |
| EK026SF: Total CI | N by Segmented Flow Analyser (QCLot: 5961522) | | | | | | |
| EB2425456-001 | Anonymous | EK026SF: Total Cyanide | 57-12-5 | 0.2 mg/L | 115 | 70.0 | 130 |
| | N by Segmented Flow Analyser (QCLot: 5961523) | | | | | | |

 Page
 : 11 of 11

 Work Order
 : ES2424762

 Client
 : UGL LIMITED

 Project
 : 3200-0645



| Sub-Matrix: WATER | | | | Ma | atrix Spike (MS) Report | | |
|----------------------|--|--------------------------------------|------------|---------------|-------------------------|--------------|-----------|
| | | | | Spike | SpikeRecovery(%) | Acceptable L | imits (%) |
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | Concentration | MS | Low | High |
| EK026SF: Total C | N by Segmented Flow Analyser (QCLot: 5961523) - con | tinued | | | | | |
| ES2424762-009 | NZG-IS | EK026SF: Total Cyanide | 57-12-5 | 0.2 mg/L | 115 | 70.0 | 130 |
| EK055G: Ammonia | a as N by Discrete Analyser (QCLot: 5960678) | | | | | | |
| ES2424634-001 | Anonymous | EK055G: Ammonia as N | 7664-41-7 | 1 mg/L | # Not Determined | 70.0 | 130 |
| EK055G: Ammonia | a as N by Discrete Analyser (QCLot: 5960681) | | | | Determined | | |
| ES2424762-013 | SP-IS | EK055G: Ammonia as N | 7664-41-7 | 1 mg/L | 108 | 70.0 | 130 |
| EK057G: Nitrite as | s N by Discrete Analyser (QCLot: 5957730) | | | | | | |
| ES2424675-001 | Anonymous | EK057G: Nitrite as N | 14797-65-0 | 0.5 mg/L | 104 | 70.0 | 130 |
| EK057G: Nitrite as | s N by Discrete Analyser (QCLot: 5957733) | | | | | | |
| EW2403508-007 | Anonymous | EK057G: Nitrite as N | 14797-65-0 | 0.5 mg/L | 106 | 70.0 | 130 |
| EK059G: Nitrite pl | us Nitrate as N (NOx) by Discrete Analyser (QCLot: 596 | 60679) | | | | | |
| ES2424634-001 | Anonymous | EK059G: Nitrite + Nitrate as N | | 0.5 mg/L | 90.4 | 70.0 | 130 |
| EK059G: Nitrite pl | us Nitrate as N (NOx) by Discrete Analyser (QCLot: 596 | 60680) | | | | | |
| ES2424762-013 | SP-IS | EK059G: Nitrite + Nitrate as N | | 0.5 mg/L | 93.4 | 70.0 | 130 |
| EK061G: Total Kje | Idahl Nitrogen By Discrete Analyser (QCLot: 5960683) | | | | | | |
| ES2424695-001 | Anonymous | EK061G: Total Kjeldahl Nitrogen as N | | 5 mg/L | 97.1 | 70.0 | 130 |
| EK061G: Total Kje | Idahl Nitrogen By Discrete Analyser (QCLot: 5960685) | | | | | | |
| ES2424762-013 | SP-IS | EK061G: Total Kjeldahl Nitrogen as N | | 5 mg/L | 90.2 | 70.0 | 130 |
| EK067G: Total Pho | osphorus as P by Discrete Analyser (QCLot: 5960682) | | | | | | |
| ES2424695-001 | Anonymous | EK067G: Total Phosphorus as P | | 1 mg/L | 98.5 | 70.0 | 130 |
| EK067G: Total Pho | osphorus as P by Discrete Analyser (QCLot: 5960684) | | | | | | |
| ES2424762-013 | SP-IS | EK067G: Total Phosphorus as P | | 1 mg/L | 96.8 | 70.0 | 130 |
| EK071G: Reactive | Phosphorus as P by discrete analyser (QCLot: 5957732 | 2) | | | | | |
| ES2424762-001 | SSC-IS | EK071G: Reactive Phosphorus as P | 14265-44-2 | 0.5 mg/L | 103 | 70.0 | 130 |



Appendix C: July 2024 SWQ Monitoring Results



| Parameter | | Sheen/oil/ grease | l Temp. (°C) O | Dissolved xygen (DO 1 %) | | Specific EC (SPC uS/cm) | EC (uS/cm) | pН | Redox (mV) | Turbidity (NTU) | Dissolved Al (mg/L) | Dissolved As (mg/L) | Dissolved Cd (mg/L) | Dissolved Cr (mg/L) | Dissolved Cu (mg/L) | Cyanide (mg/L) | Dissolved Fe (mg/L) | Dissolved Pb((mg/L) | Dissolved Mn (mg/L) | Dissolved Hg (mg/L) | Dissolved Ni , (mg/L) | TN (mg/L) TI | P (mg/L) |
|------------------|-------------------|----------------------|-------------------|--------------------------------|--------|-------------------------------|------------|--------------|------------|--------------------|------------------------|---------------------|------------------------|------------------------|------------------------|-------------------|---------------------|-------------------------|------------------------|------------------------|--------------------------|--------------|---------------|
| YARRANGOBIL | | No | | 90-110 | | 30-350 | 30-350 | 6.5-8 | | 2-25 | 0.027 | 0.0008 | 0.0006 | 0.00001 | 0.001 | 0.004 | 0.3 | 0.001 | 1.2 | 0.00006 | 0.008 | 0.25 | 0.02 |
| Default Guidelin | | 140 | - | | _ | 30-330 | 30-330 | | | 0.1 | 0.027 | 0.000 | 0.0000 | 0.0001 | 0.001 | 0.004 | 0.05 | 0.001 | 0.001 | 0.0000 | 0.000 | 0.23 | 0.02 |
| Limit of Reporti | | | | - | - | 445 | | - | | | | | | | | | | | | | | | |
| • | pecific Guideline | Value (SSGV) | | 90-110 | 9.08 | 115 | 93.2 | 6.5-8 | | 0.37 | 0.03 | 0.0003 | 0.00002 | 0.00001 | 0.0002 | 0.002 | 0.03 | 0.001 | 0.002 | 0.00003 | 0.001 | 0.2 | 0.02 |
| June - Nov SSGV | | | | 90-110 | 10.28 | 88 | 60.85 | 6.5-8 | | 5.12 | 0.04 | 0.0003 | 0.00002 | 0.00001 | 0.0002 | 0.002 | 0.02 | 0.001 | 0.002 | 0.00003 | 0.001 | 0.2 | 0.02 |
| WC-RS | Mar-24 | No | 10.7 | 87.5 | 9.72 | 143.6 | 104.3 | 7.8 | | 0.1 | 0.02 | 0.00015 | 0.00001 | 0.00001 | 0.002 | 0.001 | 0.03 | 0.002 | 0.003 | 0.00002 | 0.001 | 0.1 | 0.03 |
| | Apr-24 | No | 10.7 | 94.8 | - | 145.6 | - | 8.44 | | 1.05 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.11 | 0.001 | 0.007 | 0.0001 | 0.001 | 0.1 | 0.02 |
| | May-24 | No | 2.1 | 93.8 | - | 155 | - | 8.05 | | 0.39 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.004 | 0.05 | 0.001 | 0.009 | 0.0001 | 0.001 | 0.1 | 0.02 |
| | Jun-24 | No | 4.7 | 92.9 | - | 126.8 | - | | | 0.00 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.05 | 0.001 | 0.005 | 0.0001 | 0.001 | 0.2 | 0.01 |
| WC-IS | Jul-24 Mar-24 | No No | 6.4 10.7 | 91.9 87.1 | 9.68 | 46.6 145.9 | 105.9 | 6.96 7.83 | | 9.24 0.1 | 0.07 | 0.001 | 0.0001 | 0.001 0.00001 | 0.001 | 0.002 | 0.05 0.03 | 0.001 | 0.002 | 0.0001 | 0.001 | 0.1 | 0.05 0.005 |
| WC-IS | Apr-24 | No | 10.7 | 95.0 | 9.00 | 145.9 | 105.9 | 8.45 | 41.9 | 0.1 | 0.03 | 0.00015 | 0.00001 | 0.00001 | 0.002 | 0.001 | 0.03 | 0.002 | 0.003 | 0.00002 | 0.0005 | 0.1 | 0.005 |
| | May-24 | No | 2.1 | 94.1 | - | 154.9 | - | | - | | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.07 | 0.001 | 0.008 | 0.0001 | 0.001 | 0.4 | 0.02 |
| | Jun-24 | No | 4.8 | 93.3 | | 126.7 | - | | | | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.05 | 0.001 | 0.007 | 0.0001 | 0.001 | 0.1 | 0.02 |
| | Jul-24 | No | 6.6 | 91.2 | | 46.6 | | 6.96 | | 7.65 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.05 | 0.001 | 0.002 | 0.0001 | 0.001 | 0.1 | 0.02 |
| CG-IS | Mar-24 | No Flow | 0.0 | | | 10.0 | _ | 0.00 | | | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.00 | 0.001 | 0.002 | 0.0001 | 0.001 | 0.2 | - |
| 00.0 | Apr-24 | No Flow | - | - | - | - | - | _ | _ | | | | - | - | | - | _ | _ | - | _ | | - | |
| | May-24 | No Flow | - | - | - | - | - | | _ | - | | | - | - | | - | - | _ | - | _ | | - | _ |
| | Jun-24 | No Flow | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Jul-24 | No Flow | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| YR1-IS | Mar-24 | No | 12.2 | 88.2 | 9.47 | 129.4 | 97.7 | 7.81 | 53.8 | 0.1 | 0.05 | 0.00015 | 0.00001 | 0.000005 | 0.002 | 0.001 | 0.03 | 0.0005 | 0.002 | 0.000015 | 0.001 | 0.1 | 0.005 |
| | Apr-24 | No | 11.3 | 97.4 | - | 136.1 | - | 8.49 | - | 1.23 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.05 | 0.001 | 0.002 | 0.0001 | 0.001 | 0.1 | 0.01 |
| | May-24 | No | 3.1 | 95.6 | - | 138.8 | - | 7.91 | - | 0.42 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.004 | 0.05 | 0.001 | 0.002 | 0.0001 | 0.001 | 0.1 | 0.02 |
| | Jun-24 | No | 5.6 | 94.3 | - | 112.4 | - | 7.8 | - | 1.94 | 0.02 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.14 | 0.001 | 0.003 | 0.0001 | 0.001 | 0.1 | 0.01 |
| | Jul-24 | No | 6.4 | 93.0 | - | 51.5 | - | 6.93 | | 10.05 | 0.18 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.11 | 0.001 | 0.002 | 0.0001 | 0.001 | 0.2 | 0.02 |
| LHG-IS | Mar-24 | Yes | 11.9 | 59.2 | 6.38 | 596 | 447.2 | 7.35 | | 408.5 | 0.2 | 0.00015 | 0.00001 | 0.001 | 0.003 | 0.001 | 0.18 | 0.005 | 0.040 | 0.000015 | 0.003 | 0.1 | 0.01 |
| | Apr-24 | No | 12.5 | 60.1 | - | 658 | - | 7.69 | | 69.72 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.34 | 0.001 | 0.184 | 0.0001 | 0.001 | 0.5 | 0.09 |
| | May-24 | No | 7 | 63.3 | - | 618 | - | 7 | | 1003.7 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.004 | 0.71 | 0.001 | 0.184 | 0.0001 | 0.001 | 0.5 | 0.05 |
| | Jun-24 | No | 8.5 | 70.4 | - | 616 | - | 7.65 | | 10.05 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.48 | 0.001 | 0.158 | 0.0001 | 0.001 | 0.2 | 0.04 |
| WDO IO | Jul-24 | No | 8 | 87.5 | - 0.47 | 503 | - | 7.3 | | 5.44 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.07 | 0.001 | 0.025 | 0.0001 | 0.001 | 0.1 | 0.01 |
| YR2-IS | Mar-24 | No | 12.3 | 88.5 | 9.47 | 130.8 | 99.1 | 7.93 | 43.2 | 0.1 1.16 | 0.03 | 0.00015 | 0.00001 | 0.000005 | 0.001 | 0.001 | 0.02 | 0.005 | 0.001 | 0.000015 | 0.001 | 0.1 | 0.005 |
| | Apr-24 | No No | 11.8 | 97.1 94.7 | - | 139.7 142.1 | - | 8.52 7.77 | - | | 0.01 | 0.001 0.001 | 0.0001 0.0001 | 0.001 0.001 | 0.001 0.001 | 0.002 | 0.05 | 0.001 0.001 | 0.003 0.004 | 0.0001 | 0.001 0.001 | 0.1 | 0.01 |
| | May-24 Jun-24 | No No | 2.5 4.7 | 94.7 | - | 142.1 | - | | | | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.024 | 0.05 | 0.001 | 0.004 | 0.0001 | 0.001 | 0.8 | 0.03 |
| | Jul-24 Jul-24 | No | 5.9 | 93.5 | - | 58.4 | - | 6.78 | | 8.87 | 0.02 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.03 | 0.001 | 0.003 | 0.0001 | 0.001 | 0.1 | 0.01 |
| SSC-IS | Mar-24 | No Flow | 5.5 | 33.3 | - | 30.4 | - | 0.70 | - | | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.12 | 0.001 | 0.002 | 0.0001 | 0.001 | 0.4 | 0.03 |
| 000-10 | Apr-24 | No Flow | - | - | - | - | - | | | | - | - | - | - | - | - | - | - | - | - | | - | |
| | May-24 | No Flow | - | | | | | | | _ | | | | - | | - | _ | | | | | | |
| | Jun-24 | No Flow | - | | _ | _ | _ | | | _ | - | _ | _ | - | _ | - | _ | | _ | _ | _ | | _ |
| | Jul-24 | No | 8 | 90.1 | | 152.6 | _ | 6.29 | _ | 17.88 | 0.1 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.07 | 0.001 | 0.002 | 0.0001 | 0.001 | 1.8 | 0.03 |

| Parameter | | Dissolved Ag (mg/L) | Dissolved Zn (mg/L) | Ammonia (mg/L) | Nitrogen Oxides (mg/L) | | Total Hardness (mg/L) (CaCO3) | Total Kjedahl Nitrogen (mg/L) (TKN) | TDS (mg/L) | TSS (mg/L) | Total Al (mg/L) | Total As (mg/L) | Total Cd (mg/L) | Total Cr (mg/L) | Total Cu (mg/L) | Total Pb (mg/L) | Total Mn (mg/L) | Total Ni (mg/L) | Total Ag (mg/L) | Total Zn (mg/L) | Total Fe (mg/L) | Total Hg (mg/L) |
|---------------|------------------------|------------------------|------------------------|-------------------|------------------------------|-------|--|---|------------|------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| YARRANGOB | ILLYCATCHMENT | | | | | | | | | | | | | | | | | | | | | |
| Default Guide | eline Value (DGV) | 0.00002 | 0.0024 | 0.013 | 0.015 | | - | - | - | 0.2 | | _ | 0.0006 | 0.00001 | 0.001 | | | | 0.00002 | | 0.3 | |
| Limit of Repo | rting (LOR) | 0.001 | 0.005 | 0.010 | 0.010 | 0.010 | 1 | 0.1 | 10 | 1 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.005 | 0.05 | 0.0001 |
| Dec - May Sit | e Specific Guideline V | 0.00002 | 0.002 | 0.013 | 0.015 | 0.020 | 47 | 0.2 | 52 | 0.2 | | | | | | | | | | | | |
| June - Nov SS | GV | 0.00002 | 0.002 | 0.013 | 0.015 | 0.015 | 30 | 0.2 | 39 | 1 | | | | | | | | | | | | |
| WC-RS | Mar-24 | 0.00001 | 0.001 | 0.050 | 0.05 | 0.005 | 42 | 0.1 | 70 | 0.1 | | | | | | | | | | | | |
| | Apr-24 | 0.001 | 0.005 | 0.010 | 0.01 | - | 70 | 0.01 | - | | 0.02 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.01 | 0.001 | 0.001 | 0.005 | 0.05 | 0.0001 |
| | May-24 | 0.001 | 0.005 | 0.020 | 0.01 | 0.01 | 77 | | 102 | | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.007 | 0.001 | 0.001 | 0.005 | 0.05 | 0.0001 |
| | Jun-24 | 0.001 | 0.005 | 0.010 | 0.23 | | 53 | | 81 | | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.007 | 0.001 | 0.001 | 0.005 | 0.05 | 0.0001 |
| | Jul-24 | 0.001 | 0.005 | 0.010 | 0.01 | 0.01 | 17 | | 38 | | 0.09 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.01 | 0.001 | 0.001 | 0.005 | 0.09 | 0.0001 |
| WC-IS | Mar-24 | 0.00001 | 0.001 | 0.050 | 0.05 | 0.005 | 42 | | 88 | 0.1 | | | | | | | <u> </u> | | | | | |
| | Apr-24 | 0.001 | 0.005 | 0.010 | 2.42 | - | 67 | | - | | _ | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.022 | | 0.001 | 0.005 | 0.22 | 0.0001 |
| | May-24 | 0.001 | 0.005 0.005 | 0.010 0.010 | 0.31 0.02 | | 75 53 | 0.1 0.1 | 106 81 | | 0.01 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.006 | | 0.001 | 0.005 | 0.05 | 0.0001 0.0001 |
| | Jun-24 Jul-24 | 0.001 | 0.005 | 0.010 | 0.02 | | 17 | | 42 | | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.005 | | 0.001 | 0.005 | 0.03 | 0.0001 |
| CG-IS | Mar-24 | 0.001 | 0.003 | 0.010 | 0.01 | | - 17 | | 42 | | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.011 | 0.001 | 0.001 | 0.003 | 0.1 | 0.0001 |
| 00 10 | Apr-24 | _ | | | | _ | | | | | | | | | | | | _ | | | | |
| | May-24 | - | - | - | - | - | _ | - | | _ | - | - | - | | - | - | _ | - | | | - | _ |
| | Jun-24 | - | | - | - | - | - | - | - | _ | - | - | - | | - | - | - | - | - | | - | - |
| | Jul-24 | - | - | - | - | - | - | - | - | _ | - | - | - | - | - | - | _ | - | - | _ | - | _ |
| YR1-IS | Mar-24 | 0.00001 | 0.001 | 0.050 | 0.05 | 0.005 | 34 | 0.1 | 66 | 0.1 | | | | | | | | | | | | |
| | Apr-24 | 0.001 | 0.005 | 0.010 | 0.05 | - | 61 | 0.05 | - | | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.002 | | 0.001 | 0.005 | 0.05 | 0.0001 |
| | May-24 | 0.001 | 0.005 | 0.010 | 0.01 | 0.01 | 68 | 0.1 | 95 | | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.005 | 0.05 | 0.0001 |
| | Jun-24 | 0.001 | 0.005 | 0.010 | 0.01 | 0.03 | | 0.1 | 68 | | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.005 | 0.05 | 0.0001 |
| | Jul-24 | 0.001 | 0.005 | 0.010 | 0.01 | 0.01 | 19 | | 48 | | 0.17 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.009 | 0.001 | 0.001 | 0.005 | 0.15 | 0.0001 |
| LHG-IS | Mar-24 | 0.00001 | 0.006 0.005 | 0.050 0.020 | 0.05 | 0.005 | 297 332 | 0.02 | 330 | | | 0.003 | 0.0001 | 0.001 | 0.002 | 0.001 | 0.51 | 0.006 | 0.001 | 0.009 | 2.22 | 0.0001 |
| | Apr-24 | 0.001 0.001 | 0.005 | 0.020 | 0.02 | 0.01 | 365 | | 402 | | | 0.003 | 0.0001 | 0.001 | 0.002 | 0.001 | 0.51 | | 0.001 | 0.005 | 1.09 | 0.0001 |
| | May-24 Jun-24 | 0.001 | 0.005 | 0.040 | 0.00 | 0.01 | 313 | 0.4 | 339 | | | | 0.0001 | 0.001 | 0.001 | 0.001 | 0.177 | | 0.001 | 0.005 | 1.54 | 0.0001 |
| | Jul-24 | 0.001 | 0.005 | 0.010 | 0.01 | 0.01 | 250 | 0.1 | 324 | | | 0.001 | 0.0001 | 0.001 | 0.002 | 0.001 | 0.033 | | 0.001 | 0.005 | 0.16 | 0.0001 |
| YR2-IS | Mar-24 | 0.00001 | 0.001 | 0.050 | 0.05 | 0.005 | 27 | | 58 | | | 0.002 | 0.0002 | 0.002 | 0.002 | 0.002 | 0.000 | 0.002 | 0.002 | 0.000 | 0.10 | 0.0002 |
| | Apr-24 | 0.001 | 0.005 | 0.010 | 0.01 | - | 61 | | - | 5 | 0.02 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.004 | 0.001 | 0.001 | 0.005 | 0.05 | 0.0001 |
| | May-24 | 0.001 | 0.007 | 0.020 | 0.34 | 0.01 | 68 | 0.5 | 98 | 5 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.002 | 0.001 | 0.001 | 0.007 | 0.05 | 0.0001 |
| | Jun-24 | 0.001 | 0.005 | 0.010 | 0.01 | 0.01 | 51 | 0.1 | 76 | 1 | 0.03 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.002 | 0.001 | 0.001 | 0.005 | 0.05 | 0.0001 |
| | Jul-24 | 0.001 | 0.005 | 0.010 | 0.24 | 0.01 | 26 | 0.2 | 46 | 10 | 0.17 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.012 | 0.001 | 0.001 | 0.007 | 0.16 | 0.0001 |
| SSC-IS | Mar-24 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Apr-24 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | May-24 | - | - | - | - | - | - | - | - | _ | - | - | - | - | - | - | - | - | - | - | - | - |
| | Jun-24 | - | - | - | | - | - | | | - | - | - | - | - | - | - | - | - | - | - | | - |
| | Jul-24 | 0.001 | 0.024 | 0.030 | 0.85 | 0.01 | 62 | 0.9 | 110 | 1 | 0.09 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.006 | 0.001 | 0.001 | 0.025 | 0.4 | 0.0001 |

| TALBINGO RESERVOIR DGV No LOR Dec - May SSGV June - Nov SSGV TR-RS Mar-24 No | 13.4 12.2 10.1 8.7 6 | 90-110 | 3 38.7 7 24 - 25.9 30.2 - 26.4 - 28.7 - 30-350 - 5 31 2 27.9 | 30-350 20.3 26.2 18.7 - - 30-350 - 24 20.5 26.2 | 6.5-8 6.5-8 7.1 7.17 6.8 8.32 7.76 6.5-8 6.5-8 6.69 7.04 6.69 7.04 | 91.2 95.4 55 - - - - 94.6 106.1 64.5 | 0.1 0.09 1.56 0.10 | 0.027 0.01 0.03 0.015 0.015 0.01 0.01 0.02 0.027 0.01 0.36 0.32 0.6 0.10 | 0.0008 0.001 0.003 0.0003 0.00015 0.001 0.001 0.001 0.001 0.0008 0.001 0.003 0.0003 | 0.0006 0.0001 0.00002 0.00001 0.0001 0.0001 0.0001 0.0001 0.0001 0.00001 0.00002 0.00002 0.00001 | 0.00001 0.0001 0.00001 0.00005 0.001 0.0001 0.0001 0.0001 0.0001 0.0001 0.00001 0.00001 0.000005 | 0.001 0.001 0.0002 0.0002 0.0001 0.001 0.001 0.001 0.001 0.001 0.002 0.0002 0.0001 | 0.004 0.002 0.002 0.001 0.002 0.004 0.002 0.004 0.002 0.002 | 0.3 0.05 0.04 0.02 0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05 | 0.001 0.001 0.001 0.001 0.005 0.001 0.001 0.001 0.001 0.001 0.001 0.001 | 1.2 0.001 0.003 0.002 0.005 0.026 0.002 0.010 0.003 1.2 0.001 0.005 0.003 0.013 0.013 | 0.00006 0.0001 0.00003 0.000015 0.0001 0.0001 0.0001 0.0001 0.0001 0.00003 0.00003 0.00003 | 0.008 0.001 0.001 0.0005 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 | 0.25 0.1 0.2 0.2 0.1 1.3 0.3 2.3 0.1 0.25 0.1 0.2 0.1 | 0.01 0.02 0.02 0.03 0.01 0.02 0.02 0.02 |
|--|---|---|--|---|--|---|--|---|---|--|---|---|--|--|---|--|--|---|---|--|
| Dec - May SSGV June - Nov SSGV TR-RS | 13.4 12.2 10.1 8.7 6 - \$ 16.3 6.8 4.2 3.5 | 90-100 8.79 90-100 11.53 72.5 7.57 85.9 91.5 91.6 92.1 - 90-110 - 90-110 8.35 90-110 10.2 82.5 8.09 80.7 85.1 | 24.0 3 38.7 7 24 25.9 30.2 - 26.4 - 28.7 - 30-350 - 31 2 27.9 31.5 - 36.5 - 34.7 | 20.3 26.2 18.7 - - 30-350 24 20.5 26.2 | 6.5-8 7.1 7.17 6.8 8.32 7.76 6.5-8 6.5-8 6.69 7.04 6.62 | 91.2 95.4 55 - - - - 94.6 106.1 | 0.1 0.09 1.56 0.10 0.02 0.65 0.10 1.35 2-25 0.1 9 7.87 12.24 | 0.01 0.03 0.015 0.015 0.01 0.01 0.01 0.02 0.027 0.01 0.36 0.32 0.6 | 0.001 0.003 0.0003 0.00015 0.001 0.001 0.001 0.001 0.0001 0.0008 0.001 0.003 0.0003 | 0.0001 0.00002 0.00002 0.00001 0.0001 0.0001 0.0001 0.0001 0.00001 0.00002 0.00002 | 0.001 0.00001 0.00005 0.001 0.001 0.001 0.001 0.001 0.001 0.0001 0.0001 0.00001 0.00001 | 0.001 0.0002 0.0002 0.0001 0.005 0.001 0.001 0.001 0.001 0.001 0.001 0.002 0.0002 0.0002 | 0.002 0.002 0.002 0.001 0.002 0.004 0.002 0.004 0.002 0.004 0.002 0.002 | 0.05 0.04 0.02 0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05 | 0.001 0.001 0.005 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 | 0.001 0.003 0.002 0.005 0.026 0.002 0.010 0.003 1.2 0.001 0.005 0.003 | 0.0001 0.00003 0.000015 0.0001 0.0001 0.0001 0.0001 0.0001 0.00001 0.00003 0.00003 0.000015 | 0.001 0.001 0.0005 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 | 0.1 0.2 0.2 0.1 1.3 0.3 2.3 0.1 0.25 0.1 0.2 0.2 | 0.02 0.03 0.01 0.02 0.02 0.01 0.02 0.02 |
| Dec - May SSGV June - Nov SSGV TR-RS | 9 13.4 12.2 10.1 8.7 6 - \$ 9 16.3 6.8 4.2 3.5 | 90-100 11.53 72.5 7.57 85.9 91.5 91.6 92.1 90-110 90-110 8.35 90-110 10.2 82.5 8.09 80.7 85.1 | 3 38.7 7 24 - 25.9 30.2 - 26.4 - 28.7 - 30-350 - 5 31 2 27.9 9 31.5 - 36.5 - 34.7 | 26.2 18.7 - - 30-350 24 20.5 26.2 | 6.5-8 7.1 7.17 6.8 8.32 7.76 6.5-8 6.5-8 6.5-8 6.69 7.04 6.62 | 91.2 95.4 55 - - - - 94.6 106.1 | 0.09 1.56 0.10 0.02 0.65 0.10 1.35 2-25 0.1 9 7.87 12.24 17.27 | 0.03 0.015 0.015 0.01 0.01 0.01 0.02 0.027 0.01 0.36 0.32 0.6 | 0.003 0.0003 0.00015 0.001 0.001 0.001 0.001 0.0008 0.001 0.003 0.0003 | 0.00002 0.00001 0.0001 0.0001 0.0001 0.0001 0.0001 0.0001 0.00001 | 0.00001 0.00005 0.001 0.001 0.001 0.001 0.001 0.001 0.0001 0.0001 0.0001 0.00001 | 0.0002 0.0001 0.005 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.002 0.002 0.0002 | 0.002 0.002 0.001 0.002 0.004 0.002 0.002 0.004 0.002 0.002 0.002 | 0.04 0.02 0.05 0.05 0.05 0.05 0.05 0.05 0.3 0.05 0.41 | 0.001 0.005 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 | 0.003 0.002 0.005 0.026 0.002 0.010 0.003 1.2 0.001 0.005 0.003 0.013 | 0.00003 0.000015 0.0001 0.0001 0.0001 0.0001 0.0001 0.0001 0.00001 0.00003 0.00003 | 0.001 0.0005 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 | 0.2 0.2 0.1 1.3 0.3 2.3 0.1 0.25 0.1 0.2 0.2 | 0.02 0.02 0.01 0.03 0.01 0.02 0.02 0.02 |
| June - Nov SSGV TR-RS | 9 13.4 12.2 10.1 8.7 6 - \$ 9 16.3 6.8 4.2 3.5 | 90-100 11.53 72.5 7.57 85.9 91.5 91.6 92.1 90-110 90-110 8.35 90-110 10.2 82.5 8.09 80.7 85.1 | 3 38.7 7 24 - 25.9 30.2 - 26.4 - 28.7 - 30-350 - 5 31 2 27.9 9 31.5 - 36.5 - 34.7 | 26.2 18.7 - - 30-350 24 20.5 26.2 | 6.5-8 7.1 7.17 6.8 8.32 7.76 6.5-8 6.5-8 6.5-8 6.69 7.04 6.62 | 95.4 55 - - - - - 94.6 106.1 | 1.56 0.10 0.02 0.65 0.10 1.35 2-25 0.1 9 7.87 12.24 17.27 | 0.015 0.015 0.01 0.01 0.01 0.02 0.027 0.01 0.36 0.32 0.6 | 0.0003 0.00015 0.001 0.001 0.001 0.001 0.0008 0.001 0.0003 0.0003 | 0.00002 0.00001 0.0001 0.0001 0.0001 0.0001 0.00001 0.00002 0.00002 | 0.00001 0.000005 0.001 0.001 0.001 0.0001 0.00001 0.00001 0.00001 0.00001 | 0.0002 0.0001 0.005 0.001 0.001 0.001 0.001 0.001 0.002 0.0002 0.0002 | 0.002 0.001 0.002 0.004 0.002 0.002 0.004 0.002 0.002 0.002 | 0.02 0.05 0.05 0.05 0.05 0.05 0.05 0.3 0.05 0.41 0.23 0.66 | 0.001 0.005 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 | 0.002 0.005 0.026 0.002 0.010 0.003 1.2 0.001 0.005 0.003 | 0.00003 0.000015 0.0001 0.0001 0.0001 0.0001 0.00001 0.00003 0.00003 0.00003 | 0.001 0.0005 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 | 0.2 0.1 1.3 0.3 2.3 0.1 0.25 0.1 0.2 0.2 0.2 | 0.02 0.01 0.03 0.01 0.02 0.02 0.01 0.02 |
| TR-RS Mar-24 No | 13.4 12.2 10.1 8.7 6 - \$ 9 16.3 6.8 4.2 3.5 | 72.5 7.57 85.9 91.5 91.6 92.1 90-110 90-110 8.35 90-110 10.2 82.5 8.09 80.7 85.1 | 7 24 25.9 30.2 - 26.4 - 28.7 - 30-350 - 31 2 27.9 9 31.5 - 36.5 - 34.7 | 18.7 - - - 30-350 - 24 20.5 26.2 | 7.1 7.17 6.8 8.32 7.76 6.5-8 6.5-8 6.69 7.04 6.62 | 55 - - - - - 94.6 106.1 | 0.10 0.02 0.65 0.10 1.35 2-25 0.1 9 7.87 12.24 17.27 | 0.015 0.01 0.01 0.01 0.02 0.027 0.01 0.36 0.32 0.6 0.10 | 0.00015 0.001 0.001 0.001 0.0008 0.001 0.003 0.0003 0.00015 | 0.00001 0.0001 0.0001 0.0001 0.0001 0.0006 0.0001 0.00002 0.00002 | 0.000005 0.001 0.001 0.001 0.0001 0.0001 0.0001 0.00001 0.00001 | 0.0001 0.005 0.001 0.001 0.001 0.001 0.001 0.002 0.0002 0.0002 | 0.001 0.002 0.004 0.002 0.002 0.004 0.002 0.002 0.002 0.002 | 0.05 0.05 0.05 0.05 0.05 0.05 0.3 0.05 0.41 0.23 | 0.005 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 | 0.005 0.026 0.002 0.010 0.003 1.2 0.001 0.005 0.003 | 0.000015 0.0001 0.0001 0.0001 0.00001 0.00006 0.0001 0.00003 0.00003 | 0.0005 0.001 0.001 0.001 0.001 0.008 0.001 0.001 0.001 | 0.1 1.3 0.3 2.3 0.1 0.25 0.1 0.2 0.2 | 0.01 0.02 0.03 0.01 0.02 0.02 0.02 0.02 |
| Apr-24 No May-24 No Jun-24 No Jun-24 No Jul-24 No YORKERS CREEK CATCHMENT DGV No LOR Dec - May SSGV June - Nov SSGV YK-RS Mar-24 No May-24 No Jun-24 No Jun-24 No Apr-24 No May-24 No May-24 No Jun-24 No Jun-24 No Jun-24 No Apr-24 No May-24 No Jun-24 No May-24 No | 12.2 10.1 8.7 6 - \$ 16.3 6.8 4.2 3.5 | 85.9 91.5 91.6 92.1 90-110 90-110 8.35 90-110 10.2 82.5 80.7 85.1 | 25.9 30.2 26.4 28.7 30-350 5 31 2 27.9 9 31.5 - 36.5 34.7 | 30-350 - 24 20.5 26.2 | 7.17 6.8 8.32 7.76 6.5-8 - 6.5-8 6.5-8 6.69 7.04 6.62 | - - - - 94.6 106.1 | 0.02 0.65 0.10 1.35 2-25 0.1 9 7.87 12.24 17.27 | 0.01 0.01 0.02 0.027 0.01 0.36 0.32 0.6 0.10 | 0.001 0.001 0.001 0.001 0.0008 0.001 0.003 0.0003 | 0.0001 0.0001 0.0001 0.0001 0.0001 0.0001 0.00002 0.00002 | 0.001 0.001 0.001 0.001 0.0001 0.0001 0.00001 0.00001 | 0.005 0.001 0.001 0.001 0.001 0.001 0.002 0.0002 0.0002 | 0.002 0.004 0.002 0.004 0.002 0.002 0.002 0.002 | 0.05 0.05 0.05 0.05 0.05 0.3 0.05 0.41 0.23 | 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 | 0.026 0.002 0.010 0.003 1.2 0.001 0.005 0.003 | 0.0001 0.0001 0.0001 0.0001 0.00006 0.0001 0.00003 0.00003 | 0.001 0.001 0.001 0.001 0.008 0.001 0.001 0.001 | 1.3 0.3 2.3 0.1 0.25 0.1 0.2 0.2 0.2 | 0.02 0.02 |
| May-24 | 10.1 8.7 6 - \$ 9 16.3 6.8 4.2 3.5 | 91.5 91.6 92.1 90-110 90-110 8.35 90-110 10.2 82.5 8.09 80.7 85.1 | - 30.2 - 26.4 - 28.7 - 30-350 | 30-350 - 24 20.5 26.2 | 6.8 8.32 7.76 6.5-8 - 6.5-8 6.5-8 6.69 7.04 6.62 | - - - 94.6 106.1 | 0.65 0.10 1.35 2-25 0.1 9 7.87 12.24 17.27 | 0.01 0.02 0.027 0.01 0.36 0.32 0.6 0.10 | 0.001 0.001 0.001 0.0008 0.001 0.003 0.0003 0.0003 | 0.0001 0.0001 0.0001 0.0006 0.0001 0.00002 0.00002 | 0.001 0.001 0.0001 0.00001 0.00001 0.00001 0.000005 | 0.001 0.001 0.001 0.001 0.001 0.002 0.0002 0.0002 | 0.004 0.002 0.002 0.004 0.002 0.002 0.002 0.002 | 0.05 0.05 0.05 0.05 0.3 0.05 0.41 0.23 0.66 | 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 | 0.002 0.010 0.003 1.2 0.001 0.005 0.003 0.013 | 0.0001 0.0001 0.0001 0.00006 0.0001 0.00003 0.00003 | 0.001 0.001 0.001 0.008 0.001 0.001 0.001 | 0.3 2.3 0.1 0.25 0.1 0.2 0.2 0.2 | 0.03 0.01 0.02 0.02 0.01 0.02 |
| Jun-24 No Jul-24 No | 8.7 6 - \$ 9 16.3 6.8 4.2 3.5 | 91.6 92.1 90-110 | - 26.4 - 28.7 - 30-350 5 31 2 27.9 9 31.5 - 36.5 - 34.7 | 30-350 - 24 20.5 26.2 | 8.32 7.76 6.5-8 - 6.5-8 6.69 7.04 6.62 | 94.6 106.1 | 0.10 1.35 2-25 0.1 9 7.87 12.24 17.27 | 0.01 0.02 0.027 0.01 0.36 0.32 0.6 0.10 | 0.001 0.0008 0.001 0.003 0.003 0.0003 | 0.0001 0.0006 0.0001 0.00002 0.00002 0.00002 | 0.001 0.001 0.0001 0.0001 0.00001 0.00001 | 0.001 0.001 0.001 0.001 0.002 0.0002 0.001 | 0.002 0.002 0.004 0.002 0.002 0.002 0.001 | 0.05 0.05 0.3 0.05 0.41 0.23 0.66 | 0.001 0.001 0.001 0.001 0.001 0.001 0.002 | 0.010 0.003 1.2 0.001 0.005 0.003 0.013 | 0.0001 0.0001 0.00006 0.0001 0.00003 0.00003 | 0.001 0.001 0.008 0.001 0.001 0.001 | 0.25 0.1 0.25 0.1 0.2 0.2 0.2 | 0.01 0.02 0.02 0.01 0.02 0.02 |
| Jul-24 No | 6 - \$ 9 16.3 6.8 4.2 3.5 | 92.1 90-110 90-110 8.35 90-110 10.2 82.5 8.09 80.7 85.1 | 28.7 - 30-350 - 31 2 27.9 9 31.5 - 36.5 - 34.7 | 30-350 - 24 20.5 26.2 | 7.76 6.5-8 - 6.5-8 6.5-8 6.69 7.04 6.62 | 94.6 106.1 | 2-25 0.1 9 7.87 12.24 17.27 | 0.027 0.01 0.36 0.32 0.6 | 0.001 0.0008 0.001 0.003 0.0003 0.00015 | 0.0001 0.0006 0.0001 0.00002 0.00002 0.00001 | 0.001 0.0001 0.0001 0.00001 0.00001 0.000005 | 0.001 0.001 0.002 0.0002 0.0002 | 0.002 0.004 0.002 0.002 0.002 0.001 | 0.05 0.3 0.05 0.41 0.23 0.66 | 0.001 0.001 0.001 0.001 0.001 | 0.003 1.2 0.001 0.005 0.003 0.013 | 0.0001 0.00006 0.0001 0.00003 0.00003 0.000015 | 0.001 0.008 0.001 0.001 0.001 0.0005 | 0.1 0.25 0.1 0.2 0.2 0.2 | 0.02 0.02 0.01 0.02 0.02 |
| YORKERS CREEK CATCHMENT DGV No LOR Dec - May SSGV June - Nov SSGV YK-RS Mar-24 No | - \$ 9 16.3 6.8 4.2 3.5 | 90-110 90-110 8.35 90-110 10.2 82.5 8.09 80.7 85.1 | - 30-350 31 2 27.9 9 31.5 - 36.5 - 34.7 | 30-350 - 24 20.5 26.2 | 6.5-8 6.5-8 6.5-8 6.69 7.04 6.62 | 94.6 106.1 | 2-25 0.1 9 7.87 12.24 17.27 | 0.027 0.01 0.36 0.32 0.6 0.10 | 0.0008 0.001 0.003 0.0003 0.00015 | 0.0006 0.0001 0.00002 0.00002 0.00001 | 0.00001 0.001 0.00001 0.00001 0.000005 | 0.001 0.001 0.002 0.0002 0.0001 | 0.004 0.002 0.002 0.002 0.001 | 0.3 0.05 0.41 0.23 0.66 | 0.001 0.001 0.001 0.001 0.002 | 1.2 0.001 0.005 0.003 0.013 | 0.00006 0.0001 0.00003 0.00003 0.000015 | 0.008 0.001 0.001 0.001 0.0005 | 0.25 0.1 0.2 0.2 0.2 | 0.02 0.01 0.02 0.02 |
| DGV No LOR Dec - May SSGV June - Nov SSGV YK-RS Mar-24 Yes Apr-24 No Jun-24 No Jun-24 No Jul-24 No Apr-24 No Apr-24 No May-24 No Jul-24 No Jul-24 No Apr-24 No May-24 No May-24 No May-24 No May-24 No May-24 No Jun-24 No Apr-24 No Apr-24 No NZG-IS Mar-24 No | 16.3 6.8 4.2 3.5 | 90-110 8.35 90-110 10.2 82.5 8.09 80.7 | | 24 20.5 26.2 | 6.5-8 6.5-8 6.69 7.04 6.62 | 94.6 106.1 | 0.1 9 7.87 12.24 17.27 | 0.01 0.36 0.32 0.6 0.10 | 0.001 0.003 0.0003 0.00015 | 0.0001 0.00002 0.00002 0.00001 | 0.001 0.00001 0.00001 0.000005 | 0.001 0.002 0.0002 0.001 | 0.002 0.002 0.002 0.001 | 0.05 0.41 0.23 0.66 | 0.001 0.001 0.001 0.002 | 0.001 0.005 0.003 0.013 | 0.0001 0.00003 0.00003 0.000015 | 0.001 0.001 0.001 0.0005 | 0.1 0.2 0.2 0.1 | 0.01 0.02 0.02 |
| LOR Dec - May SSGV June - Nov SSGV YK-RS | 16.3 6.8 4.2 3.5 | 90-110 8.35 90-110 10.2 82.5 8.09 80.7 | | 24 20.5 26.2 | 6.5-8 6.5-8 6.69 7.04 6.62 | 94.6 106.1 | 0.1 9 7.87 12.24 17.27 | 0.01 0.36 0.32 0.6 0.10 | 0.001 0.003 0.0003 0.00015 | 0.0001 0.00002 0.00002 0.00001 | 0.001 0.00001 0.00001 0.000005 | 0.001 0.002 0.0002 0.001 | 0.002 0.002 0.002 0.001 | 0.05 0.41 0.23 0.66 | 0.001 0.001 0.001 0.002 | 0.001 0.005 0.003 0.013 | 0.0001 0.00003 0.00003 0.000015 | 0.001 0.001 0.001 0.0005 | 0.1 0.2 0.2 0.1 | 0.01 0.02 0.02 |
| Dec - May SSGV June - Nov SSGV YK-RS | 9 16.3 6.8 4.2 3.5 | 90-110 8.35 90-110 10.2 82.5 8.09 80.7 - 85.1 - | 5 31 2 27.9 9 31.5 - 36.5 - 34.7 | 20.5 26.2 - | 6.5-8 6.69 7.04 6.62 | 94.6 106.1 | 9 7.87 12.24 17.27 | 0.36 0.32 0.6 0.10 | 0.003 0.0003 0.00015 | 0.00002 0.00002 0.00001 | 0.00001 0.00001 0.000005 | 0.002 0.0002 0.001 | 0.002 0.002 0.001 | 0.41 0.23 0.66 | 0.001 0.001 0.002 | 0.005 0.003 0.013 | 0.00003 0.00003 0.000015 | 0.001 0.001 0.0005 | 0.2 0.2 0.1 | 0.02 0.02 |
| June - Nov SSGV YK-RS | 9 16.3 6.8 4.2 3.5 | 90-110 10.2 82.5 8.09 80.7 - 85.1 - | 2 27.9 31.5 - 36.5 - 34.7 | 20.5 26.2 - | 6.5-8 6.69 7.04 6.62 | 106.1 | 7.87 12.24 17.27 | 0.32 0.6 0.10 | 0.0003 0.00015 | 0.00002 0.00001 | 0.00001 0.000005 | 0.0002 0.001 | 0.002 0.001 | 0.23 0.66 | 0.001 0.002 | 0.003 0.013 | 0.00003 0.000015 | 0.001 0.0005 | 0.2 0.1 | 0.02 0.02 0.03 |
| YK-RS Mar-24 Yes | 16.3 6.8 4.2 3.5 | 82.5 8.09 80.7 85.1 | 31.5 - 36.5 34.7 | 26.2 - - | 6.69 7.04 6.62 | | 12.24 17.27 | 0.6 0.10 | 0.00015 | 0.00001 | 0.000005 | 0.001 | 0.001 | 0.66 | 0.002 | 0.013 | 0.000015 | 0.0005 | 0.1 | |
| Apr-24 No May-24 No Jun-24 No Jun-24 No Jul-24 No YK-IS (D/S) Mar-24 No Apr-24 No May-24 No Jun-24 No Jun-24 No Jun-24 No Jun-24 No Apr-24 No Apr-24 No Apr-24 No NZG-IS Mar-24 No | 6.8 4.2 3.5 | 80.7 85.1 | 36.5 34.7 | - | 7.04 6.62 | 64.5 - - | 17.27 | 0.10 | | | | | _ | | | | | | | 0.03 |
| May-24 No | 4.2 3.5 | 85.1 | 34.7 | - | 6.62 | - | | | | 0.0001 | 0.001 | 0.004 | 0.002 | 0.12 | 0.001 | 0.014 | 0,0001 | 0.001 | 0.6 | |
| Jun-24 No Jul-24 No | 3.5 | | | | | - | 0.3 | 0.10 | | | | 0.001 | | | | | | | | 0.04 |
| Jul-24 No YK-IS (D/S) Mar-24 No Apr-24 No No May-24 No Jun-24 No Jul-24 No No NZG-IS Mar-24 No Apr-24 No No No No No | | 84.2 | 30.1 | - | | | | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.004 | 0.17 | 0.001 | 0.026 | 0.0001 | 0.001 | 0.3 | 0.04 |
| YK-IS (D/S) Mar-24 No Apr-24 No May-24 No Jun-24 No Jul-24 No NZG-IS Mar-24 No Apr-24 No | | 00.4 | 07.0 | | | - | 26.48 | 0.09 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.18 | 0.001 | 0.021 | 0.0001 | 0.001 | 0.4 | 0.04 |
| Apr-24 No May-24 No Jun-24 No Jul-24 No NZG-IS Mar-24 No Apr-24 No | 10 | 83.1 - 81.6 9.21 | 27.8 | 27.0 | 7.4 | 63.2 | 7.97 0.1 | 0.19 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.21 | 0.001 | 0.010 | 0.0001 0.000015 | 0.001 | 0.4 | 0.04 |
| May-24 No Jun-24 No Jul-24 No NZG-IS Mar-24 No Apr-24 No | 5.9 | 81.6 9.21 86.0 - | 1 39.1 39.4 | 27.9 | 7.02 | 03.2 | 221.78 | 0.0065 | 0.00015 | 0.00001 | 0.000005 | 0.0001 0.001 | 0.001 | 0.26 | 0.0003 | 0.006 0.014 | 0.000015 | 0.0005 | 0.1 | 0.02 |
| Jun-24 No Jul-24 No NZG-IS Mar-24 No Apr-24 No | 3.1 | 85.9 | 39.4 | - | 6.59 | - | 0.8 | 0.09 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.11 | 0.001 | 0.014 | 0.0001 | 0.001 | 0.1 | 0.02 |
| Jul-24 No NZG-IS Mar-24 No Apr-24 No | 3.2 | 84.6 | 38.9 | _ | 7.76 | _ | | 0.06 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.1 | 0.001 | 0.009 | 0.0001 | 0.001 | 0.2 | 0.04 |
| Apr-24 No | 3.2 | 85.0 | 32.8 | - | 7.11 | - | 8.29 | 0.28 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.22 | 0.001 | 0.005 | 0.0001 | 0.001 | 0.6 | 0.04 |
| | 9.6 | 80.2 9.13 | 64.2 | 45.3 | 7.45 | 31.1 | 0.1 | 0.14 | 0.00015 | 0.00001 | 0.000005 | 0.0001 | 0.001 | 0.18 | 0.0005 | 0.004 | 0.000015 | 0.0005 | 0.1 | 0.01 |
| May-24 No | 6.4 | 84.9 | 67.1 | - | 7.38 | - | 0.96 | 0.03 | | 0.0001 | 0.001 | 0.001 | 0.002 | 0.08 | 0.001 | 0.006 | 0.0001 | 0.001 | 0.1 | 0.02 |
| | 3.9 | 85.8 | 66.6 | - | 6.68 | - | 0.2 | 0.04 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.004 | 0.07 | 0.001 | 0.007 | 0.0001 | 0.001 | 0.2 | 0.08 |
| Jun-24 No | 4.4 | 82.7 | 64.1 | - | 8.14 | - | | 0.04 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.07 | 0.001 | 0.005 | 0.0001 | 0.001 | 0.2 | 0.01 |
| Jul-24 No | 3.7 | 83.9 | 34.8 | - | 7.44 | - | 13.66 | 0.2 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.18 | 0.001 | 0.004 | 0.0001 | 0.001 | 0.2 | 0.04 |
| YK-IS Mar-24 No | 11.4 | 78.0 8.53 | | 25.9 | 6.7 | 41.1 | 21.44 | 0.45 | 0.00015 | 0.00001 | 0.000005 | 0.001 | 0.001 | 0.4 | 0.0005 | 0.018 | 0.000015 | 0.0005 | 0.1 | 0.01 |
| Apr-24 No | 6.8 | 80.7 | 36.5 | - | 7.04 | - | 12.37 | 0.09 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.15 | 0.001 | 0.016 | 0.0001 | 0.001 | 0.3 | 0.02 |
| May-24 No | 4.7 | 82.7 | 35.8 | - | 6.43 | - | 0.2 | 0.06 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.004 | 0.1 | 0.001 | 0.015 | 0.0001 | 0.001 | 0.2 | 0.03 |
| Jun-24 No Jul-24 No | 3.9 | 83.1 - 82.8 - | - 35.1 - 32.5 | - | 7.88 | - | 7.99 | 0.08 | 0.001 | 0.0001 | 0.001 | 0.001 0.001 | 0.002 | 0.15 | 0.001 | 0.010 | 0.0001 | 0.001 0.001 | 0.3 | 0.03 |
| Jul-24 NO | 3.2 | 02.0 | 32.5 | - | , | - | 11.9 | 0.31 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.002 | 0.25 | 0.001 | 0.008 | 0.0001 | 0.001 | 0.3 | 0.07 |
| Reference Site exceeds SSGV | | | | | | | | | | | | | | | | | | | | |

| Parameter | | Dissolved Ag (mg/L) | Dissolved Zn (mg/L) | Ammonia (mg/L) | Nitrogen Oxides (mg/L) | Reactive Phosphoro us (mg/L) | Total Hardness (mg/L) (CaCO3) | Total Kjedahl Nitrogen (mg/L) (TKN) | TDS (mg/L) | TSS (mg/L) | Total A (mg/L) | l Total As (mg/L) | Total Cd (mg/L) | Total Cr (mg/L) | Total Cu (mg/L) | Total Pb (mg/L) | Total Mn (mg/L) | Total Ni (mg/L) | Total Ag (mg/L) | Total Zn (mg/L) | Total Fe (mg/L) | Total Hg (mg/L) |
|----------------|-------------------|------------------------|------------------------|-------------------|------------------------------|------------------------------------|--|---|------------|------------|-------------------|----------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| TALBINGO RES | SERVOIR | | | | | | | | | | | | | | | | | | | | | |
| DGV | | 0.00002 | 0.0024 | 0.013 | 0.015 | 0.015 | - | - | - | 0.2 | | | | 0.00001 | 0.001 | | | | 0.00002 | | 0.3 | 0.00006 |
| LOR | | 0.001 | 0.005 | 0.010 | 0.010 | 0.01 | 1 | 0.1 | 10 | 1 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.005 | 0.05 | 0.0001 |
| Dec - May SSG | V | 0.00002 | 0.002 | 0.013 | 0.015 | 0.02 | 7.5 | 0.1 | 12.5 | 0.2 | | | | | | | | | | | | |
| June - Nov SSG | V | 0.00002 | 0.002 | 0.013 | 0.015 | 0.015 | 8 | 0.2 | 15 | 0.2 | | | | | | | | | | | | |
| TR-RS | Mar-24 | 0.00001 | 0.001 | 0.050 | 0.05 | 0.005 | 8 | 0.1 | 44 | 0.1 | | | | | | | | | | | | |
| | Apr-24 | 0.001 | 0.066 | 0.030 | 0.12 | - | 5 | 0.12 | - | 3 | 0.02 | 0.001 | 0.0001 | 0.001 | 0.006 | 0.001 | 0.039 | 0.002 | 0.001 | 0.067 | 0.07 | 0.0001 |
| | May-24 | 0.001 | 0.023 | 0.020 | 0.03 | 0.01 | 5 | 0.3 | 35 | 5 | 0.03 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.033 | 0.001 | 0.001 | 0.012 | 0.06 | 0.0001 |
| | Jun-24 | 0.001 | 0.005 | 0.010 | 1.92 | 0.01 | 5 | 0.4 | 17 | 2 | 0.03 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.056 | 0.001 | 0.001 | 0.005 | 0.07 | 0.0001 |
| | Jul-24 | 0.001 | 0.005 | 0.030 | 0.04 | 0.01 | 5 | 0.1 | 17 | 2 | 0.05 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.014 | 0.001 | 0.001 | 0.005 | 0.06 | 0.0001 |
| YORKERS CRE | EK CATCHMENT | | | | | | | | | | | | | | | | | | | | | |
| DGV | | 0.00002 | 0.0024 | 0.013 | 0.015 | 0.015 | - | - | - | 0.2 | 0.027 | 7 0.0008 | 0.0006 | 0.00001 | 0.001 | 0.001 | 1.2 | 0.008 | 0.00002 | 0.0024 | 0.3 | 0.00006 |
| LOR | | 0.001 | 0.005 | 0.010 | 0.010 | 0.01 | 1 | 0.1 | 10 | 1 | 0.01 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.005 | 0.05 | 0.0001 |
| Dec - May SSG | v | 0.00002 | 0.002 | 0.013 | 0.015 | 0.02 | 1 | 0.1 | 30 | 3 | | | | | | | | | | | | |
| June - Nov SSG | | 0.00002 | 0.002 | 0.013 | 0.015 | 0.02 | 7 | 0.2 | 10 | 0.2 | | | | | | | | | | | | |
| YK-RS | Mar-24 | 0.00001 | 0.003 | 0.050 | 0.05 | 0.005 | 1 | | 30 | 3 | | | | | | | | | | | | |
| | Apr-24 | 0.001 | 0.013 | 0.020 | 0.02 | - | 9 | 0.02 | _ | 24 | 0.15 | 0.001 | 0.0001 | 0.001 | 0.007 | 0.001 | 0.021 | 0.006 | 0.001 | 0.016 | 0.46 | 0.0001 |
| | May-24 | 0.001 | 0.005 | 0.030 | 0.02 | 0.01 | 9 | 0.3 | 37 | 5 | 0.10 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.027 | 0.001 | 0.001 | 0.005 | 0.34 | 0.0001 |
| | Jun-24 | 0.001 | 0.005 | 0.020 | 0.02 | 0.03 | 9 | 0.4 | 21 | 15 | 0.23 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.032 | 0.001 | 0.001 | 0.005 | 0.50 | 0.0001 |
| | Jul-24 | 0.001 | 0.007 | 0.010 | 0.05 | 0.01 | 9 | 0.4 | 41 | 7 | 0.59 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.017 | 0.001 | 0.001 | 0.005 | 0.53 | 0.0001 |
| YK-IS (D/S) | Mar-24 | 0.00001 | 0.002 | 0.050 | 0.05 | 0.005 | 1 | 0.1 | 15 | 0.1 | | | | | | | | | | | | |
| | Apr-24 | 0.001 | 0.005 | 0.010 | 0.03 | - | 16 | 0.03 | - | 3 | 0.1 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.016 | 0.003 | 0.001 | 0.006 | 0.26 | 0.0001 |
| | May-24 | 0.001 | 0.005 | 0.010 | 0.53 | 0.01 | 12 | | 39 | | 0.12 | 0.001 | 0.0001 | 0.003 | 0.001 | 0.001 | 0.035 | 0.002 | 0.001 | 0.005 | 0.61 | 0.0001 |
| | Jun-24 | 0.001 | 0.005 | 0.010 | 0.01 | 0.01 | 12 | 0.2 | 25 | | 0.48 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.027 | | 0.001 | 0.005 | 0.66 | 0.0001 |
| | Jul-24 | 0.001 | 0.007 | 0.010 | 0.28 | 0.01 | 9 | 0.3 | 52 | | 0.3 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.011 | 0.001 | 0.001 | 0.005 | 0.32 | 0.0001 |
| NZG-IS | Mar-24 | 0.00001 | 0.002 | 0.050 | 0.05 | 0.005 | 10 | 0.1 | 22 | | | | | | | | | | | | | |
| | Apr-24 | 0.001 | 0.005 | 0.010 | 0.01 | - | 23 | 0.01 | - | 6 | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.012 | | 0.001 | 0.005 | 0.24 | 0.0001 |
| | May-24 | 0.001 | 0.007 | 0.010 | 0.03 | 0.01 | 23 | | 60 | | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.021 | | 0.001 | 0.005 | 0.35 | 0.0001 |
| | Jun-24 | 0.001 | 0.005 | 0.010 | 0.01 | 0.01 0.01 | 23 | 0.2 0.2 | 38 52 | | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.037 | | 0.001 | 0.005 | 0.67 | 0.0001 |
| YK-IS | Jul-24 Mar-24 | 0.0001 | 0.003 | 0.010 | 0.04 | 0.005 | 1 | 0.2 | 21 | | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.009 | 0.001 | 0.001 | 0.005 | 0.20 | 0.0001 |
| 11/-10 | Apr-24 | 0.0001 | 0.004 | 0.030 | 0.05 | 0.005 | .12 | 0.06 | 21 | 13 | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.024 | 0.001 | 0.001 | 0.005 | 0.52 | 0.0001 |
| | May-24 | 0.001 | 0.005 | 0.010 | 0.06 | 0.01 | 12 | 0.00 | 48 | 5 | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.024 | | 0.001 | 0.005 | 0.16 | 0.0001 |
| | Jun-24 | 0.001 | 0.005 | 0.010 | 0.05 | 0.01 | 9 | 0.2 | 19 | 6 | | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.014 | | 0.001 | 0.005 | 0.42 | 0.0001 |
| | Jul-24 | 0.001 | 0.009 | 0.010 | 0.01 | 0.01 | 9 | 0.3 | 52 | | 0.8 | 0.001 | 0.0001 | 0.001 | 0.001 | 0.001 | 0.015 | | 0.001 | 0.005 | 0.62 | 0.0001 |
| | Reference Site ex | ceeds SSGV | | | | | | | | | | | | | | | | | | | | |
| | Impact Site Resul | | or DGV | | | | | | | | | | | | | | | | | | | |
| italics | Result exceeds th | e Limit of Report | ting | | | | | | | | | | | | | | | | | | | |



Appendix D: Calibration Certificate



Head Office Perth
Tel: +61 8 9328 2900
eco@ecoenvironmental.com.au
www.ecoenvironmental.com.au

CALIBRATION CERTIFICATE - WATER

| Invoice No: | Equipmer | nt Received: | | | |
|--|------------------|------------------|------------|------|------|
| Handheld S/N | | | | | |
| Cable S/N: | | | | | |
| Included Items: | | | | | |
| | | | | | |
| | | | | | |
| SENSOR CALIBRATIO | N DETAILS | | | | |
| OLNOON GALIBRATIO | Pre Calibration | Post Calibration | Accuracy | Pass | Fail |
| | | | +/- | | |
| | | | +/- | | |
| | | | +/- | | |
| | | | +/- +/- | | |
| | | | +/- | | |
| | | | +/- | | |
| | | | +/- | | |
| | | | +/- | | |
| | | | +/- +/- | | |
| | | | ., | | |
| Findings / December of | ti | | | | |
| Findings/ Recommenda | tions /Comments: | | | | |
| 1/ | | | | | |
| 2/ | | | | | |
| 3/ | | | | | |
| 4/ | | | | | |
| | | | | | |
| This is to certify that who manufacturer's calibration | | | | | |
| Regards, | | | | | |
| | | | | | |
| Equipment Specialist | | | | | |
| ECO Environmental Holdi | ngs | | | | |